PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

MAY BE FATAL IF SWALLOWED OR ABSORBED THROUGH SKIN IF SWALLOWED GET IMMEDIATE MEDICAL ATTENTION HARMFUL IF INHALED DO NOT BREATHE VAPORS FUMESOR SPRAYMIST CAUSESEYEDAMAGE DO NOT GET IN EYES ON SKIN OF ON CLOTHING FOR EYE CONTACT FLUSH WITH PLENTY OF WATER AND GET MEDICAL ATTENTION WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING OR SMOKING WASH CONTAMINATED CLOTHING BEFORE REUSE DO NOT CONTAMINATE FEED OR FOODSTUFFS REMOVE ALL PETS AND AQUARIUMS FROM AREA BEFORE SPRAVING

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes

PHYSICAL & CHEMICAL HAZARDS

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME NOTE TO PHYSICIAN: Active ingredients contain a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

STORAGE & DISPOSAL


Prohibitions - DO NOT CONTAMINATE WATER. FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT OPEN DUMPING IS PROHIBITED

2. Pesticide Disposai — PESTICIDE, SPRAY MIXTURE OR RINSATE THAT CANNOT BE USED ACCORDING TO LABEL INSTRUCTIONS MUST BE DISPOSED OF ACCORDING TO FEDERAL, STATE OR LOCAL PROCEDURES UNDER THE RESOURCE CONSERVA-TION AND RECOVERY ACT

3. Container Disposal — (A) RESEAL CONTAINER AND OFFER FOR RECONDITIONING OF (B) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING OR RECONDITIONING, OR DISPOSE OF IN A SANITARY LANDFILL, OR BY OTHER APPROVED STATE AND LOCAL PROCEDURES

USE PRECAUTIONS

Do not allow children or pets to contact treated surfaces until spray has dired Do not spray ar in rooms or use on plants. Apply as a shifter spray only as specified on this label. Do not allow spray to contact food, leedstuffs or water supplies. Thoroughly wast and food handling utensits if contaminated with the and food handling utensits if



prentox " PROFESSIONAL **SYNPY CHLORPYRIFOS**

(Contains Dursban®)

(For Professional Use Only)

ACTIVE INGREDIENTS:

| Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro- | |
|---|---------|
| 2-pyridyi) phosphorothioate | 25.00% |
| Piperonyl Butoxide Technical* | 25.00% |
| Pyrethrins | |
| Xylene Range Aromatic Solvent | |
| Petroieum Distillates | |
| TOTAL: | 100.00% |

*Equivalent to 20 00% (Butylcarbityl) (6-Propylpiperonyl) Ether and 5 00% related compounds

For control of cockroaches, ants, silverfish, spiders, crickets, earwigs and brown dog ticks. Use in and around homes, apartments, garages, similar residential structures. institutions, restaurants and food processing plants. Use outdoors as an aid in reducing annoyance from flies and mosquitoes entering homes

KEEP OUT OF REACH OF CHILDREN WARNING IF SWALLOWED -- Contains petroleum distillates. Do not induce

IF SWALLOWED — Contains perfore un ossiniates. Do not induce vomiting Gel medical attention immediately. IFINHALED - Remove victim to fresh air. Apply respiration, if indicated IF ON SKIN. Wash area immediately with soap and warm water. IF IN EYES — Flush with plenty of water and get prompt medical. attention

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRENTOX* — Registered Trademark of Prentiss Drug & Chemical Co Inc

DURSBAN* - Registered Trademark of The Dow Chemical Co E.P.A. REG. NO. 855-578 E.P.A. EST. NO. 855-NJ-1

NET CONTENTS GAL. LOT # .

> Plant: 338 Wilson Avenue Newark, N.J. 07105 Office: 363 7th Avenue New York, N.Y. 10001

DIRECTIONS FOR USE (Con'd)

The prepare a 0.5%. Chloripyritos ready to use spray, dilute 2.1b. of Concentrate with 98.1b. of Deodor Led Kelosenei. To prepare a 0.25% Chloripyritos ready to use spray, ultute 1.1b. of Concentrate with 99.1b. of Deodorized Kerosene.

APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS APPLICATION WITHIN FOOD HANDLING ESTABLISHMENTS (Places Other Than, Private Residences in Which Food is Held, Processed, Prepared or Served) (INCLUDING, BUT NOT LIMITED TO, RESTAMRANTS, CROBERY STORES, BAKERIES, BOTTLING PLANTS, CANNERIES & GRAIN MILCS: Use as a spot treatment to control/cocktoaches including strains resistant to certain other insecticides) ants crickets linebrats silvertish and spiders in and around both food and non-food areas by application as coarse. (Way on Pasting 10) or hest stray, to

Sitvenish and spiders in and anothe both both node and non-hood areas by application as coarse, low pressure (20 ps) or less) spray to localized areas where the above pests have been seen or are suspected of hiding or entering. Apply only enough spray to thoroughly cover the surfaces treated using special care to avoid unneccessary funofi. Do not infroduce the spray into the air or allow the spray to contact food or food-confacting surfaces. Areas treated may include dark corners of rooms and closers along and behind baseboards, beneath and behind stoves, refrigeration units and similar food preparation areas and equipment, floor units and similar food preparation areas and equipment, floor drains and around plumbing and other utility installations. For ants apply to an trails and wherever these pests may find entrance. Spot treatment may encompass crack and crevice treatment by applying small amounts of material directly into openings leading to voids and hollow spaces in walls, equipment legs and bases or which occur at points between different elements of construction or between equipment and floors. Equipment capable of delivering a pin stream of insecticide should be used. Repeat treatment as needed, but not more often than once every 7 pays in restaurants and similar food service establishments or more often than once every 14 days in other types of food handling establishments. In case of emeroancy (call types of food handling establishments in case of emergency (call back) may be applied after 2 days from fast treatment but emergency use should be limited to once per month

APPLICATION OF THIS PRODUCT IN FOOD HANDLING ESTABLISHMENTS OTHER THAN AS A SPOT AND/OR CRACK AND CREVICE TREATMENT ARE NOT PERMITTED

AND CREVICE TREATMENT ARE NOT PERMITTED APPLICATION WITHIN RESIDENTIAL BUILDINGS INCLUDING HOMES AND APARTMENT BUILDINGS & WITHIN NON-FOOD AREAS OF INDUSTRIAL, INSTITUTIONAL, AND COMMERCIAL BUILDINGS INCLUDING HOSPITALS, STORES, MANUFACTURING PLANTS AND WAREHOUSES: FOR SPOT TREATMENT ONLY -Apply as a coarse spray or with a paint brush to localized areas where for colored functions throw too localized areas

where cockroaches (including strains resistant to certain other insecticides) ants, clover mites, crickets, firebrats, silverfish, and necessary and sever miles, crickers, liveorats, suverish, and spiders are found or normally occur including dark corners of rooms and closets cracks and crevices in walls, along and behind baseboards, beneath and behind sinks, stoves, refingerators and cabinets around plumbing and other utility installations. For anti-apply to ant traits, also around doors and windows and wherever else these pests may find entrance. For clover mites, use a 0.5% spray only. NOTE: A penod of 4 to 7 days is normally required for maximum effect on cockroaches.

BROWN DOG TICKS — Apply thoroughly as a spot treatment to infested areas, such as pet beds and resting guarters, nearby cracks and crevices along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. Fresh bedding should be placed in animal guarters following treatment. Do not spray pets with this product. with this product

FLIES & MOSQUITOES — Use only on outdoor surfaces. Spray outside surfaces of windows and door frames & other areas where these pesis may enter the home. Also spray corners & localized resting areas such as under eaves porches partitions & ir garages where these insects may congregate. Files & mosquitoes coming to rest on treated surfaces will be killed Repeat treatment when effectiveness diminishes

7.81



prentiss Drug & Chemical Co., Inc.