

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND (DOMESTIC ANIMALS)
CAUTION**

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety or Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water, separately from clothing, before re-use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

prentox[®] PYRONYL[™] FLY SPRAY

(For Application by Trained Personnel)

For use in Poultry Houses, Barns, Warehouses,
Storage Bins, and Storage Rooms.

**CONTROLS HOUSE FLIES, STABLE
FLIES, HORN FLIES.**

ACTIVE INGREDIENTS:

Pyrethrins	0.05%
Piperonyl Butoxide Technical [*]	5.00%
Petroleum Distillates	94.95%
TOTAL	100.00%

^{*}Equivalent to 4.02% (Butylcarbityl)(8-Propylpiperonyl) Ether and 1.01% related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

PRENTOX[®] — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If inhaled — Remove victim to fresh air.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

E.P.A. REG. NO. 666-582

E.P.A. EST. NO. 666-GA-1

prentiss

Drug & Chemical Co., Inc.

Plant: Kaelin Road Sandersville, GA. 318
Office: C.B. 2000 Floral Park, N.Y. 11001

DIRECTIONS FOR USE (Contd.)

CONTACT SPRAY — Diluted for Use with Sprayers that give large, wetting spray particles — To kill Cockroaches and scab beetles and other stored food insects: Rice & Grainery Weevil, Red Flour Beetle, Indian Meal Moth Larvae, Caddis, Grain Mites and Saw-Toothed Grain Beetles. Cover or remove exposed food and close room. Dilute Concentrate with Oil at the rate of 1 part Concentrate plus 9 parts Oil, and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harboursages using 1 gal. of Spray per 1,000 sq. ft. of surface. Force spray into all cracks and crevices. Repeat applications as necessary. Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

SPACE SPRAY — Undiluted in Aerosol Generators — To kill Flies, Mosquitoes, Small Flying Moths & Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 2 to 6 oz. of undiluted Concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for one half hour. Do not remain in treated area. Ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat as necessary.

SPACE SPRAY — Dilute 1 plus 4 with Sess Oil for Use in Barns & Poultry Houses, Warehouses, Storage Bins & Storage Rooms — To control House Flies, Stable Flies & Horn Flies, apply as a fine mist over the livestock in stanchions or holding pens or over the poultry in cages or in pens. Use a fogger or mist generator, so spray is directed and applied above the animals and direct spray to center of the area where animals are housed. Apply 1 oz. per 1,000 cu. ft., so that the spray mist is distributed uniformly throughout the entire area sprayed. Do not ventilate the area for at least 10 minutes after spray has been applied. If used in Dairy Barns, aerate the barn thoroughly before milking. Repeat daily, morning and afternoon, or as required. Keep sprayer unit reservoir and nozzle clean, to ensure proper delivery of spray mist or fog. Product to be used in mechanical sprayers, which give particle size aerosol range or smaller, such as ULV type.

SPACE SPRAY — For Use in Mechanical Fogging Equipment — Kill Flies, Mosquitoes, Small Flying Moths & Gnats. Cover or remove exposed food and food handling surfaces. Close room, making sure to shut off all air conditioning or ventilation equipment. Dilute Concentrate with Deodorized Kerosene at the rate of 1 part Concentrate with 9 part Deodorized Kerosene and mix well. Apply at the rate of 50 fl. oz. of diluted spray per 25,000 cu. ft. of space. Make sure to direct the spray upward towards upper corners of room & ceiling. Keep room closed for one half hour after spraying. Do not remain in treated area. Ventilate after treatment is completed.

NET CONTENTS _____

LOT # _____

BEST DOCUMENT AVAILABLE