

prentox

PYRONYL - DIAZINON. EMULSIFIABLE CONCENTRATE

FOR JANITORIAL, INSTITUTIONAL AND INDUSTRIAL
USE ONLY (NOT FOR HOMEOWNER USE), for the
control of cockroaches, ants, silverfish, carpetbeetles,
spiders, and scorpions.

ACTIVE INGREDIENTS:

0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	10.0%
Pyrethrins	1.0%
Piperonyl Butoxide, Technical*	5.0%
Petroleum Distillates	72.4%
INERT INGREDIENTS:	11.6%
TOTAL:	100.0%

*Equivalent to 8.0% (Butylcarbityl) (6-propylpiperonyl) Ether and 2.0% related compounds

DIAZINON — Registered Trademark of CIBA-GEIGY CORPORATION

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED — Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN — Wash contaminated skin with soap and water.

IF IN EYES — Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Reg. No. 655-583

E.P.A. Est. No. 655-NJ-1

NET CONTENTS _____

LOT# _____

Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105

Office: 363 7th Avenue
New York, N.Y. 10001

PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals
CAUTION

HARMFUL IF SWALLOWED. MAY BE ABSORBED THROUGH SKIN. DO NOT BREATHE SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID CONTAMINATION OF FOOD AND FEED. KEEP OUT OF REACH OF DOMESTIC ANIMALS. DO NOT USE ON HUMANS, HOUSEHOLD PETS, OR LIVESTOCK. DO NOT ALLOW CHILDREN IN TREATED AREAS UNTIL SURFACES ARE DRY. REMOVE PETS AND COVER FISHBOWLS BEFORE SPRAYING.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birdsteeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

NOTE TO PHYSICIAN

If signs of cholinesterase inhibition are present (excessive salivation, respiratory difficulty, muscle twitches or convulsions, exhaustion, headache, blurred vision, or constricted pupils), atropine sulfate is antidotal and may be administered in conjunction with 2-PAM.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically processed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

CONTAINER DISPOSAL: 30 & 55 gallon drums: (a) Reseal container and offer for reconditioning, or (b) triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill, or bury in a safe place.

SMALLER CONTAINERS: as in (b), above.

GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures.

Mix 15 oz. of Concentrate with water or 11.2 oz. of concentrate with base oil to yield 1 gal. of finished solution containing 1% Diazinon, 0.1% Pyrethrins, and 0.5% Piperonyl Butoxide Technical. For half strength, use in maintenance work, dilute 7.5 oz. per gal. of water or 5.6 oz. of concentrate for 1 gal. of spray with base oil. Mix enough material for use on job. Do not store finished solution overnight. For spot application only. Do not use as space spray.



DIRECTIONS FOR USE (Cont'd)

COCKROACHES (WATERBUGS), ANTS, CRICKETS AND SILVERFISH — Make spot applications of 1% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where these insects hide. For heavy cockroach infestations, make the first application at a strength of 1% Diazinon, followed by monthly application of 1/2% Diazinon.

CARPET BEETLES — Apply a 1/2% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

SPIDERS AND SCORPIONS — Apply a 1/2% Diazinon spray around window frames, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

PANTRY PESTS — Exposed stages (SAW-TOOTHED GRAIN BEETLE, CONFUSED FLOUR BEETLE, RED FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGSTORE BEETLE, INDIAN-MEAL MOTH) — Apply a 1/2% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

FOOD HANDLING ESTABLISHMENTS — Do not use in the edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

NON-FOOD AREAS — Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Apply 1/2-1% Diazinon as a coarse spray or apply with a paint brush to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

FLIES AND MOSQUITOES — Use only on outdoor surfaces. Spray a 1/2% solution on outside surfaces of windows and door frames and other areas where these pests may enter the homes. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions, and in garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

CHIGGERS AND ANTS OUTDOORS — For treatment of localized infestations of these insects in outdoor areas, spray weeds and bushy non-crop areas around the home or buildings thoroughly. Avoid spraying desirable plants. For ants, thoroughly wet hills and runways. Repeat application as infestation occurs.