

prentox[®]

PYRONYL - DIAZINON

EMULSIFIABLE CONCENTRATE

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS for the control of cockroaches, ants, silverfish, carpetbeetles, spiders, and scorpions.

ACTIVE INGREDIENTS:

| | |
|--|--------|
| Diazinon (0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate) | 10.0% |
| Pyrethrins | 1.0% |
| Piperonyl Butoxide, Technical* | 5.0% |
| Petroleum Distillates | 72.4% |
| INERT INGREDIENTS: | 11.6% |
| TOTAL: | 100.0% |

*Equivalent to 4.0% (Butylcarbityl) (6-propylpiperonyl) Ether and 1.0% related compounds

DIAZINON Registered Trademark of CIBA-GEIGY CORPORATION

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED -- Call a physician immediately. Gastric lavage is indicated if material was taken orally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give 1 or 2 glasses of water and insert finger in back of throat. Repeat until vomit is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED -- Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN -- Wash off contaminated skin with soap and water.

IF IN EYES -- Flush eyes with plenty of water for at least 15 minutes and seek medical attention immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

E.P.A. Reg. No. 655-583 E.P.A. Est. No. 655-NJ-1
FEB 22 1983

NET CONTENTS _____
LOT # _____

Manufactured by

prentiss
Drug & Chemical Co., Inc.

Plant: Kaulin Road
Sandersville, GA. 31082
Office: 363 7th Avenue
New York, N.Y. 10001



PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION

HARMFUL IF SWALLOWED. MAY BE ABSORBED THROUGH SKIN. DO NOT BREATHE SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID CONTAMINATION OF FOOD AND FEED. KEEP OUT OF REACH OF DOMESTIC ANIMALS. DO NOT USE ON HUMANS, HOUSEHOLD PETS OR LIVESTOCK. DO NOT ALLOW CHILDREN IN TREATED AREAS UNTIL SURFACES ARE DRY. REMOVE PETS AND COVER FISHBOWLS BEFORE SPRAYING.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

NOTE TO PHYSICIAN

If signs of cholinesterase inhibition are present (excessive salivation, respiratory difficulty, muscle twitches or convulsions, exhaustion, headache, blurred vision or constricted pupils), atropine sulfate is antidotal and may be administered in conjunction with 2-PAM.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

Mix 15 oz. of Concentrate with water or 11.2 oz. of concentrate with base oil to yield 1 gal. of finished solution containing 1% Diazinon, 0.1% Pyrethrins, and 0.5% Piperonyl Butoxide Technical. For half strength use in maintenance use, dilute 7.5 oz. per gal. of water or 5.6 oz. of concentrate for 1 gal. of spray with base oil. Mix enough material for use on job. Do not store finished solution overnight. For spot application only. Do not use as space spray.

DIRECTIONS FOR USE (Cont'd.)

COCKROACHES (WATERBUGS), ANTS, CRICKETS AND SILVERFISH -- Make spot applications of 1% Diazinon as a coarse spray or apply with a paint brush to baseboard areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide. For heavy cockroach infestation, make the first application at a strength of 1% Diazinon, followed by monthly application of 1% Diazinon.

CARPET BEETLES -- Apply a 1% Diazinon spray in spot applications along baseboards and edges of carpeting under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

SPIDERS AND SCORPIONS -- Apply a 1% Diazinon spray around window frames, doors and along baseboards. Make spot applications to other areas over which these pests may crawl.

PANTRY PESTS -- Exposed stages (SAW-TOOTHED GRAIN BEETLE, CONFUSED FLOUR BEETLE, RED FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGSTORE BEETLE, INDIAN-MEAL MOTH) -- Apply a 1% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping. Since it will have no effect on insects breeding within food packages, infested food packages should be destroyed.

FOOD HANDLING ESTABLISHMENTS -- Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas where food is exposed.

NON-FOOD AREAS -- Includes garage, laundry, coat closets, basements, attics, sewers, utility and vestibules, office locker rooms, machine rooms, boat rooms, garages, etc. (pre-treat with steam after cleaning or painting). Apply a 1% Diazinon as a coarse spray or apply with a paint brush to baseboard areas around water pipes, surfaces behind and beneath sinks, lockers, table panels and similar areas where insects hide or through which they may enter.

FLIES AND MOSQUITOES -- Use only on outdoor surfaces. Spray a 1% solution on outside surfaces of windows and door frames at other areas where these pests may enter the home. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions and in garages where these insects may congregate. Flies and mosquitoes coming from the treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

CHIGGERS AND ANTS OUTDOORS -- For treatment of localized infestations of chiggers, ants, ticks, fleas, and other insects, apply a 1% solution of Diazinon to the base of the infestation. Avoid spraying desirable plants. For ants, thoroughly seal trails and runways. Repeat application as needed.