

prentox

PYRONYL-DIAZINON™ EMULSIFIABLE CONCENTRATE

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS for the control of cockroaches, ants, silverfish, carpet beetles, spiders, and scorpions.

ACTIVE INGREDIENTS	
Diazinon (0,0-Diethyl 0-(2-isopropyl 6-methyl-4-pyrimidinyl) phosphorothioate	10.0
Pyrethrins	1.0
Piperonyl Butoxide, Technical*	5.0
Petroleum Distillates	72.4
INERT INGREDIENTS	<u>11.6</u>
TOTAL	100.0

*Equivalent to 100% active ingredient.
Ether solvent, 100% active ingredient.

PRENTOX

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED—

IF INHALED—

IF ON SKIN—

IF IN EYES—

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-583 E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____

LOT NO. _____



Manufactured by
prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

ACCEPTED
24 JAN 1983

U.S. Environmental Protection Agency
Washington, D.C. 20460

EPA Reg No. 655-583

12/83

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. May be harmful if inhaled. Irritates the respiratory tract. Do not breathe vapors. Wash thoroughly after handling. Avoid contact with eyes. Contaminated clothing should be removed. Keep out of reach of animals. Do not use or store in areas accessible to children, pets and livestock.

ENVIRONMENTAL HAZARDS

This product is toxic to birds and fish. Do not apply to treated areas until birds and fish are no longer present. Do not apply to water. Do not apply to areas where children, pets and livestock are present.

PHYSICAL HAZARDS

Do not use in confined spaces.

NOTE TO PHYSICIAN

If signs of irritation or poisoning occur, discontinue use. If symptoms persist, consult a physician. Symptoms may include: salivation, respiratory difficulty, muscle weakness, dizziness, headache, nausea, vomiting, diarrhea, atropine-like symptoms, and may require medical attention with DEAM.

DIRECTIONS FOR USE

Read and follow directions on label. Do not use in areas where children, pets and livestock are present.

STORAGE AND DISPOSAL

Do not store in areas where children, pets and livestock are present. Open flame and heat should be avoided. Do not use in areas where children, pets and livestock are present. Do not use in areas where children, pets and livestock are present.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of by incineration at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse or equivalent. Then offer for recycling or reconditioning, or for reuse and reuse only as sanitary landfill or by other procedures approved by State and local authorities.

Mix with water. Dilute with water. Do not use in areas where children, pets and livestock are present. Do not use in areas where children, pets and livestock are present.

COCKROACHES (WATERBUGS), ANTS, CRICKETS AND SILVERFISH—Mix with water. Dilute with water. Do not use in areas where children, pets and livestock are present. Do not use in areas where children, pets and livestock are present.

CARPET BEETLES—Apply a thin layer of Diazinon spray in spot treatments. Do not use in areas where children, pets and livestock are present. Do not use in areas where children, pets and livestock are present.

SPIDERS AND SCORPIONS—Apply a thin layer of Diazinon spray around window frames, doors, and along baseboards. Make spot applications in areas where these pests may be present.

PANTRY PESTS—Exposed stages (SAW-TOOTHED GRAIN BEETLE, CONFUSED FLOUR BEETLE, RED FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGSTORE BEETLE, INDIAN-MEAL MOTH)—Apply a thin layer of Diazinon spray in spot treatments. Do not use in areas where children, pets and livestock are present. Do not use in areas where children, pets and livestock are present.

FOOD HANDLING ESTABLISHMENTS—Apply a thin layer of Diazinon spray in spot treatments. Do not use in areas where children, pets and livestock are present. Do not use in areas where children, pets and livestock are present.

NON-FOOD AREAS—Apply a thin layer of Diazinon spray in spot treatments. Do not use in areas where children, pets and livestock are present. Do not use in areas where children, pets and livestock are present.

FLIES AND MOSQUITOES—Apply a thin layer of Diazinon spray in spot treatments. Do not use in areas where children, pets and livestock are present. Do not use in areas where children, pets and livestock are present.

CHIGGERS AND ANTS OUTDOORS—Apply a thin layer of Diazinon spray in spot treatments. Do not use in areas where children, pets and livestock are present. Do not use in areas where children, pets and livestock are present.