

655-583

9/6/2000

Page 172

Pretox Pyronyl Diazinon
EPA Registration No. 655-583

ACCEPTED
SEP - 6 2000
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-583



PYRONYL™ DIAZINON
EMULSIFIABLE CONCENTRATE

RECOMMENDED FOR COMMERCIAL/INDUSTRIAL/INSTITUTIONAL USE

For the control of cockroaches, ants, silverfish, carpetbeetles, spiders, and scorpions.

ACTIVE INGREDIENTS:

Diazinon (0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate)	10.0%
Pyrethrins	1.0%
Piperonyl Butoxide, Technical*	5.0%

INERT INGREDIENTS*	84.0%
TOTAL	100.0%

*Equivalent to 4.0% (Butylcycbutyl) (6-propylpiperonyl) Ether and 1.0% related compounds.

**Contains Petroleum Distillates

PRENTOX® — Registered Trademark of Prentiss Incorporated

EPA REG. NO. 655-583

EPA EST. NO. 655-GA-1

KEEP OUT OF REACH OF CHILDREN
CAUTION
STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or poison control center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. If inhaled — Remove victim to fresh air. Apply respiration if indicated. If on skin — Wash contaminated skin with soap and water. If in eyes — Flush eyes with plenty of water. Get medical attention immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

Manufactured by:

PRENTISS INCORPORATED

Plant: Kaelin Road, Sandersville, GA 31082
Office: C.B. 2000, Floral Park, NY 11002-2000

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling and before smoking or eating. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Do not allow children in treated areas until surfaces are dry. Remove pets and cover fishbowl before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

NOTE TO PHYSICIAN

Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally.

If signs of cholinesterase inhibition are present (excessive salivation, respiratory difficulty, muscle twitches or convulsions, exhaustion, headache, blurred vision, or constricted pupils) atropine sulfate is antidotal and may be administered in conjunction with 2-PAM.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Mix 15 oz. of Concentrate with water or 11.2 oz. of concentrate with base oil to yield 1 gal. of finished solution containing 1% Diazinon, 0.1% Pyrethrin, and 0.5% Piperonyl Butoxide Technical. For half strength, use in maintenance work, dilute 7.5 oz. per gal. of water or 5.6 oz. of concentrate for 1 gal. of spray with base oil. Mix enough material for use on job. Do not store finished solution overnight. For spot application only. Do not use as space spray.

COCKROACHES (WATERBUGS), ANTS, CRICKETS AND SILVERFISH — Make spot applications of ½% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where these insects hide. For heavy cockroach infestations, make the first application at a strength of 1% Diazinon, followed by monthly application of ½% Diazinon.

CARPET BEETLES — Apply a ½% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

SPIDERS AND SCORPIONS — Apply a ½% Diazinon spray around window frames, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

PANTRY PESTS — Exposed stages (**SAW-TOOTHED GRAIN BEETLE, CONFUSED FLOUR BEETLE, RED FLOUR BEETLE, RICE WEEVIL, CIGARETTE BEETLE, DRUGSTORE BEETLE, INDIAN-MEAL MOTH**) — Apply a ½% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects brooding within food packages. Infested food packages should be destroyed.

FOOD HANDLING ESTABLISHMENTS — Do not use in the edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

NON-FOOD AREAS — Includes garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after coming or bottling). Apply ½% - 1% Diazinon as a coarse spray or apply with a paint brush to baseboard areas, around water pipes, surfaces behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

FLIES AND MOSQUITOES — Use only on outdoor surfaces. Spray a ½% solution on outside surfaces of windows and door frames and other areas where these pests may enter the home. Also spray dark corners and localized resting areas, such as under eaves, porches, partitions, and in garages where these insects may congregate. Flies and mosquitoes coming to rest on treated surfaces will be killed. Repeat treatment when effectiveness diminishes.

CHIGGERS AND ANTS OUTDOORS — For treatment of localized infestations of these insects in outdoor areas, spray weeds and bush non-crop areas around the home or buildings thoroughly. Avoid spraying desirable plants. For ants, thoroughly wet hills and runways. Repeat application as infestation occurs.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120° F.

PESTICIDE DISPOSAL: To avoid harming aquatic organisms in rivers and other surface waters, do not pour the concentrate, spray mixture, or rinse water into sanitary drains (for example, toilets, floor drains, and sinks) or into storm water sewers (for example, street drains). Wastes resulting from the use of this product may be disposed of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.