

BEST DOCUMENT AVAILABLE

ACCEPTED
MAR 27 1984
PPA Reg. No. 1055-154

prentox®
DIAZINON-TE
INSECTICIDE

STORAGE AND DISPOSAL
Prentox-TE is a flammable liquid. Store in a cool, dry place. Do not store near heat or open flame. Do not store in plastic containers. Do not store in metal containers. Do not store in glass containers. Do not store in cardboard containers. Do not store in paper containers. Do not store in fabric containers. Do not store in wood containers. Do not store in other containers.

For Professional Pest Control Operators, Institutional, Professional and Commercial Use Only - NOT FOR HOUSEHOLD USE

For control of cockroaches, ants, silverfish, carpet beetles, spiders, scorpions, and turf and ornamental pests.

ACTIVE INGREDIENTS:
Diazinon (EPA Reg. No. 1055-154) 14.0%
Xylene Range Aromatic Solvent 72.5%
INERT INGREDIENTS: 14.0%
TOTAL: 100.0%

DIAZINON-TE contains 1 lb. Diazinon per gallon. DIAZINON-TE is a registered trademark of Prentiss Drug & Chemical Co., Inc.

HOW TO USE AND APPLY
Diazinon-TE is a flammable liquid. Store in a cool, dry place. Do not store near heat or open flame. Do not store in plastic containers. Do not store in metal containers. Do not store in glass containers. Do not store in cardboard containers. Do not store in paper containers. Do not store in fabric containers. Do not store in wood containers. Do not store in other containers.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION
Keep out of reach of children. Harmful if swallowed. May be absorbed through the skin. Do not breathe spray mist. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling and before eating or smoking. Avoid contamination of food and feedstuffs. Do not use on household pets or humans. Do not permit children or pets to go on treated areas until the spray has completely dried. Keep out of reach of domestic animals.

ENVIRONMENTAL HAZARDS
This product is toxic to fish, birds, and wildlife. Do not apply directly to water. Do not apply when weather favors drift from treated areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.
This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting to crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

Table with 3 columns: Gallons of Prentox-TE, Amount Diazinon TE to use for 1/4% spray, Amount Diazinon TE to use for 1% spray. Rows include 1, 5, 10, 25 gallons.

EPA REG. NO. 605-004
EPA EST. NO. 605-00-1
NET CONTENTS
LOT #



Manufactured by
Plant: Koolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

BEST DOCUMENT AVAILABLE



DIRECTIONS FOR USE (cont.)

Spraying Water-Buildings - Make thorough application of a 1/2 gallon spray to selected areas - around baseboards, window and door frames, wall cracks, sleeping quarters of mammals, unoccupied areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

GENERAL USES

To control insects on premises - Antennae, Ants, Bees, Ground Squirrels, Fleas, Mosquitoes, Fleas, House Flies, House Flies, Mosquitoes, Spiders, Ticks, etc. Use in areas where insects are present. Do not use on crops and lawns. Do not use on mammals. Do not use on birds, fish, shellfish, or other aquatic life. Do not use on plants, animals, or humans.

Mix 1/2 oz. of (1/4 teaspoon) in 2 1/2 gal. water or 1 pt. in 100 gal. water. Spray 2-3 times per week, when insects first appear. Make a second and third application at 4-6 week intervals.

USE ON SPECIES

Species	Amount (oz.) of concentrate	
	per 2 1/2 gal. water	per 100 gal. water
Ants, Bees, Ground Squirrels, Fleas, Mosquitoes, Fleas, House Flies, Mosquitoes, Spiders, Ticks, etc.	2 1/2 oz.*	4 pts.
Ants, Bees, Ground Squirrels, Fleas, Mosquitoes, Fleas, House Flies, Mosquitoes, Spiders, Ticks, etc.	6 1/2 oz.*	12 pts.
* 1 1/2 oz. = 3/4 teaspoon	3 1/2 oz. = 1 pt.	

GENERAL USES (cont.)
To control insects on lawns - Apply 1/2 oz. of (1/4 teaspoon) in 1 gal. of water to 200 sq. ft. of lawn. Repeat application if necessary. Do not use on crops and lawns. Do not use on mammals. Do not use on birds, fish, shellfish, or other aquatic life. Do not use on plants, animals, or humans.

LAWN INSECTS
To control insects found below, apply recommended rates. For Ants, Brown Dog Ticks, Fleas, Mosquitoes, Fleas, House Flies, Mosquitoes, Spiders, and Ground Squirrels, which are commonly found near the house and may enter the house, spray 2-3 ft. band of soil around the house, as well as the house foundation wall to a height of 2-3 ft. Repeat application if necessary.

GENERAL USES (cont.)
Spray band outside the house with 1 1/2-2 1/2 oz. (3/4-1 1/4 teaspoon) in 1 gal. of water. At the same time spray thoroughly around foundation, windows, doors, tree trunks, and into cracks and other places where the insects hide.

Insects	Rate/1000 sq. ft.		Remarks
	Minimum	Maximum	
Lawn Chinch Bugs	6-12 oz. or 12-24 oz.	25 gal.	Use higher rate for longer residual control and in areas of dense growth, such as St. Augustine lawns.
Ants, Armyworms, Clover Mites, Colorado (Springtail), Crickets, Cutworms, Flea Beetles, Earthworms, Fire Fleas, Lawn Billbugs, Sod Webworms, Lawn Moths, Sawflies	15 oz.	3 gals.	Spot spray Ant hills and sweep ground nest openings. For Lawn Billbugs, irrigate the lawn thoroughly immediately after treatment. For Fire fleas, mow grass and water well before treatment but delay application until grass is dry. Do not water again until necessary. Do not apply to animals.
Brown Dog Ticks, Bermuda Grass, Chiggers, Fleas, Leafhoppers	5 oz.	3 gals.	For Brown dog ticks spray grass and under shrubbery, particularly near house.
Milipedes	20 oz.	3 gals.	
Reddish Grass Stalks	20 oz.	25 gals.	Apply when Crawlers first emerge.

655-584

12/83

