

ACCEPTED

SEP 4 1975

U.S. DEPARTMENT OF AGRICULTURE
OFFICE OF PLANT INDUSTRY
WASHINGTON, D.C. 20250

Parsons

POISON IVY and BRUSH KILLER NO. 2



ESTER FORMULATION -
FOR NON-CROP AREAS

CAUTION
KEEP OUT OF REACH OF CHILDREN
(See Other Parts of A Hazardous Chemical)

PARSONS CHEMICAL WORKS, Inc.
GRAND LEDGE, MICHIGAN - 48837

DIRECT

PARSONS POISON IVY AND BRUSH KILLER is a brush and ground based spray and powerful herbicide. Use on brush and ground based plants. Use on branches to the trunk point. Mix 2oz. at the rate of 1 cup in 2 gallons of water. Coarse sprays are less likely to drift.

The following plants are susceptible:
Aspen, Apple, American Crab, Birch, Blackberry, Cedar, Salt Cherry, choke, Chokeberry, Currant, Elderberry, Elder, Hackberry, Hawthorne, Hazel, Hicoria, Horsechestnut, Juneberry, Locust, Black Oak, Osage, Orange, Pine, Poison Ivy, Raspberry, Rose, Cherokee, Sagebrush, Shadbush, Spicebrush, Sumac, Sweetgum.

STUMP TREATMENT Some highly resistant trees such as Beech, Red Maple, Mesquite, Persimmon, etc., can be controlled by cutting and spraying the stumps of brush, ferns, fuel, diesel oil, etc. Stumps and brush stubs can be done if done as soon as possible after cutting and stumps should be wet thoroughly. Both cut surfaces and soil exposed should occur a second application may be necessary.

BARK TREATMENT This method of killing brush is the most effective. It can be done when time is available after crop has been harvested. Care should be taken to avoid injury to crops which are susceptible to injury even in a dormant state.

A knapsack sprayer using low pressure is recommended for spraying. **POISON IVY AND BRUSH KILLER** is a transmissible spray. Spray on brush from ground thoroughly covering all sides.

CAUTION Harmful if swallowed or inhaled. Avoid contact with eyes, nose, and water. If it gets into the eyes, wash with water. Avoid breathing of mist or vapors. Do not use in areas where fish are present. Do not contaminate water by cleaning of equipment or disposal of this product. Do not use in areas where this product is specified. Do not use in treated areas within 6 weeks after application. Do not use in treated areas within 2 weeks of slaughter.

ACTIVE INGREDIENTS
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane
1,1-Dichloro-2,2-bis(4-chlorophenyl)ethane

INERT INGREDIENTS
Equivalent to 1,1,1,1-tetrahydro-2,2,2-trifluoroethane
Equivalent to 1,1,1,1-tetrahydro-2,2,2-trifluoroethane

CLEAN ALL SPRAY EQUIPMENT THOROUGHLY. DO NOT BE USED FOR ANY OTHER PURPOSE.

