

prentox

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION:

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. If contact occurs immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in food processing plants wash with potable water all equipment, benches, shelving, etc. where exposed food will be handled. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Open dumping is prohibited.

STORAGE: If container is damaged stop any leaks by repositioning the container or by patching or taping before repairing the leak. Take care to avoid contact with pests. Wear protective gear. On cleanup of spilled liquids wear protection equipment as required to prevent contact with the product's vapors. Cover the spilled areas with generous amounts of absorbent material such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a sturdy drum or glass container. Do not store use or dispose near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by state and local authorities.

BEST DOCUMENT AVAILABLE



Prentiss
Drug & Chemical Co., Inc.

LOT NO. _____

Manufactured by

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

NET CONTENTS _____ GAL.

DIRECTIONS FOR USE (Cont'd.)

INSECTS (X) — Group 1

Fleas, mosquitoes, gnats, American roach, German roach, wasps, hornets, spiders, silverfish, clover mites, cheese skipper, flying moths, crickets, clothes moths and fleas.

PLACES USED — Institutional — Industrial — Household — such as food processing plants, bottling plants, breweries, canneries, packing houses, bakeries, restaurants, stores, food handling establishments, hotels, theaters.

HOW TO USE — A contact insecticide. Kills flying and crawling insect pests listed above (X). Observe label cautions. Close all room openings such as doors and windows to eliminate drafts. Then fog or spray heavily entire inside area, hitting as many insects as possible. Also be sure to force fog or spray into cracks, crevices and runways where insects frequent. After spraying or fogging operation immediately leave area treated and leave all openings closed for 15 to 30 minutes before airing out. For Controlling Moths: Spray thoroughly all articles to be protected paying particular attention to seams and folds. Spray interior surfaces of storage containers such as closets and trunks. Paying special attention to spraying cracks and corners. Spray thoroughly every month unless the treated articles are stored in a moth-tight container.

For use in Food Processing Plants: Foods should be removed or covered during treatment or thoroughly cleaned before using. For a spare spray in these areas, apply only when plant is not in operation. **For Flea Control:** Spray thoroughly sleeping quarters of animals. Repeat this treatment as often as necessary.

INHIBITS INFESTATION OF — Bees, Wasps, Hornets, Yellow Jackets. Spray thoroughly all nests and places where insects abide. Hitting as many as possible. It is more difficult to control bees that enter a structure through a small hole. Therefore it is advisable that some of the side boards or other obstruction be removed so that spray can penetrate the nest and hit the insects. Re-treat as necessary.

INSECTS (XX) — Group 2

Granary weevil, rice weevil, Mediterranean flour moth, meal worms, grain mites, saw toothed grain beetle, spider beetles, confused flour beetle, angoumois grain moth.

PLACES USED — Elevator mills, granaries, grain silos, seed warehouses, ships holds, box cars (metal and wood).

HOW TO USE — A contact insecticide. Kills by direct contact exposed stages of insects listed (XX). Spray thoroughly all surfaces infested paying special attention to cracks and crevices hitting as many insects as possible. Also ideal for spraying empty grain bins for visible surface grain weevil. Do not apply directly to grain. Follow procedure approved by Federal Grain Sanitation Program. Repeat this treatment as often as necessary.

655-612