

Prentox Insect Fogging Spray Concentrate F-102
EPA Registration No. 655-612



INSECT FOGGING SPRAY CONCENTRATE F-102

KILLS INSECT PESTS IN

Institutions, elevators, mills, industries, stores, homes.

For use in foggers, hand, electric or power sprayers, atomizers and steam diffusers.

(Not to Be Used in Thermo Units Such As (BVI's) or for Outside Use)

ACTIVE INGREDIENTS:

Pyrethrins	0.15%
Piperonyl Butoxide, Technical	1.50%

INERT OTHER INGREDIENTS*	98.35%
TOTAL:	100.00%

*Contains Petroleum Distillates

PRENTOX — Registered Trademark of Prentiss

KEEP OUT OF REACH OF CHILDREN CAUTION	
FIRST AID	
Have the product container or label with you when calling a poison control center or physician or going for treatment.	
If swallowed	<ul style="list-style-type: none"> • Immediately call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378. • Do not induce vomiting unless told to do so by the Poison Control Center or physician. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious or convulsing person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice.
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. • Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice.
NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia.	
For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents) call the National Pesticide Telecommunications Network at 1-800-858-7378.	
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS	

EPA REG. NO. 655-612


EPA EST. NO. 655-GA-1

NET CONTENTS _____

Manufactured by:

PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082
Office: C.B. 2000, Floral Park, NY 11002-2000



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120° F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). ~~Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.~~ If empty: Place in trash or offer for recycling. If partly filled: Call your local solid waste agency or 1-800-421-ANUP for disposal instructions.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse.

Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

INSECTS (X) — Group 1

Flies, mosquitoes, gnats, American roach, German roach, wasps, hornets, spiders, silverfish, clover mites, cheese skipper, flying moths, crickets, clothes moths and fleas.

PLACES USED — Institutional — Industrial — Household — such as: food processing plants, bottling plants, breweries, canneries, packing houses, bakeries, restaurants, stores, food handling establishments, hotels, theaters.

HOW TO USE — A contact insecticide. Kills flying and crawling insect pests listed above (X). Observe label cautions. Close all room openings such as doors and windows to eliminate drafts. Then fog or spray heavily entire inside area, hitting as many insects as possible. Also be sure to force fog or spray into cracks, crevices and runways where insects frequent. After spraying or fogging operation immediately leave area treated and leave all openings closed for 15 to 30 minutes before airing out. **For Controlling Moths:** Spray thoroughly all articles to be protected, paying particular attention to seams and folds. Spray interior surfaces of storage containers, such as closets and trunks, paying special attention to spraying cracks and corners. Spray thoroughly every month unless the treated articles are stored in a moth-tight container.

For use in Food Processing Plants: Foods should be removed or covered during treatment or thoroughly cleaned before using. For a space spray in these areas, apply only when plant is not in operation. **For Flea Control:** Spray thoroughly sleeping quarters of animals. Repeat this treatment as often as necessary.

INHIBITS INFESTATION OF — Bees, Wasps, Hornets, Yellow Jackets. Spray thoroughly all nests and places where insects abide, hitting as many as possible. It is more difficult to control bees that enter a structure through a small hole. Therefore, it is advisable that some of the side boards or other obstruction be removed so that spray can penetrate the nest and hit the insects. Re-treat as necessary.

INSECTS (XX) — Group 2

Granary weevil, rice weevil, Mediterranean flour moth, meal worms, grain mites, saw toothed grain beetle, spider beetles, confused flour beetle, angoumois grain moth.

PLACES USED — Elevators, mills, granaries, grain silos, seed warehouses, ship's holds, box cars (metal and wood).

HOW TO USE — A contact insecticide. Kills by direct contact exposed stages of insects listed (XX). Spray thoroughly all surfaces infested paying special attention to cracks and crevices, hitting as many insects as possible. Also ideal for spraying empty grain bins for visible surface grain weevil. Do not apply directly to grain. Follow procedure approved by Federal Grain Sanitation Program. Repeat this treatment as often as necessary.