

PRETOX LINDANE EMULSIFIABLE CONCENTRATE

Mixes easily in water for
Beef Cattle Insecticide Spray
or Back Rubbing Units

ACTIVE INGREDIENTS:

Lindane (Gamma Isomer of Benzene Hexachloride)	20.3%
Xylene Range Aromatic Solvent	67.2%
INERT INGREDIENTS:	12.5%
TOTAL:	100.0

Contains 20% Lindane (Gamma Isomer of Benzene Hexachloride)

For Controlling Lice

Shake contents vigorously until thoroughly mixed. Flammable, free flowing, requires no special preparation, mixes readily with hard or soft water.

One Quart Makes 27 Gallons of Oil Type Insecticide Treatment for Back Rubbing Units Only.

One Quart Makes 182 Gallons of Water Type Insecticide Treatment for Spraying Beef Cattle.

FOR BACK RUBBING UNITS: Use 1.2% Lindane (Gamma Isomer of Benzene Hexachloride) Solution. Prepare by mixing 1 quart of 20% LINDANE EMULSIFIABLE with 27 gallons of #2 fuel oil. Then treat the burrap wrapped cattle with this mixture. One gallon of this mixture will treat 10 to 20 area feet of burrap sacks. Retreat burrap every 2 to 4 weeks. Do not make back rubber accessible to beef cattle within 30 days of slaughter. Animals under 6 months of age should not be allowed access to the back rubber treatment.

FOR SPRAY: Mix 1 quart 20% LINDANE EMULSIFIABLE with 182 gallons of water applying 2 1/2 gallons of spray per adult animal using a sprayer giving about 400# pressure. Complete coverage is essential for good control. Keep direct spray out of animal's eyes. Limit spray applications to a 0.030 Lindane to young animals over 3 months of age. **Caution:** Do not treat animals in cold stormy weather and avoid treating overheated or sick animals. Do not spray animals within 30 days of slaughter. Two applications a week to 10 days apart are required. Repeat as often as necessary.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

MAY BE ABSORBED THROUGH SKIN. HARMFUL IF SWALLOWED. AVOID INHALATION OF SPRAY MIST. AVOID SKIN CONTACT. IN CASE OF CONTACT WASH IMMEDIATELY WITH SOAP AND WATER. AVOID CONTAMINATION OF FEED AND FEED STUFFS. DO NOT USE ON HOUSEHOLD PETS AND HUMANS.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on label. Do not use on dairy cattle in barns or dairy houses. Do not use in dwellings or for household purposes.

PHYSICAL & CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

STORAGE AND DISPOSAL

DO NOT STORE NEAR HEAT OR OPEN FLAME. DO NOT CONTAMINATE WATER, FOOD OR FEED. STORAGE OR DISPOSAL OPEN DUMPING IS PROHIBITED.

PESTICIDE DISPOSAL: Pesticide spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State and local regulations. Do not use in dwellings or for household purposes.

CONTAINER DISPOSAL: This container must be disposed of according to Federal, State and local regulations. Do not use in dwellings or for household purposes.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician immediately. Do not induce vomiting. Give milk or water immediately.

If inhaled: Remove to fresh air. Apply resuscitation as indicated.

If on skin: Wash area immediately with soap and warm water.

If in eyes: Flush with copious amounts of water for 15 minutes after.


SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRETOX®

EPA Reg No 655-613 EPA EST NO 655-NJ-1

NET CONTENTS _____

LOT # _____



Manufactured by

prentiss
Drug & Chemical Co., Inc

Plant: 338 Wilson Avenue
Newark, N.J. 07105

Office: 363 7th Avenue
New York, N.Y. 10001