

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be absorbed through skin. Harmful if swallowed. Avoid inhalation of spray mist. Avoid skin contact. In case of contact, wash immediately with soap and water. Wash thoroughly after using and before eating or smearing. Avoid contamination of feed and feedstuffs. Do not use on household pets and humans. Do not apply this product in such a manner as to directly or through drift, expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

BENEFICIAL INSECT CAUTION

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop cover, crop or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Applicators must wear water resistant hat, lightweight protective suit or coveralls, unlined water proof gloves (natural rubber, neoprene, polyethylene) and unlined lightweight boots.

Mixers/loaders must wear goggles or face shield, water-proof apron, and water water proof gloves.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Open dumping prohibited.

STORAGE: If container is damaged, stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled area with generous amounts of absorbent material such as clay, diatomaceous earth, sand or sawdust. Sweep the

BEST AVAILABLE COPY

RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

prentox® LINDANE EMULSIFIABLE CONCENTRATE

Mixes easily in water for Beef Cattle Insecticide Spray
or Back Rubbing Units

ACTIVE INGREDIENTS:

Lindane (Gammalichlorocyclohexane)	20.3%
Hexachlorocyclopentadiene	83.8%
Xylene Range Aromatic Solvent	62.2%
INERT INGREDIENTS:	17.8%

TOTAL: 100.0%

(Contains 1.63 pounds of Lindane per gallon)

PRENTOX® - Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia. If inhaled - Remove victim to fresh air. Apply respiration if indicated. If on skin - Wash area immediately with soap and warm water. If in eyes - Flush with plenty of water and get prompt medical attention.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 663-613

E.P.A. EST. NO. 666-0A-1

NET CONTENTS _____

LOT NO _____

Manufactured by



prentiss

Plant: Koolin Road
Sandersville, GA 31082

© 1975 C. D. 2000

STORAGE AND DISPOSAL (cont'd)

contaminated absorbent on to a shovel and put in sweepings into a salvage drum. Dispose of wastes there. Place any leaking container into a similar drum or clean container. Do not store, use, pour or spill near heat or flame.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Proper disposal of excess pesticide, spray mixture, or treated is a violation of Federal Law. If these wastes can be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedure approved by State and local authorities.

DIRECTIONS FOR USE (cont'd)

For Controlling Lice

Shake contents vigorously until thoroughly mixed. Flammable, free-flowing, requires no special preparation. Mixes readily with hard or soft water.

One Quart Makes 27 1/2 Gallons of Oil Type Insecticide Treatment for Back Rubbing Units Only

One Quart Makes 182 Gallons of Water Type Insecticide Treatment for Spraying Beef Cattle.

FOR BACK RUBBING UNITS: Use a 0.2% Lindane Solution. Prepare by mixing 1 quart of 20% LINDANE EMULSIFIABLE with 27 1/2 gallons of #2 fuel oil. Then tie the burlap wrapped cable with this mixture. One gallon of this mixture will treat 10 to 20 lineal feet of burlap. Back treat your burlap every 3 to 4 weeks. Do not make burlap accessible to beef cattle within 30 days of slaughter. Animals under 6 months of age should not be allowed access to the back rubber treatment.

FOR SPRAY: Mix 1 quart 20% LINDANE EMULSIFIABLE in 102 gallons of water applying 2 1/2 gallons of spray per adult animal, using a sprayer giving about 400 psi pressure. Complete coverage is essential for good control. Do not direct spray out of animal's eyes. Limit spray application to a 0.330 Lindane spraying animals over 3 months of age. **CAUTION:** Do not treat animals in cold, stormy weather or avoid treating overheated or sick animals. Do not apply emulsion within 30 days of slaughter. Two applications: wait 10 days spray, if required. Repeat as often necessary.

ACCEPTED
1975
EPA