

prentiss

## 3 WAY DUST GARDEN INSECTICIDE

### ACTIVE INGREDIENTS:

|                         |         |
|-------------------------|---------|
| SULFUR .....            | 10.00%  |
| ROTENONE .....          | 1.00%   |
| OTHER CUBE RESINS ..... | 2.00%   |
| INERT INGREDIENTS ..... | 87.00%  |
| TOTAL:                  | 100.00% |

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash thoroughly with soap & water

IF IN EYES: Wash out with plenty of water

SEE SIDE PANEL FOR ADDITIONAL  
PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-617

E.P.A. EST. NO. 655-NJ-1

NET CONTENTS \_\_\_\_\_

LOT # \_\_\_\_\_

Manufactured by

**prentiss**  
Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue  
Newark, N.J. 07105  
Office: 363 7th Avenue  
New York, N.Y. 10001

### DIRECTIONS (Cont'd.)

#### GENERAL INSTRUCTIONS

3 WAY DUST may be applied at any time when dusting conditions are favorable (on a calm day). The dust may be applied during the daytime to either moist or dry foliage. Apply dust regularly at 7 to 10 day intervals, beginning soon after plants are above ground. For best results keep foliage evenly coated with the dust. This is especially important on new growth. Thoroughly dust upper and lower leaf surfaces.

#### CUCUMBERS, MELONS, SQUASH, PUMPKINS

To control striped and twelve spotted cucumber beetles. Apply when insects appear and continue application weekly until danger of insect injury is past. Re-dust after rains and continue with regular application of 3-Way Dust as often as necessary.

#### TOMATOES

To control potato flea beetles and Colorado potato beetles and small tomato hornworms. Begin application 2 or 3 days after plants are set in the field. To control tomato worms apply when worms are still small. Continue dusting with 3-Way Dust as often as necessary.

#### POTATOES and EGG PLANTS

To control Colorado beetles and potato flea beetles. Begin application when insects make appearance. Repeat at 5 to 7 day intervals as necessary when danger of insect injury is past. Continue regular applications of 3-Way Dust as often as necessary.

#### CABBAGE

Imported Cabbage Worms. Apply 3-Way Dust when worms appear. Repeat dusting as often as necessary.

#### ASPARAGUS

Asparagus Beetle and Spotted Asparagus Beetle. The spears should be dusted with 3-Way Dust and when possible apply when the insects are predominately in the larval state. Repeat dusting as often as necessary.

#### ROSE BUSHES

Slugs on Rose Bushes. Dust bushes thoroughly while wet with dew. Repeat dusting in a few days if necessary.

#### ACCEPTED

in New York, N.Y. 10001

NOV 1 1963

By \_\_\_\_\_  
For \_\_\_\_\_  
at \_\_\_\_\_  
on \_\_\_\_\_

655-617

1221

BEST DOCUMENT AVAILABLE



### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Open dumping prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spills, wear protective equipment as required to prevent contact with the product or its vapors. Sweep on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. ~~Do not store, use, pour or spill near heat or open flame.~~

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

### CONSUMER STORAGE AND DISPOSAL STATEMENTS

Storage: Store in original container only. Place in a locked storage area.

Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

Container Disposal: Do not reuse container. Rinse thoroughly before discarding in trash.

NOV 17 1983

300 | 106626  
17 | 6

Prentiss Drug & Chemical Co., Inc.  
363 7th Avenue  
New York, NY 10001

Attention: Nick Sanchez

Gentlemen:

Subject: 3 Way Dust Garden Insecticide  
EPA Registration No. 655-617  
Your Letter of August 25, 1983

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A) is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Timothy A. Gardner  
Product Manager (17)  
Insecticide-Fungicide Branch  
Registration Division (TS-767)

Enclosure

DCR-12159:Schroeder/Gardner:RD-1:11/7/83:De1:11/19/83:13b

piHS  
6

| CONCURRENCES |  |  |  |  |  |  |  |
|--------------|--|--|--|--|--|--|--|
| SYMBOL       |  |  |  |  |  |  |  |
| SIGNATURE    |  |  |  |  |  |  |  |
| DATE         |  |  |  |  |  |  |  |

EPA Form 1320-1 (4-81) OFFICIAL FILE COPY