

Prentox[®] DIAZINON — DDVP RTU RESIDUAL SPRAY

Kills Ants, Spiders, Wasps, Flying Moths, Crickets,
House Flies, Mosquitoes, Fleas, Silverfish and Roaches.

ACTIVE INGREDIENTS:	
Petroleum Distillates	98.000%
Diazinon (0,0-diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate)	0.500%
2,2-dichlorovinyl dimethyl phosphate	0.465%
Related Compounds	0.035%
Aromatic Petroleum Derivative Solvent	0.925%
INERT INGREDIENTS	0.075%
TOTAL: 100.000%	

PRENTOX[®] — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.
If inhaled -- Remove victim to fresh air and apply respiration if indicated. **If on Skin** — Wash promptly with soap and water. Rinse thoroughly. **If in Eye** — Rinse with plenty of water and call physician immediately.

Note To Physician: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal and may be administered in conjunction with 2-PAM

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-627

E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____

LOT # _____

STORAGE AND DISPOSAL (cont'd.)

as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use, pour or spill near heat or open flame.
PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

NOTE TO APPLICATOR

This product may stain carpeting. Do not allow spray, spray mist, drift, or runoff to contact carpeting as staining may occur.

DIRECTIONS FOR USE (Cont'd.)

ANTS: For use indoors or outdoors. Application: Pour into sprayer. Spray infested surfaces only until wet.

ROACHES, ANTS, WATERBUGS, SILVERFISH, SOW-BUGS, SPRINGTAILS, SPIDERS, FIREBRATS, CRICKETS, EARWIGS: Spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, ant trails and other localized areas infested with insects. For treatment around window frames and door frames, where ants enter. Repeat as necessary.

FLIES, MOSQUITOES, WASPS AND FLYING MOTHS — OUTDOORS: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, around window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages and other places where these insects alight or congregate.

CHIGGERS, ANTS, BROWN DOGTICKS, CLOVER MITES AND FLEAS — OUTDOORS: For treatment of localized infestations of insects in outdoor areas spray infested areas including spraying of weeds and brushy non-crop areas around the home. For ants, wet hills and runways. Repeat as necessary.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. May be absorbed through the skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Remove children and pets from treatment area and cover fish bowls before spraying. For use as spot treatment only. Do not use as a space spray.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting weeds or other vegetation blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NOTE: Do not apply as a space spray. Do not use in edible product areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such



Manufactured by

prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

ACCEPTED

MAY 17 1984

655-627