

ACCEPTED

AUG 20 1980

FEDERAL REGISTER
U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250
EPA REG. NO. 655-645

prentox DIAZINON EMULSIFIABLE CONCENTRATE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

Harmful if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets, or livestock. Keep children and pets off treated areas until surfaces have dried.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME. MINIMUM FLASH POINT 105 °F

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

1. Prohibitions — DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE, DISPOSAL OR CLEANING OF EQUIPMENT. OPEN DUMPING IS PROHIBITED. NOT FOR STORAGE IN AND AROUND THE HOME.

2. Pesticide Disposal — PESTICIDE SPRAY MIXTURE OR RINSE WATER THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE, AWAY FROM WATER SUPPLIES.

3. Container Disposal — LESS THAN 30 GAL.: TRIPLE RINSE AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE. 30 GAL. OR LARGER: RESEAL CONTAINER AND OFFER FOR RECONDITIONING OR TRIPLE RINSE AND OFFER FOR RECYCLING, RECONDITIONING OR DISPOSAL IN AN APPROVED LANDFILL, OR BURY IN A SAFE PLACE.

FOR PROFESSIONAL PEST CONTROL OPERATORS
JANITORIAL, INDUSTRIAL & INSTITUTIONAL USE ONLY
NOT FOR HOUSEHOLD USE

For Control of Cockroaches, Ants, Silverfish, Carpet Beetles,
Spiders and Scorpions.

ACTIVE INGREDIENTS:

O,O-diethyl O-(2-isopropyl-6-methyl-
4-pyrimidinyl) phosphorothioate* 6.25%
Aromatic petroleum derivative solvent 80.25%

INERT INGREDIENTS: 13.50%

TOTAL: 100.00%

DIAZINON-REGISTERED TRADEMARK CIBA-GEIGY

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled — Remove victim to fresh air. Apply respiration if indicated.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

E.P.A. REG. NO. 655-645

E.P.A. EST. NO. 655-NJ-1

NET CONTENTS _____

LOT # _____

DIRECTIONS FOR USE (Cont'd)

HOUSEHOLD INSECTS

Dilute Diazinon with water to make a 1/2% or 1% Diazinon spray and apply as indicated below:

Gals. of Finished Spray	Amount Diazinon Conc. to use for	
	1/2% spray	1% spray
1	9.5 fl. oz.	19 fl. oz.
2	19 fl. oz.	38 fl. oz.
3	28.5 fl. oz.	57 fl. oz. (1 1/4 qt.)
10	95 fl. oz. (3 qt.)	190 fl. oz. (6 qt.)
25	243.25 fl. oz. (7.6 qt.)	486.5 fl. oz. (15.2 qt.)

*2 1/2 tablespoons = 1.25 fl. oz.

**Do not use in commercial food preparation areas or in edible product areas of food processing plants.

Cockroaches (Waterbugs), Ants, and Silverfish — Make spot applications of 1/2% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves, and similar areas where these insects hide.

For heavy cockroach infestations, make the first application at a strength of 1% Diazinon, followed by monthly applications of 1/2% Diazinon.

Carpet Beetles — Apply a 1/2% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

Spiders and Scorpions — Apply a 1/2% Diazinon spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

Pantry Pests—exposed stages (Saw-toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian-Meal Moth — Apply a 1/2% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infested food packages should be destroyed.

Brown Dog Ticks in Buildings — Make thorough application of a 1/2% Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

5/88



Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105

Office: 363 71 Avenue
New York, N.Y. 10001