

## **PRECAUTIONARY STATEMENTS** Hazards to Humanr & Domestic Animals **CAUTION HARMFUL IF SWALLOWED**

#### **ENVIRONMENTAL HAZAPOS**

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water supplies by cleaning of equipment or disposal of wastes. Physical Hazarda — Do not use or store near heat or open flame

## Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

# STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container

PESTICIDE DISPOSAL - Pesticide spray mixture or rinsath that cannot be used according to label instructions must be disposed of according to Federal. State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL — (a) Reseal container and offer for reconditioning or (b) Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill, or by other approved State and local procedures

NOTE: Mix one haiffluid ounce of concentrate per gallon of water with normal concentrations of Methoxychlor. Carbaryl or Carbamate fungicides as an aphicide and a spreader sticker

# Cycintox' ARETHRUM-ROTENONE **EMULSIFIABLE** CONCENTRATE

Contains Two Botanical Insecticides -Pyrethrins and Rotenone

| Active ingredients:           |           |          |
|-------------------------------|-----------|----------|
| Pyrethrins                    | <i></i> . | 0.28%    |
| Rotenone                      |           |          |
| Other Cube Resins             |           | 1.50%    |
| Piperonyi Butoxide Technicai* |           |          |
| Pine Oil                      |           |          |
| Soya Bean O!!                 |           |          |
| Heavy Aromatic Naphtha        |           | 29.35%   |
| Petroleum Distillate          |           |          |
| inert ingredients             |           |          |
| more management               | TOTAL:    |          |
|                               | IOIAL:    | 100.0076 |

\*Equivalent to 1 60% (Butylcarbityl) (6-Propyl Piperonyl) Ether and 0.40% related compounds

# KEEP OUT OF REACH OF CHILDREN CAUTION

E.P.A. Reg. No. 655-650

E.P.A. Est. No. 655-N.J.-1

Directions For Use (Cont.)


Foliar Spray - Mix one halffluid ounce of concentrate in one gallon of water. Use as a general insect spray on flowers, shade trees and ornamentals around homes. parks, and institutions. When insects appear, spray directly to hit as many insects as possible. Thoroughly cover all plant surfaces, especially the underside of leaves. Repeat weekly or as necessary.

Controls aphids, leafhoppers, exposed thrips, adult Japanese beetles, European red mite, two-spotted spider mite and clover mite on flowers, shade trees and ornamentals

Controls mealy bug and whitefly on potted and greenhouse plants. Controls rose chafer, midge and slug on roses

Outdoor spray - to reduce the annoyance of mosquitoes and gnats around the home and in recreational areas, apply 3 fluid ounces in a gallon of water. Use fine mist to penetrate hiding and resting places, such as grass, shrubs and ornamentals. Treat as large an area as possible surrounding the area to be kept mosquito and gnat free. Repeat application as needed Apply at the rate of two pints of concentrate per acre

| LET | CONTENTS |  |
|-----|----------|--|
|     |          |  |





Plant: 338 Wilson Avenue Newark, N.J. 07105 Drug & Chemical Co., Inc.

Office: 363 7th Avenue

New York, N.Y. 10001