

prentox

PYRETHRUM- ROTENONE EMULSIFIABLE CONCENTRATE

Contains Two Botanical Insecticides —
Pyrethrin and Rotenone

ACTIVE INGREDIENTS:	
Pyrethrin	0.28%
Rotenone	0.75%
Other Cube Resins	1.50%
Piperonyl Butoxide Technical*	2.00%
Pine Oil	20.00%
Soya Bean Oil	40.00%
Xylene Range Solvent	29.35%
Petroleum Distillates	1.12%
INERT INGREDIENTS	5.00%
TOTAL:	100.00%

*Equivalent to 1.60% (Butylcarbityl) (6-Propyl Piperonyl) Ether and 0.40% related compounds

PRENTOX® Registered Trademark of Prentiss Drug & Chemical Co. Inc.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

E.P.A. REG NO 655-650

E.P.A. EST NO. 655-GA-1

NET CONTENTS

LOT#



Manufactured by
prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Floral Park, N.Y. 11001

12 83

655650

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND
DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water supplies by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS

Keep away from heat or open flame

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged, stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use, pour, or spill near heat or open flame.

STORAGE AND DISPOSAL (Cont'd.)

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE (Cont'd.)

NOTE: Mix one half fluid ounce of concentrate per gallon of water with normal concentrations of Methoxychlor, Carbaryl or Carbamate fungicides as an aphicide and a spreader sticker.

Foliar Spray — Mix one half fluid ounce of concentrate in one gallon of water. Use as a general insect spray on flowers, shade trees and ornamentals around homes, parks and institutions. When insects appear, spray directly to hit as many insects as possible. Thoroughly cover all plant surfaces, especially the underside of leaves. Repeat weekly or as necessary.

Controls aphids, leafhoppers, exposed thrips, adult Japanese beetles, European red mite, two-spotted spider mite and clover mite on flowers, shade trees and ornamentals.

Controls mealy bug and whitefly on potted and greenhouse plants. Controls rose chafer, midge and slug on roses.

Outdoor spray — To reduce the annoyance of mosquitoes and gnats around the home and in recreational areas, apply 3 fluid ounces in a gallon of water. Use fine mist to penetrate hiding and resting places such as grass, shrubs and ornamentals. Treat as large an area as possible surrounding the area to be kept mosquito and gnat free. Repeat application as needed. Apply at the rate of two pints of concentrate per acre.