

prentox[®] DIAZINON[®]- DDVP RESIDUAL CONCENTRATE

AN INSECTICIDE FOR FORMULATING
HOUSEHOLD RESIDUAL INSECTICIDE

ACTIVE INGREDIENTS:

0,0-dimethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl) phosphorothioate	25.00%
2,2-Dichlorovinyl dimethyl phosphate	23.25%
Related Compounds	1.75%
Aromatic Petroleum Derivative Solvent	46.28%
INERT INGREDIENTS:	3.74%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN



**POISON
DANGER**



STATEMENT OF PRACTICAL TREATMENT

If swallowed— Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled— Move victim to fresh air. Apply respiration if indicated. Call a physician immediately.

If on skin— Remove contaminated clothing and wash immediately with soap and water. Call a physician immediately if symptoms of poisoning occur.

If in eyes— Flush eyes for at least 15 minutes with water. Call a physician immediately.

DIAZINON is the registered trademark of Ciba Geigy, Ltd.
E.P.A. Reg. No. 655-651 E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____

LOT # _____

Manufactured by



prentiss
Drug & Chemical Co., Inc.

Plant: Kauln Road
Sanderaville, GA. 31082
Office: 363 7th Avenue
New York, N.Y. 10001

PRECAUTIONARY STATEMENTS
Hazards to Humans (and Domestic Animals)
DANGER. Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin, wear natural rubber gloves, waterproof protective clothing, and goggles when handling. Wear a pesticide respirator (jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11).

Environmental Hazards
This product is toxic to fish, birds and other wildlife. Do not discharge into lakes, streams, ponds or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

Physical or Chemical Hazards
Do not use or store near heat or open flame.

Instructions for Formulation
It is a violation of federal law to use this product in a manner inconsistent with its labeling.
This pesticide may be used only for the formulation of an insecticide. Formulators using this product are responsible for obtaining EPA registration for their formulated products. Refer to Technical Bulletin for instructions for formulating and other information.

PRECAUTIONS:
The following safety precautions are recommended in the plant area where Diazinon insecticides are being manufactured:
1) In mixing areas, respirators should be worn (See list of acceptable respirators).
2) Street clothing should not be worn in mixing areas during the handling of the material. Clothing contaminated with any chemical should be laundered before re-use. Those directly exposed to a mixing process should wear rubber gloves, waterproof protective clothing, goggles and rubber shoe covers.
3) A shower should be taken at the end of each day.
4) No food or smoking should be permitted in a mixing area.
5) Workmen should wash thoroughly before eating or smoking.
6) Maintenance workmen should maintain the same precautions and should wear the same type of clothing as those directly concerned with mixing.

NOTE TO FORMULATORS
Certain organo-phosphate insecticides have been shown to cause staining and color changes of carpets dyed with certain sensitive carpet dyes. Products made from this concentrate should carry warnings to prevent contact with carpeting by spray, spray mist or drift.

Note to Physician
Symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps.
Treatment: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine should be injected at ten-minute intervals, in doses of 1 to 2 milligrams, until complete atropinization has occurred. Morphine is contraindicated. Clear chest by postural drainage. Oxygen administration may be necessary. 2-PAM is also antidotal and may be administered in conjunction with atropine. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained as determined by blood test.

STORAGE AND DISPOSAL
PROHIBITIONS
DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL OPEN DUMPING IS PROHIBITED

PESTICIDE DISPOSAL
PESTICIDE, SPRAY MIXTURE, OR RINSATE THAT CANNOT BE USED OR CHEMICALLY PROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL
(a) RESEAL CONTAINER AND OFFER FOR RECONDITIONING, OR (b) TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE. IF LESS THAN 30 GALLONS: TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING, RECONDITIONING, OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE

GENERAL
CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES

ACCEPTED
with COMMENTS
in EPA Letter Dated:

OCT 21 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 655-651

BEST DOCUMENT AVAILABLE

T



655-15
20/80/700
12/3

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OCT 21 1982

Mr. Nick Sanchez
Prentiss Drug & Chemical Co., Inc.
363 7th Avenue
New York, NY 10001

Dear Mr. Sanchez:

Subject: Amendments-Add Carpet Stain Note
Re: PRENTOX
50% DDVP Emulsifiable Concentrate
EPA Registration No. 655-196
DDVP 4 LB. Emulsifiable Concentrate
EPA Registration No. 655-229
20% DDVP Oil Soluble Concentrate
EPA Registration No. 655-292
Prentiss Private Formula #375
EPA Registration No. 655-299
DDVP 2 LB. Emulsifiable Concentrate
EPA Registration No. 655-358
Diazinon DDVP Concentrate
EPA Registration No. 655-483
Diazinon-DDVP Residual Concentrate
EPA Registration No. 655-651

Chlorpyrifos DDVP Emulsifiable Concentrate
EPA Registration No. 655-670
Chlorpyrifos DDVP MC
EPA Registration No. 655-671
Pyrifos DDVP No. 125125 MFG-Conc.
EPA Registration No. 655-699
Pyrifos DDVP 25125 MFG-Conc.
EPA Registration No. 655-700

The amendments referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended (FIFRA), are acceptable. Stamped copies of the labels are enclosed for your records.

Each of the above products should have the STORAGE AND DISPOSAL text updated or revised at the next label printing to delete references to "burying in a safe place" for both pesticide and container disposal sections. Please refer to the enclosure for approved wording. Also note the inclusion of "disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act" in the "Pesticide Disposal" text.

BEST DOCUMENT AVAILABLE

-2-

For product Prentox Chlorpyrifos DDVP Emulsifiable Concentrate, EPA Registration Number 655-670, change "EPDES" to "NPDES" in the Environmental Hazards text.

For product Prentox Pyrifos DDVP Number 125125 MFG Conc, EPA Registration Number 655-699, delete "Do not apply where runoff is likely to occur" from the Environmental Hazards text since this is not an end use product.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure

BEST DOCUMENT AVAILABLE