

# prentox<sup>®</sup>

## ALLETHRIN INSECT SPRAY "C"

FOR HOUSEHOLD, INDUSTRIAL,  
INSTITUTIONAL AND COMMERCIAL USE

### ACTIVE INGREDIENTS:

Allethrin (allyl homolog of Chlorin 1) ..	0.30%
Related Compounds .....	0.04%
Piperonyl Butoxide Technical* .....	0.05%
N-Octyl Stearalkohol .....	1.00%
Dicarbonyl .....	0.00%
Petroleum Distillates .....	98.61%
<b>TOTAL</b>	<b>100.0%</b>

\*Equivalent to 0.45% (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.12% related compounds.

PRENTOX<sup>®</sup>—Registered Trademark of Prentiss Drug & Chemical Co., Inc.

### KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled — Remove victim to fresh air.

If on skin — Remove contaminated clothing and wash affected areas with soap and water.

If in eyes — Flush eyes with plenty of water. Call a physician immediately, if irritation persists.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

E.P.A. Reg. No. 655-656

E.P.A. EST. NO. 655-GA-1

NET CONTENTS \_\_\_\_\_

LOT # \_\_\_\_\_

Manufactured by



**prentiss**  
Drug & Chemical Co., Inc.

Plant: Kaulin Road  
Spartanburg, GA. 31082  
Office: Rm. 2000  
Floral Park, N.Y. 11001

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After spraying in food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

### PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required as to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

### DIRECTIONS FOR USE (CONTINUED)

For best results, use a good clean sprayer, free of rust, which produces a fine mist...

**FOR FLYING INSECTS:** Flies, mosquitoes, small flying roaches, gnats, & wasps: Close door and windows. Spray freely towards ceiling in all directions until room is fogged with mist. When spraying, keep about three feet from interior walls, fabrics and furniture. Doors and windows may be opened after 10 minutes. Do not remain in treated areas. Ventilate the area after treatment is completed.

**FOR CRAWLING INSECTS:** Roaches, waterbugs, silverfish & crickets: Spray thoroughly into cracks and crevices, under and behind sinks, cupboards, drawers, woodwork, refrigerators, pipes and drains, where these insects hide. Spray directly on as many insects as possible. Repeat application as necessary.

**FOR CLOTHES MOTHS & CARPET BEETLES:** Clean and spray closets thoroughly, to reach all hiding places clean and brush woolen articles. Repeat application every 30 days. When carpets are infested, spray both sides thoroughly. When spraying near fabrics, keep spray in constant motion, at least 36 inches away from fabric. Spraying closer may cause stains.

**FOR BEDBUGS:** Spray baseboards, molding, and floor boards. Spray mattresses and box springs. It will be necessary to dismantle the bed completely, thoroughly spraying each part including mattresses and box springs. All baseboards and wall cracks about the bedroom should be thoroughly treated. Repeat application and direct contact of the pest with spray are necessary for control.

**FOR ANTS:** Spray trails, hills around window frames and openings around pipes and baseboards where ants crawl hitting as many as possible. Repeat application as necessary.

**FOR FLEAS:** Spray floors, floor coverings, and sleeping quarters of pets and other infested areas. Repeat as required. Do not spray pets.