

**HAZAROUS TO HUMANS & DOMESTIC ANIMALS  
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After spraying wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL HAZARDS**

Do not use, or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**STORAGE:** If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required as to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvaged drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning.

**prentox<sup>®</sup>  
ALLETHRIN  
FOGGING  
CONCENTRATE  
#2**

For Institutional & Commercial Use Only

**ACTIVE INGREDIENTS:**

Allethrin (Allyl homolog of Chirin I) .....	0.45%
Related Compounds .....	0.05%
Piperonyl Butoxide Technical <sup>*</sup> .....	0.50%
N-Octyl Bicycloheptane Dicarboximide .....	1.00%
Petroleum Distillates .....	97.95%
<b>TOTAL</b>	<b>100.00%</b>

<sup>\*</sup>Equivalent to 0.72% (Butylcarbitol) (8-Propylpiperonyl) Ether and 0.18% related compounds

PRENTOX<sup>®</sup> — Registered Trademark of Prentiss Drug & Chemical Co., Inc.

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

**STATEMENT OF PRACTICAL TREATMENT**

**If swallowed** — Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

**If inhaled** — Remove victim to fresh air.

**If on skin** — Remove contaminated clothing and wash affected areas with soap and water.

**If in eyes** — Flush eyes with plenty of water. Call a physician immediately, if irritation persists.

**SEE SIDE PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS.**

E.P.A. REG. NO. 655-659      E.P.A. EST. NO. 655-GA-1

NET CONTENTS \_\_\_\_\_ GALLONS

LOT # \_\_\_\_\_



Manufactured by  
**prentiss**  
Drug & Chemical Co., Inc.

Plant: Kaelin Road Sandersville, GA. 31082  
Office: C.B. 2888 Floral Park, N.Y. 11001

**STORAGE AND DISPOSAL (cont'd.)**

or puncture and dispose of in a sanitary landfill or by other procedures approved by State and local authorities.

**DIRECTIONS FOR USE (cont'd.)**

**Roaches, waterbugs, ants, bedbugs, silverfish:** Use 3 to 4 oz. for each 1000 cu. ft. of space, directing the spray to contact as many insects as possible. Pay particular attention to baseboards, wall moldings, woodwork, pine openings, breeding places and nests. Spray in to hiding places, cracks & crevices, baseboards, wall moldings, spraying directly as many insects as possible.

**Fleas, mosquitoes, gnats:** Use 1 oz. per 1000 cu. ft. of space. Apply by using equipment designed and adjusted to deliver a true aerosol mist. Close doors and windows and spray into air, directing spray up to all four corners, filling room with mist. Do not spray on processing equipment. Keep doors and windows closed 15 minutes after spraying. Clean up and destroy fallen insects. Spray when plant is not in operation. Repeat as necessary. **DO NOT REMAIN IN TREATED AREAS. VENTILATE THE AREA AFTER TREATMENT IS COMPLETED.**

**Clothes Moths:** When spraying clothes in storage for adult moths, separate clothing. For the larvae, pay particular attention to seams and folds of garments. Clothing should be sprayed individually. For storing clothing in chests, first treat as per above, and also spray storage container before packing. Repeated monthly applications are desirable. **Bedbugs:** Spray moldings, baseboards and cracks. Also spray the bedstead paying particular attention to cracks and crevices, spray springs and mattresses as well.

To kill exposed stages of Indian Meal Moth, Angoumois Grain Moth, Chocolate Moth, Carpet Beetle, Cigarette Beetle, Flour Grain Beetle, Rice Weevils & Caddis, use 3-4 oz. per 1000 cu. ft. of space, directing the spray so as to contact the insects. Pay particular attention to cracks, crevices & other hiding places. Repeat treatment as required. **KILLS INSECTS ONLY WHEN THE SPRAY CONTACTS THEM.** Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Sanitation is necessary: clean and remove deposits of food, grain & dust from storage areas. Clean conveyor and handling equipment. For insects affecting stored food, as listed above, flour, grain & cereals-food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Apply by using equipment designed & adjusted to deliver a true aerosol mist. Close doors & windows and spray into air, directing spray up to all 4 corners, filling room with mist. Do not spray on processing equipment. Keep doors & windows closed 15 minutes after spraying. Clean up & destroy fallen insects. Spray when plant is not in operation. Repeat as necessary.