



prentox

Pyronyl Oil Concentrate #12294

For Use by Trained Personnel Only

Authorized by U.S.D.A. for use in Federally inspected meat and poultry plants

PRECAUTIONARY STATEMENTS
HAZARD TO HUMANS AND DOMESTIC ANIMALS
CAUTION: HARMFUL IF SWALLOWED IF INGESTED DO NOT INDUCE VOMITING CALL A PHYSICIAN AT ONCE DO NOT APPLY DIRECTLY TO FOOD
ENVIRONMENTAL HAZARDS
 This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
 Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE DISPOSAL - Pesticide spray mixture or residue that cannot be used or chemically reprocessed, should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
CONTAINER DISPOSAL - Containers 30 gallons or more - air treat container and offer for reconditioning or triple rinse or equivalent and offer for recycling, reconditioning for disposal in approved landfill or bury in a safe place.
 Containers less than 30 gallons - As in (b) above.
GENERAL - Consult Federal, State or local disposal authorities for approved alternative procedures.

INDOOR USE AS A SPACE SPRAY UNDILUTED: The use of this product in food processing or food handling establishments should be confined to limited periods when the plants or facilities are not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Close windows and doors and shut off ventilating systems. Use a fogger or vaporizer adjusted to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns). Apply at a rate of 1 ounce per 1000 cubic feet of space. Direct the spray toward the ceiling and upper corners of the area behind obstructions. Keep the area closed for at least 15 minutes. Vacate the treated area and ventilate before reoccupying. Repeat treatment as necessary. Sweep up and destroy fallen insects.
 This method of application will control exposed, accessible stages of FLIES (including FRUIT FLIES), MOSQUITOES, SMALL FLYING MOTHS, GNATS, WASPS, HORNETS, CLOVER MITES, CHEESE MITES, CHEESE SKIPPERS, BOXELDER BUGS, EARWIGS, ANTS and the following common stored product pests: GRANARY WEEVILS, RICE WEEVILS, CONFUSED FLOUR BEETLES, SAW TOOTHED GRAIN BEETLES, SPIDER BEETLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, ANGOUMOIS GRAIN MOTHS, MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL MOTHS, TOBACCO MOTHS, YELLOW MEALWORMS, DARK MEALWORMS, GRAIN MITES, CADELLES and RED FLOUR BEETLES.
DRIED FRUIT PRODUCTS in storage or being processed for control of CONFUSED FLOUR BEETLES, DRIED FRUIT BEETLES, INDIAN MEAL MOTHS, AND SAW TOOTHED GRAIN BEETLES. Remove and destroy infested products. As noted above disperse this product as a fine mist in the air above the trays and shelves. Do not apply to fruit directly. Use one-half ounce per 1000 cubic feet of space. Repeat application at this dosage in any given month. Leave room closed for one hour. Do not remain in treated areas and ventilate the area before entry. Sweep up and destroy fallen insects.

STORED FOOD: Stored in multi-wall bags or cloth bags in warehouses, storage rooms, flour mills, grain elevators, granaries for control of ANGOUMOIS GRAIN MOTHS, CADELLES, CONFUSED FLOUR BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RICE WEEVILS, SAW TOOTHED GRAIN BEETLES, YELLOW MEALWORMS, CHEESE MITES, CHEESE SKIPPERS, CIGARETTE BEETLES, GRAIN MITES, GRANARY WEEVILS, DARK MEALWORMS, RED FLOUR BEETLES. Remove and destroy infested products. As noted above disperse this product first by directing spray into corners, under pallets and around stacks of packaged foods hitting as many insects as possible and then treat as a space spray.
 Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose. Use a dosage of one-half fluid ounce per 1000 cubic feet of space. Do not remain in treated areas and ventilate area before entry. This application will kill and expose stages of these stored product pests listed above. Sweep up and destroy fallen insects.

INDOOR USE AS A SPACE SPRAY DILUTED: For use in or with mechanical fogging equipment to kill FLIES, FRUIT FLIES, MOSQUITOES, SMALL FLYING MOTHS, AND GNATS. Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating system equipment. Dilute 1 part concentrate plus 29 parts of fresh, dechlorinated water. Apply at the rate of 1 to 2 fluid ounces per 1000 cubic feet filling the room with mist. Keep area closed for at least 15 minutes. Vacate treated area and ventilate before reoccupying. Repeat treatment as necessary. Do not remain in treated areas.

ACTIVE INGREDIENTS:

- Pyrethrins
- Piperonyl Butoxide Technical*
- N-Octyl bicycloheptene dicarboximide
- Mineral Oil
- Petroleum Distillates

TOTAL

*Consists of 1.60% (butylcarbityl) (6-propylpiperonyl) Ether and 0.40% related compounds.

Prentox Pyronyl Oil Concentrate #12294 is effective in the control of the below-listed insects if it follows the directions for use as set forth in this label.

- | | | |
|------------------------|-------------------|---------------------------|
| ANGOUMOIS GRAIN MOTHS | EARWIGS | MEDITERRANEAN FLOUR MOTHS |
| ANTS | FRUIT FLIES | MOSQUITOES |
| BOXELDER BUGS | (DROSOPHILA) | MUSHROOM FLIES |
| CADELLES | FUNGUS GNATS | RED FLOUR BEETLES |
| CHEESE MITES | GNATS | RICE WEEVILS |
| CHEESE SKIPPERS | GRANARY WEEVILS | SAW-TOOTHED GRAIN BEETLES |
| CIGARETTE BEETLES | GRANARY WEEVILS | SMALL FLYING MOTHS |
| CLOVER MITES | HORN FLIES | SPIDER BEETLES |
| CONFUSED FLOUR BEETLES | HORNETS | STABLE FLIES |
| DARK MEALWORMS | HORSE FLIES | TOBACCO MOTHS |
| DEER FLIES | HOUSE FLIES | WASPS |
| DRIED FRUIT BEETLES | INDIAN MEAL MOTHS | YELLOW MEALWORMS |
| DRUGSTORE BEETLES | LICE | |

KEEP OUT OF REACH OF CHILDREN
CAUTION

E.P.A. Reg. No. 655-664

E.P.A. Reg. No. 655-664

NET CONTENTS

LOT #



Manufactured by

prentiss
 Drug & Chemical Co. Inc.

Plant: 338 Wilson Ave
 Newark, N.J. 07102
 Office: 363 7th Avenue
 New York, N.Y. 10014