

BEST DOCUMENT AVAILABLE

prentox[®] ALLETHRIN CONTACT & SPACE SPRAY

(For application by trained personnel)

**CONTROLS HOUSE FLIES,
STABLE FLIES, HORN FLIES.**

ACTIVE INGREDIENTS

Allethrin	2.00%
Related Compounds	23%
Piperonyl Butoxide, Technical*	4.00%
N-octyl bicycloheptene dicarbazimide**	6.66%
Petroleum Distillates	67.11%
TOTAL:	100.00%

*Equivalent to 3.20% (Butylcarbityl) (6-propylpiperonyl) Ether and 0.80% related compounds
**MGK-264 Insecticide Synergist

DIRECTIONS FOR USE (Cont'd)

SPACE SPRAY—For Use in Mechanical Fogging Equipment— Kills Flies, Mosquitoes, Small Flying Moths & Gnats. Cover or remove exposed food and food handling surfaces. Close room, making sure to shut off all air conditioning or ventilation equipment. Dilute Concentrate with Deodorized Kerosene at the rate of 1 part Concentrate with 9 parts Deodorized Kerosene and mix well. Apply at the rate of 50 fl. oz. of diluted spray per 25,000 cu. ft. of space. Make sure to direct the spray upward towards upper corners of room & ceiling. Keep room closed for one half hour after spraying. Do not remain in treated area. Ventilate after treatment is completed.

CONTACT SPRAY—Diluted for Use with Sprayers that give large, wetting Spray Particles— To kill Cockroaches and accessible stages of Granary Insects: Rice & Granary Weevil, Red Flour Beetle, Indian Meal Moth Larvae, Caddis, Grain Mites and Saw Toothed Grain Beetles. Cover or remove exposed food and close room. Dilute Concentrate with Oil at the rate of 1 part Concentrate plus 9 parts Oil and mix well. Spray on lower walls of grain bins, flooring, about base of mixing machinery, walls and baseboards, areas behind cabinets and on pipes & other insect harbourages using 1 gal. of Spray per 100 sq. ft. surface. Force spray into all cracks and crevices. Repeat applications as necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

SPACE SPRAY—Undiluted in Aerosol Generators— Kills Flies, Mosquitoes, Small Flying Moths & Gnats. Cover or remove exposed food and food handling surfaces. Close room, making sure to shut off all air conditioning or ventilating equipment. Apply at the rate of 2 to 6 oz. of undiluted Concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for one half hour. Do not remain in treated area. Ventilate the area after treatment is completed. Sweep up and destroy taken insects. Repeat as necessary.

SPACE SPRAY—Dilute 1 plus 4 with Base Oil for Use in Horsebarns— To control house flies, stable flies & horn flies, apply as a fine mist over the horses. Use a fogger or mist generator. Spray is directed and applied above the animals and does not spray to center of the area where the horses are housed. Apply 1 oz. per 1,000 cu. ft. so that the spray mist is distributed uniformly throughout the above area sprayed. Do not ventilate the area for at least 30 minutes after spray has been applied. Product is for use with ULV type sprayers with large particle size aerosol nozzles. Do not use with ULV type. Do not use on horses intended for human consumption.

ACCEPTED
with COMMENTS
by EPA Letter Dated

2 of 2

AUG 23 1983

Under the Federal Insecticide,
Fungicide and Rodenticide Act
Registration No. 655-661
EPA Reg. No. 655-661

PRECAUTIONARY STATEMENTS
Hazards To Humans & Domestic Animals
CAUTION
HARMFUL IF SWALLOWED. AVOID BREATHING VAPORS OR SPRAY MIST. AVOID CONTACT WITH SKIN OR EYES.
ENVIRONMENTAL HAZARDS
This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water supplies by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.
PESTICIDE DISPOSAL— Post-spray mixture or rinsate that cannot be used should be disposed of according to procedures approved by Federal, State or Local disposal authorities.
CONTAINER DISPOSAL— Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

For use on Barley, Corn, Grain Sorghum, Milo, Oats, Rye and Wheat stored in Storage Bins. Dilute concentrate 1 part with 4 parts Base Oil (1 oz. 100 lbs. equals 2 PPM). Spray on grains as they are put into storage.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED— Do not induce vomiting because of aspiration hazard. Get medical attention.
IF IN EYES— Flush with plenty of water. Get medical attention if contact is prolonged.
IF ON SKIN— Wash with plenty of soap and water.

NET CONTENTS GALLONS

EPA Reg. No. 655-661

EPA Est. No. 655-GA-1

Manufactured by



prentiss
Drug & Chemical Co., Inc.

Plant: Kaulin Road
Sandersville, GA. 31082
Office: 363 7th Avenue
New York, N.Y. 10001

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Open dumping prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PLASTIC CONTAINERS ONLY: DO NOT STORE IN CAR TRUNK WHERE TEMPERATURES MAY EXCEED 120°F.

SEE DOCUMENT AVAILABLE

LEFT PANEL

BEST DOCUMENT AVAILABLE

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pots and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If swallowed** - Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.
- If inhaled** - Remove victim to fresh air. Apply artificial respiration if indicated.
- If on skin** - Remove contaminated clothing and wash affected areas with soap and water.
- If in eyes** - Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

BEST DOCUMENT AVAILABLE

AUG 24 1983

300 | 103189
17 | 2

Nick Sanchez
Frentox Drug & Chemical
Co., Inc.
363 7th Avenue
New York, NY 10001

Dear Mr. Sanchez:

Subject: Frentox Allethrin Poultry House & Barn Fly Spray
EPA Registration No. 655-661
Your Letter of July 28, 1983

The amendment referred to above, submitted in connection with registration under FIFPA sec. 3(c)(7)(A), is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFPA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. In the "Storage" statement, delete the sentence "Dispose of onto a shovel and put the sweepings into a salvage drum."
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFPA sec. 6(c). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Timothy A. Gardner
Product Manager (17)
Insecticide-Fedenticide Branch
Registration Division (15-7670)

PHS
6

Enclosure

TS-767C:T.GARDNER:DCR-17434:WANG-0814C:qum:Raven:479-2013:8/12/83

CURRENT IS							
SYMBOL	DESCRIPTION	DATE	INITIALS	REMARKS	DATE	INITIALS	REMARKS