

# prentox

1.0 CT. PRODUCT AVAILABLE

## ALLETHRIN CONTACT & SPACE SPRAY

ONLY FOR SALE TO, USE AND STORAGE BY  
SERVICE PERSONS

CONTROLS HOUSE FLIES,  
STABLE FLIES, HORN FLIES.

**ACTIVE INGREDIENTS:**

Allethrin	2.00%
Related Compounds	.23%
Piperonyl Butoxide, Technical*	4.00%
N-octyl bicycloheptene dicarboximide**	6.66%
Petroleum Distillates	87.11%
<b>TOTAL:</b>	<b>100.00%</b>

\*Equivalent to 3.20% (Butylcarbitolyl (6-propylpiperonyl) Ether and 0.80% related compounds)  
\*\*MGK-264 Insecticide Synergist

PRENTOX® Registered Trademark of Prentiss & Chemical Co., Inc.

### KEEP OUT OF REACH OF CHILDREN CAUTION

**STATEMENT OF PRACTICAL TREATMENT**

**If swallowed.** Call a physician or Poison Control Center immediately. **DO NOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.  
**If inhaled.** Remove victim to fresh air.  
**If on skin.** Remove contaminated clothing and wash affected areas with soap and water.  
**If in eyes.** Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR  
ADDITIONAL PRECAUTIONARY STATEMENTS

**SPACE SPRAY—For Use in Mechanical Fogging Equipment—** Kills Flies, Mosquitoes, Small Flying Moths & Gnats. Cover or remove exposed food and food handling surfaces. Close room making sure to shut off all air conditioning or ventilation equipment. Dilute Concentrate with Deodorized Kerosene at the rate of 1 part Concentrate with 9 parts Deodorized Kerosene and mix well. Apply at the rate of 50 fl. oz. of diluted spray per 25,000 cu. ft. of space. Make sure to direct the spray upward towards upper corners of room & ceiling. Keep room closed for one half hour after spraying. Do not remain in treated area. Ventilate after treatment is completed.

**CONTACT SPRAY—Diluted for Use with Sprayers that give large, wetting Spray Particles—** To kill Cockroaches and accessible stages of Granary Insects: Rice & Granary Weevil, Red Flour Beetle, Indian Meal Moth Larvae, Caddis, Grain Mites and Saw-Toothed Grain Beetles. Cover or remove exposed food and close room. Dilute Concentrate with Oil at the rate of 1 part Concentrate plus 9 parts Oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets around pipes and other insect harbourages using 1 gal. of Spray per 1,000 sq. ft. of surface. Force spray into all cracks and crevices. Repeat applications as necessary. Infested stored food products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

**SPACE SPRAY—Undiluted in Aerosol Generators—** To kill Flies, Mosquitoes, Small Flying Moths & Gnats. Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 2 to 6 oz. of undiluted Concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for one half hour. Do not remain in treated area. Ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat as necessary.

**SPACE SPRAY—Dilute 1 plus 4 with Base Oil for Use in Horse Barns—** To control House Flies, Stable Flies & Horn Flies as parasites of horses. Use a fogger or mist generator to spray, directed and applied above the animals and directed spray to center of the area where the horses are housed. Apply 1/2 per 1,000 cu. ft. so that the spray mist is distributed uniformly throughout the area sprayed. Do not ventilate the area for at least 10 minutes after spray has been applied. Product to be used in the farm sprayers which give particle size aerosol larger than 10 microns such as ULV type. Do not use on horses intended for human consumption.

655-661

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**  
Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking. Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

**ENVIRONMENTAL HAZARDS**  
This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

**PHYSICAL HAZARDS**  
Do not use or store near heat or open flame. Exposure to temperatures above 130° F. may cause bursting.

**DIRECTIONS FOR USE**  
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**  
Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.  
**STORAGE** If container is damaged. Stop any leaks by repairing the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material such as sawdust, diatomaceous earth, sand or sawdust. Dispose of wastes as below. Do not store, use, pour or spill near heat or open flame.

**PESTICIDE DISPOSAL** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL** Triple rinse or equivalent. Then offer for recycling or reconditioning or puncture and dispose of in a sanitary and safe manner, other procedures approved by State and local authorities.

NET CONTENTS      GALLONS  
EPA REG NO 655-661      EPA EST NO 655-GA-1



Manufactured by  
**prentiss**  
Drug & Chemical Co., Inc

Plant, Kaolin Road  
Sandersville, GA. 31082  
Office: C.B. 2000  
Floral Park, N.Y. 11001