

prentox TFL DIP

KILLS Ticks/Fleas/Lice

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin and eyes. In case of contact, immediately flush eyes with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame. Exposure to temperatures above 110°F may cause bursting.

ACTIVE INGREDIENTS.

Pyrethrins	0.33%
Piperonyl Butoxide Technical*	0.67%
N-Octyl Bicycloheptene Dicarboximide	1.11%
Petroleum Distillates	90.40%
INERT INGREDIENTS	7.41%

TOTAL 100.000%

*Equivalent to 0.54% (Butylcarbitol) (6-Propylpiperonyl Ether and 0.13% related compounds).

PRENTOX® Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Do not induce vomiting. Rinse mouth with water immediately. Do not eat, drink, or take any medicine until after consulting a physician.

If inhaled — Remove to fresh air.

If on skin — Remove clothing and wash thoroughly with soap and water.

If in eyes — Flush eyes with plenty of water for at least 15 minutes. Consult a physician.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE. If container is damaged, stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required as to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as: lay diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE

This formulation of Prentox TFL Dip is to be used in a manner consistent with the following:

DIRECTIONS FOR USE (Cont.)

For Control of Ticks, Fleas, and Lice on Dogs and Cats dilute 1 ounce of TFL Dip with 1 gallon of water. Dip animals in solution making sure they are thoroughly wet to the skin. The solution and the animal should be sponged thoroughly. Avoid contact with the face and mouth of animals. Repeat as necessary.

EPA REG NO 655-667

EPA EST NO 655-GA-1

NET CONTENTS _____ GALLONS

LOT #

Manufactured by



prentiss
Drug & Chemical Co., Inc

Plant: Kaolin Road
Sandersville, GA. 31082
Office: C.B. 2000
Federal Park, N.Y. 11001

12/83