

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

OCT 21 1982

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND  
DOMESTIC ANIMALS**

**DANGER**

Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, water proof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the US Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and wildlife. Keep out of lakes, streams or ponds. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of the Environmental Protection Agency.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**NOTE TO FORMULATORS**

Certain organo-phosphate insecticides have been shown to cause staining and color changes of carpets dyed with certain sensitive carpet dyes. Products made from this concentrate should carry warnings to prevent contact with carpeting by spray, spray mist or drift.

**prentox<sup>®</sup>  
CHLORPYRIFOS  
D.D.V.P. MC**

An insecticide concentrate for formulating use only.

**ACTIVE INGREDIENTS:**

Chlorpyrifos [0,0-diethyl 0-(3,5,6-Trichloro-2-Pyridyl) Phosphorothioate]	15.00%
2,2-Dichlorovinyl Dimethyl Phosphate	13.95%
Related Compounds	1.05%
Aromatic Petroleum Derivatives Solvent	69.03%
<b>INERT INGREDIENTS</b>	<b>0.97%</b>
<b>TOTAL</b>	<b>100.00%</b>

If it is a violation of  
manner in case  
Formulators us  
submitting data  
additional info  
Product Informa



**KEEP OUT OF REACH OF CHILDREN**

**POISON  
DANGER**



**STOR**

1. PROHIBITION  
feed by storage
2. PESTICIDE C  
insale that cau  
hults must be ch  
local procedur  
Recovery Act
3. CONTAINER  
offer for recou  
and offer for rec  
a sanitary hand  
procedures

**Statement of Practical Treatment**

**If swallowed**—Call a physician or Poison Control center immediately. (Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled**—Remove victim to fresh air. Apply respiration if indicated.

**If on skin**—Wash immediately with soap and water.

**If in eyes**—Wash eyes with plenty of water. Call a physician immediately.

**NOTE TO PHYSICIAN:**

**WARNING SYM TOM:** Symptoms include weakness, headaches, tightness in chest, blurred vision, non-reactive pupils, ataxia, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there is evidence of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 mg, until complete Atropine action has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Morphine is contra indicated. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been allowed, as determined by blood test.

E.P.A. REG. NO. 855-07

E.P.A. EST. NO. 855-QA-9

NET CONTENTS

LOT NO.



Manufactured by

**prentiss**

Drug & Chemical Co., Inc.

Plant: Koolin Road  
Sandersville, GA. 31062  
Office: 353 7th Avenue  
New York, N.Y. 10001

BEST DOCUMENT AVAILABLE


# prentox<sup>®</sup> CHLORPYRIFOS D.D.V.P. MC

An insecticide concentrate for formulating use only.

<b>ACTIVE INGREDIENTS:</b>	
Chlorpyrifos [0,0-diethyl 0-(3,5,6-Trichloro-2-Pyridyl) Phosphorothioate]	15.00%
2,2-Dichloroethyl Dimethyl Phosphate	13.85%
Related Compounds	1.05%
Aromatic Petroleum Derivative Solvent	69.03%
<b>INERT INGREDIENTS</b>	<b>0.97%</b>
<b>TOTAL</b>	<b>100.00%</b>


#### Directions For Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Formulators using this product are responsible for submitting data to E.P.A. in support of their label. For additional information on this product refer to our Product Information Sheet.



**KEEP OUT OF REACH OF CHILDREN**

**POISON DANGER**



#### Statement of Practical Treatment

**If swallowed**—Call a physician or Poison Control center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE** vomiting unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled**—Remove victim to fresh air. Apply respiration if indicated.

**If on skin**—Wash immediately with soap and water.

**If in eyes**—Flush eyes with plenty of water. Call a physician immediately.

#### NOTE TO PHYSICIAN:

**WARNING SYMPTOMS:** Symptoms include weakness, headaches, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 mg, until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Morphine is contra-indicated. Clear chest by postural drainage. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Allow no further exposure until cholinesterase regeneration has been allowed, as determined by blood test.

#### STORAGE AND DISPOSAL

- 1. PROHIBITIONS**—Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL**—Pesticide, spray mixture or residue that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.
- 3. CONTAINER DISPOSAL**—(a) Reseal container and offer for reconditioning, or (b) Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

E.P.A. REG. NO. 655-871

E.P.A. EST. NO. 655-QA-1

NET CONTENTS

LOT NO.



Manufactured by

**prentiss**  
Drug & Chemical Co., Inc.

Plant: Kroll Road  
Sandersville, GA. 31082  
Office: 363 7th Avenue  
New York, N.Y. 10001

BEST DOCUMENT AVAILABLE



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D. C. 20460

OCT 21 1982

Mr. Nick Sanchez  
Prentiss Drug & Chemical Co., Inc.  
363 7th Avenue  
New York, NY 10001

Dear Mr. Sanchez:

Subject: Amendments-Add Carpet Stain Note  
Re: PRENTOX  
50% DDVP Emulsifiable Concentrate  
EPA Registration No. 655-196  
DDVP 4 LB. Emulsifiable Concentrate  
EPA Registration No. 655-229  
20% DDVP Oil Soluble Concentrate  
EPA Registration No. 655-292  
Prentiss Private Formula #375  
EPA Registration No. 655-299  
DDVP 2 LB. Emulsifiable Concentrate  
EPA Registration No. 655-359  
Diazinon DDVP Concentrate  
EPA Registration No. 655-483  
Diazinon-DDVP Residual Concentrate  
EPA Registration No. 655-651

Chlorpyrifos DDVP Emulsifiable Concentrate  
EPA Registration No. 655-670  
Chlorpyrifos DDVP MC  
EPA Registration No. 655-671  
Pyrifos DDVP No. 125125 MFG. Conc.  
EPA Registration No. 655-699  
Pyrifos DDVP 25125 MFG. Conc.  
EPA Registration No. 655-700

The amendments referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended (FIFRA), are acceptable. Stamped copies of the labels are enclosed for your records.

Each of the above products should have the STORAGE AND DISPOSAL text updated or revised at the next label printing to delete references to "burying in a safe place" for both pesticide and container disposal sections. Please refer to the enclosure for approved wording. Also note the inclusion of "disposed of according to Federal or approved state procedures under Subtitle C of the Resource Conservation and Recovery Act" in the "Pesticide Disposal" text.

BEST DOCUMENT AVAILABLE

-2-

For product Prentox Chlorpyrifos DDVP Emulsifiable Concentrate, EPA Registration Number 655-670, change "EPDES" to "NPDES" in the Environmental Hazards text.

For product Prentox Pyrifos DDVP Number 125125 MEG Conc, EPA Registration Number 655-699, delete "Do not apply where runoff is likely to occur" from the Environmental Hazards text since this is not an end use product.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

BEST DOCUMENT AVAILABLE