

pretox™

PYRONYL FOGGING & CONTACT SPRAY

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water supplies by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARD

DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

Directions for Use:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container.

PESTICIDE DISPOSAL — Pesticide, spray mixture or rinsate that cannot be used should be disposed of according to procedures approved by Federal, State or Local disposal authorities.

CONTAINER DISPOSAL — a) Reseal container and offer for reconditioning. b) Triple rinse (or equivalent) and offer for recycling or reconditioning or dispose of in a sanitary landfill or by other approved state and local procedures. **Consumer packing, less than 1 gallon:** Do not reuse container. Wrap container and dispose in trash collection.

GENERAL — Consult Federal, State or local disposal authorities for approved alternative procedures.

For use in homes, institutions, industrial plants, hospitals, schools, and food processing plants.

Kills flies, mosquitoes, small flying moths and gnats.

Also kills roaches, waterbugs, crickets and ants.

ACTIVE INGREDIENTS:

Pyrethrins	0.250%
Piperonyl Butoxide Technical*	0.500%
N-Octyl Bicycloheptene Dicarboximide ...	0.825%
Petroleum Distillates	98.425%

*Equivalent to 0.400% (Butylcarbityl) (6-Propylpiperonyl) Ether and 0.100% related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

E.P.A. REG. NO. 655-675

EPA Est. No. 655-GA-1

NET CONTENTS _____

LOT# _____



Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: 363 7th Avenue
New York, N.Y. 10001

DIRECTIONS FOR USE (Cont'd.)

SPACE SPRAY — To kill flies, mosquitoes, small flying moths and gnats. First cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply with fogger which gives small particle size, or a mechanical or compressed air sprayer. Direct spray upwards toward the corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounce per 1000 cubic feet of space to be treated. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entering. Repeat as necessary.

CONTACT OR SURFACE SPRAY — To kill roaches, waterbugs, crickets and ants. Use a sprayer that gives large wetting droplets (coarse spray). Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other places where insects are known to hide. Use 1 gallon of spray per 1000 square feet of surface to be treated. For ants, spray trails and all points of entry into the building. Spray ant nests directly with a soaking application. It is important in all cases to contact as many insects as possible directly with the spray. Repeat application as necessary to maintain control.

Remove pets and cover fish aquariums before spraying. Remove patients from hospital rooms before spraying. Ventilate rooms at least two hours before returning patients.

FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS: Apply the spray into all cracks and crevices in wood work, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Repeat as necessary for control of exposed or accessible stages of roaches, silverfish, waterbugs, earwigs, ants, spiders, flies, fruit flies, mosquitoes, small flying moths and gnats. Before using, exposed food products and packaging materials must be covered or removed. After use, equipment and utensils must be thoroughly rinsed with potable water before operations are resumed. Use as a spray only when plant is not in operation.

655-675

05/17/1982

3/82

ACCEPTED
MAY 17 1982
EPA REG. NO. 655-675

111