

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS &
DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in bakeries and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

prentex[®]

PYRRONYL FOGGING & CONTACT SPRAY

For use in homes, institutions, industrial plants, hospitals, schools, and food processing plants.

Kills flies, mosquitoes, small flying moths and gnats.

Also kills roaches, waterbugs, crickets and ants.

ACTIVE INGREDIENTS:

Pyrethrin	0.200%
Piperonyl Butoxide Technical*	0.200%
N-Octyl Bis(2-chlorophenoxy) Diamine	0.200%
Petroleum Distillates	99.400%
TOTAL	100.00%

*Equivalent to 0.400% (Butylcarbyl) (6-Propylparonyl) Ether and 0.100% related compounds.

PRENTOX[®] - Registered Trademark of Prentiss Drug & Chemical Co., Inc.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Call a physician or Poison Control Center immediately. **DONOT INDUCE VOMITING.** Vomiting may cause aspiration pneumonia.

If inhaled - Remove victim to fresh air.

If on skin - Remove contaminated clothing and wash affected areas with soap and water.

If in eyes - Flush eyes with plenty of water. Call a physician immediately, if irritation persists.

**SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS.**

E.P.A. Reg. No. 655-675

E.P.A. EST. NO. 655-6A-1

Manufactured by



prentiss
Drug & Chemical Co., Inc.

Plant: Koolin Road
Sandersonville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001

12/83

STORAGE AND DISPOSAL (cont'd.)

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple-rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE (Cont'd)

SPACE SPRAY - To kill flies, mosquitoes, small flying moths and gnats. First cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply with fogger which gives small particle size, or a mechanical or compressed air sprayer. Direct spray upwards toward the corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounce per 1000 cubic feet of space to be treated. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entering. Repeat as necessary.

CONTACT OR SURFACE SPRAY - To kill roaches, waterbugs, crickets and ants. Use a sprayer that gives large wetting droplets (coarse spray). Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other places where insects are known to hide. Use 1 gallon of spray per 1000 square feet of surface to be treated. For ants, spray trails and all points of entry into the building. Spray ant nests directly with a soaking application. It is important in all cases to contact as many insects as possible directly with the spray. Repeat application as necessary to maintain control.

Remove pets and cover fish aquariums before spraying. Remove patients from hospital rooms before spraying. Ventilate rooms at least two hours before returning patients.

NET CONTENTS **1 GALLON**

LOT # FEB 8 1994

655-675

300,145,378
17/4

FEB 8 1984

Mr. W. Sanchez
Prentiss Drug & Chemical Co., Inc.
C.B. 200
21 Vernon Street
Floral Park, NY 11001

BEST DOCUMENT AVAILABLE

Dear Mr. Sanchez:

Subject: Prentiss Syngyl Pesticide
EPA Registration No. 699-075
Your Letter Dated January 9, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure
DCR-05649:A. Hayward:RD-20:1/27/84:del.2/20/84:LM

CONCURRENCES

SYMBOL	TS-767						
SIGNATURE	<i>[Signature]</i>						
DATE	2-1-84						