10/04/2001

4 2001 OCT

Richard A. Miller Prentiss Incorporated C.B. 2000 Floral Park, NY 11002-2000

Subject: Label Amendment For:

Prentox Fogging & Contact Spray EPA Registration No. 655-675 Application dated September 17, 2001

The proposed amendment to the registration for the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended revising the label in accordance with PR Notice 2001-1 is acceptable. A stamped copy of the amended

label is enclosed for your records.

Sincerely,

Marion J. Johnson, Jr.

Product Manager 10 Insecticide Branch

Registration Division (7505C)

Prentox Pyronyl Fogging & Contact Spray EPA Registration No. 655-675



PYRONYL FOGGING & CONTACT SPRAY

For use in homes, institutions, industrial plants, hospitals, schools, and food processing plants. Kills flies, mosquitoes, small flying moths and gnats. Also kills roaches, waterbugs, crickets and ants.

| ACTIVE INGREDIENTS: | |
|--------------------------------------|---------|
| Pyrethrins | 0.250% |
| Piperonyl Butoxide Technical* | 0.500% |
| N-Octyl Bicycloheptene Dicarboximide | 0.825% |
| INERT OTHER INGREDIENTS: | 98.425% |
| TOTAL: | |
| 100.000% | |

Equivalent to 0.400% (Burylcarbityl) (6-Propylpiperonyl) ether and 0.100% related compounds. PRENTOX — Registered Trademark of Prentiss Incorporated PYRONYL" — Trademark of Prentiss Incorporated

E.P.A. NO. 655-675

Contains Petroleum Distillates

E.P.A. EST. NO. 655-GA-1

KEEP OUT OF REACH OF CHILDREN **CAUTION**

| Have the product of | FIRST AID ontainer or label with you when calling a poison control center or physician, or going for treatment. | |
|---------------------------|--|--|
| If swallowed | Immediately call a Poison Control Center, physician. or the National Pesticide Telecommunications Network at 1-800-858-7378. Do not induce vomiting unless told to do so by the Poison Control Center or physician. Do not give any liquid to the person. Do not give anything by mouth to an uncoexcious or convulsing person. | |
| lf on skin or clothing | Take off contaminated clothing. | |
| If in eyes | Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center, physician, or the National Pesticide Telecommunications. Network at 1-800-858-7378 for treatment advice. | |
| If inhaled | Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice. | |
| NOTE TO PHYSICI | AN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. | |
| For information on th | nis pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the lecommunications Network at 1-800-858-7378. | |
| SEE SIDE PANE | L FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE | |

Manufactured by:

| PRENTISS INCORPORATED ACCEPTED ACCEPTED | Plant: Kaolin Road, Sandersville, GA 31082, Sandersvil | |
|---|--|---------|
| ACCEPTENTS with COMMENTS In EPA Letter Dated: | ***** | ,,,, |
| Under the Federal Insecticide Act | in the second se | **** |
| Under the Federaticide Rungicide, and Rodenticide as amended, for the pesticide as amended, for EPA Reg. No. 1675 | 9,943 | 3 3 |
| | | , , , , |

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is under way. After space spraying in bakeries and other food processing plants, facilities and equipment must be thoroughly washed with an acceptable detergent solution and then rinsed with potable water to remove all traces of contamination. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

PHYSICAL HAZARDS

Do not use, or store near beat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SPACE SPRAY — To kill flies, mosquitoes, small flying moths and gnats. First cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply with fogger which gives small particle size, or a mechanical or compressed air sprayer. Direct spray upwards toward the corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounce per 1000 cubic feet of space to be treated. Leave room closed for ½ hour. Ventilate room thoroughly before re-entering. Repeat as necessary.

CONTACT OR SURFACE SPRAY — To kill roaches, waterbugs, crickets and ants. Use a sprayer that gives large wetting droplets (coarse spray). Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other places where insects are known to hide. Use 1 gallon of spray per 1000 square feet of surface to be treated. For ants, spray trails and all points of entry into the building. Spray ant nests directly with a soaking application. It is important in all cases to contact as many insects as possible directly with the spray. Repeat application as necessary to maintain control.

Remove pets and cover fish aquariums before spraying.

Remove patients from hospital rooms before spraying. Ventilate rooms at least two hours before returning patients.


STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

2.01



Page 2 of 2