

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be absorbed through skin, harmful if swallowed. Avoid inhalation of spray mist. Avoid skin contact. In case of contact, wash immediately with soap and water. Avoid contamination of feed and foodstuffs. Do not use on household pets and humans.

Applications working in enclosed areas, such as crawl spaces, must wear a respirator approved by OSHA (29CFR 1910.134).

Applicators must wear the following protective clothing during the application process: a light weight protective suit or coveralls, water resistant hat, unlined, waterproof pants, and unlined, lightweight boots. Mixers and loaders must also wear goggles or a face shield, waterproof gloves and a waterproof apron.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Open dumping prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled

RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

prentox® LINDANE BORER CONCENTRATE NO. 20

ACTIVE INGREDIENTS:

Lindane (Gamma Isomer of Benzene

Hexachloride) 20.0%

Xylene Range Aromatic Solvent 62.2%

INERT INGREDIENTS: 17.8%

TOTAL: 100.0%

(Contains 1.63 pounds of Lindane per gallon)

PRENTOX®—Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center immediately. Contains petroleum distillates. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. If inhaled — Remove victim to fresh air. Apply respiration, if indicated. If on skin — Wash area immediately with soap and warm water. If in eyes — Flush with plenty of water and get prompt medical attention.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-677

E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____

LOT NO. _____

STORAGE AND DISPOSAL (cont'd.)

areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place a leaking container in a similar drum or glass container. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE (cont'd.)

To control wood infesting beetles of the families Lyctidae, Anobiidae, and Cerambycidae in homes, barns and other existing structures. Use a 0.5% emulsion prepared by diluting 3.2 ounces of 20% Lindane to one (1) gallon of water, or 16 ounces (1) to 5 gallons of water. For treating support wood (Beams, Timber, etc.) in attached porches, outside buildings and storage areas in outside and around the home, barns and other existing structures, apply as a coarse spray until surfaces are wet. Brush emulsion onto small areas. Do not apply as a mist. Best results are obtained when applied to dry wood.

Use in the home is limited to professional licensed Pest Control Operators only. Do not use in poultry houses. Do not use in dairy barns and milk rooms. Remove animals from barns, and cover all feed and water troughs before spraying buildings. Do not use on animals. Do not use on humans or household pets. Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed.

BEST AVAILABLE COPY



Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, NY 11001

ACCEPTED

FEB 15 1985