

Frick Sanchez  
Prentiss Drug & Chemical  
Co., Inc.  
363 7th Avenue  
New York, NY 10001

300 | 103162  
-----  
17 | 2

Dear Mr. Sanchez:

Subject: Prentox TFL Miller  
EPA Registration No. 655-666  
Your Letter of July 29, 1983

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(B), is acceptable, provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
  - a. In the "Storage" statement, delete the sentence "Dispose of onto a shovel and put the sweepings into a salvage drum."
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Timothy A. Gardner  
Product Manager (17)  
Insecticide-Fungicide Branch  
Registration Division (2E-7670)

PHS  
6

Enclosure  
TS-7670:T.GARDNER:DCR-17434:WANG-0814C:gmw:Faven:479-2013:8/12/83

SYMBOL	NAME	DATE	INITIALS	REMARKS	DATE	INITIALS	REMARKS	DATE	INITIALS	REMARKS

# prentox<sup>®</sup>

## PYRONYL PET AND KENNEL SPRAY CONCENTRATE

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

#### CAUTION

Avoid if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial and food processing facilities, cover or remove any food and food processing equipment during application. Do not apply while processing is underway. After space spraying in meat packing plants, butcheries and other food processing plants, wash all equipment, benches, clothing, etc. where exposed food will be handled with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

#### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

#### PHYSICAL OR CHEMICAL HAZARDS

Do not store near heat or open flame.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Treatments of this concentrate should be made shortly before use in the quantity needed for the individual situation. Water dilutions should not be kept for future use.

#### STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

**CONTAINER DISPOSAL** - Pesticide spray mixture or concentrate that cannot be used according to label directions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

**CONTAINER DISPOSAL (A)** - Reseal drum and offer for reconditioning. (B) Triple rinse (or equivalent) and offer for recycling or reconditioning, or disposal in a container and fill, or by other approved State and local procedure.

For Control of Ticks, Fleas, Lice and Ear Mites on Dogs and Cats

Protects against Chiggers, Eye Gnats, Biting Flies and Mosquitoes

The insecticidal ingredients of this concentrate are highly and rapidly effective against insects. This concentrate is designed for dilution with water at specified rates for use on animals or in kennels as a space surface fogging spray or as a dip.

#### ACTIVE INGREDIENTS:

Pyrethrins ..... 1.18%

\*Piperonyl Butoxide, Technical ..... 11.84%

Petroleum Distillate ..... 72.18%

INERT INGREDIENTS: ..... 14.80%

100.00%

\*Equivalent to 9.47% (butylcarbityl(S-propyl)piperonyl) ether and 2.37% related compounds

**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See rear panels for additional precautions

ACCUMULATED

WILL CONTAMINATE

EPAREG No. 665-680

In EPAREG No. 665-NJ-1

NET CONTENTS

AUG 2 1983

LOT #

655-680

Manufactured by



# prentiss

Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue  
Newark, N.J. 07105

Office: 363 7th Avenue  
New York, N.Y. 10001

#### To Control Insects On Animals.

**Sponge Bath or Dip:** Dilute this concentrate at a rate of 1 fluid ounce in 23 fluid ounces of water (2 tablespoons of concentrate in 2 1/4 cups of water) or 5 fluid ounces (1 1/2 tablespoons) in 1 gallon of water.

**For rapid control of ticks, fleas and lice on cats and dogs:** sponge solution on thoroughly wetting skin over entire animal or dip the animal. Do not rinse. Allow solution to remain on animal. In cases of heavy tick infestations or long-haired cats or dogs, dilute 1 fluid ounce of concentrate to 11 fluid ounces with water (2 tablespoons of concentrate in 1 1/4 cups water) or 12 fluid ounces (24 tablespoons) of concentrate in one gallon of water.

**Mist Spray:** Dilute this concentrate at the rate of 7 fluid ounces in 1 gallon of water or 1 fluid ounce of concentrate in 18 fluid ounces of water.

**For rapid control of ticks, fleas and lice using a mist spray:** To insure thorough coverage part the fur by stroking against the lay of the hair as spray is applied. Spray ticks directly. Apply to moisten the fur tightly.

**To control spinose ear ticks and ear mites,** syringe the ears with a few drops of this dilution so that it can penetrate the wax down to the surrounding tissues. Repeat treatment once or twice at 2 to 3 day intervals as necessary. For temporary protection from mosquitoes, eye gnats, biting flies and chiggers, apply to cover the surface of the hair. Repeat treatment as necessary when insects are troublesome.

Ticks are only an occasional pest of cats. This product will control ticks on cats should they occur.

#### To Control Insects in Kennels and Animal Quarters:

Dilute at the rate of 13 fluid ounces in 1 gallon of water or 2 fluid ounces in 18 fluid ounces of water.

Remove pets before treating area and ventilate thoroughly before allowing them to re-enter treated area.

For rapid cleanout of fleas and ticks in kennels, apply this dilution in a good machine adjusted to deliver scarce droplets. Apply to the point of runoff with special attention to cracks and crevices and other insect hiding places. Bedding should be removed and sprayed thoroughly.

To control flies, mosquitoes and gnats in kennels, apply this dilution in a good sprayer, adjusted to deliver a fine mist. Use at the rate of approximately 1 ounce for 1000 cubic feet of space. Fill the enclosed area with mist wherever practical. Keep doors and windows closed for 10 minutes or more after application. Do not remain in treated areas and ventilate after treatment is completed.

BEST DOCUMENT AVAILABLE

BEST DOCUMENT AVAILABLE

\*\*\*\*\*

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES - Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

LEFT PANEL

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, foodstuffs, or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

LEFT PAGE

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.  
Open dumping prohibited.

**STORAGE:** If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required as prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. ~~Dispose of on a shovel and put the sweepings into a salvage drum.~~ Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use pour or spill near heat or open flame.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**PLASTIC CONTAINERS ONLY:** DO NOT STORE IN CAR TRUNK WHERE TEMPERATURES MAY EXCEED 120°F.

NOT AVAILABLE