

# PRETILOX VAPON 4E

Only for sale to, use and storage by ~~Sanitation~~ *Pest Control*

*OPERATION*



**ACTIVE INGREDIENTS:**

Heavy Aromatic Naphthas ..... 51.35%  
2,2-Dichlorovinyl Dimethyl Phosphate ..... 40.80%  
Related compounds ..... 3.05%

**INERT INGREDIENTS:**

5.00%

TOTAL: 100.00%

 **KEEP OUT OF REACH OF CHILDREN**   
**POISON — DANGER**

**Statement of Practical Treatment**

**If swallowed** — Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**If inhaled** — Remove victim to fresh air. Apply artificial respiration if indicated.

**If on skin** — Remove contaminated clothing and wash affected areas with soap and water.

**If in eyes** — Flush eyes with plenty of water. Call a physician immediately.

**NOTE TO PHYSICIAN:**

**SYMPTOMS:** Symptoms include weakness, headaches, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 mgs. until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Morphine is contra-indicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained, as determined by blood test.

*RESISTANCE*

*Pil*  
*EXAM*

E.P.A. REG. NO. 655-008

E.P.A. EST. NO. 655008-4



Manufactured by

**prentiss**

Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue  
Newark, N.J. 07105

Office: 363 7th Avenue  
New York, N.Y. 10001

**ACCEPTED**

SEP 14 1982

U.S. Environmental Protection Agency  
EPA Reg. No. 655-008-4

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER**

Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin, wear natural rubber gloves, waterproof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

NET CONTENTS \_\_\_\_\_

LOT # \_\_\_\_\_

DIRECTIONS FOR USE (CONT'D)

HOUSEHOLD PEST CONTROL: Apply as a 0.5% spray to control flies, mosquitoes, wasps, gnats, flying roths, and other small flying insects, cockroaches, ants, spiders, silverfish.

To prepare a 0.5% spray, dilute 7 ozs. of Concentrate with 5 gallons of water. For household, apply 0.5% spray with low pressure sprayer into all cracks and crevices. Do not apply to areas which will be contacted frequently by children, and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers or cooking utensils. Do not treat animals.

OUTDOOR LIVING AREAS, PICNIC GROUNDS, BACKYARD AREA, PATIOS, LOADING DOCKS, OUTDOOR LATRINES, PARKING AREA, REFUSE AREAS AROUND SERVICE STATIONS, OPEN-AIR DRIVE-INS, ICE CREAM STANDS, GARBAGE COLLECTION AND DISPOSAL AREAS, AND DOG KENNELS.

RESIDUAL SPRAY: Appl. as a 0.5% spray to control flies, gnats, mosquitoes, and other small flying insects. To prepare a 0.5% spray, dilute 7 ozs. of this Concentrate with 5 gallons of water. Apply as a coarse wet spray at the rate of 1 quart per 1,000 sq. ft. Do not treat animals (at this rate) or humans. Do not contaminate water, food, food containers or cooking utensils. Repeat as necessary.

FOG OR MISTING SOLUTION: Apply as a 1% fog or mist solution to control flies, mosquitoes, wasps, gnats and other small flying insects in outdoor areas. To prepare a 1% fogging or misting solution, dilute 14 ozs. of Concentrate with 5 gallons of water. For a 1% oil solution, dilute 14 ozs. with 6 gallons of oil.

MANURE PILES, GARBAGE DUMPS: For the control of fly maggots in maggot breeding areas, apply at the rate of 1-2 quarts of 0.5% spray per 100 sq. ft. (1 quart of 1%).

OUTDOOR AREAS: For the control of flies, gnats, mosquitoes, apply with fogging apparatus or mist blowers at the rate of 5-10 pints of 1% fogging solution per acre. Do not treat areas where food or feed crops are growing.

INEDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATERS, WAREHOUSES, AND OTHER NON-FOOD AREAS.

For the control of flies, gnats, mosquitoes, apply with fogging or misting equipment at the rate of 1 gallon of 1% fogging solution per 64,000 cubic feet. Apply when plants are not in operation. Occupants should vacate before indoor treatments, and should not re-occupy the premises until they have been ventilated. After application, open several windows or doors, to create air currents to insure reduction of DDVP insecticide vapors. During fogging or mist spraying indoors, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR part 11.

FOR USE IN PEANUT WAREHOUSES FOR THE CONTROL OF THE ALMOND MOTH AND THE INDIAN MEAL MOTH. WILL KILL ON CONTACT. THE VAPOR WILL GIVE GOOD CONTROL OF MOTHS AND WILL ALSO KILL EXPOSED LARVAE.

For best results apply between 5 p.m. and midnight as the peanut insects are more active at that time. Using a ULV type machine, use at the rate of 2/5 ozs.

Continue

DIRECTIONS FOR USE (CONT'D)

Vapon 4E per 10,000 cubic feet.

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:

Includes areas for receiving storage, packing (canning, bottling, wrapping, boxing) preparing edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).

Using 0.5% apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where roaches, ants and silverfish hide.

Do not use in conduits, motor housings and electrical switch boxes.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

WAREHOUSES

Apply either over night or during the day with a minimum 2-hour closed period to aid product effectiveness. Building should be posted with DANGER signs until after the 2-hour treatment period and subsequent building ventilation before reoccupation by workers.

STORAGE AND DISPOSAL

1. PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
2. PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.
3. CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and disposed of in a sanitary landfill, or by other approved state and local procedures.