

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**DANGER**

If swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin. Wear natural rubber gloves, waterproof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

**ENVIRONMENTAL HAZARDS**

May be fatal to some fish, birds and other wildlife. Birds and other wildlife treated areas may be killed. Do not apply directly to lakes, streams or ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL OR CHEMICAL HAZARDS**

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**NOTE TO APPLICATOR** - This product may stain carpeting. Do not allow spray mist, drift or runoff to contact carpeting as staining may occur.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

**STORAGE** If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent onto a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use, pour or spill near heat or open flame.

**PESTICIDE DISPOSAL:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by standard procedures, contact your State Pesticide Control Agency, Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse or equivalent. Then offer for recycling, reuse, or puncture and dispose of in a sanitary manner or by other procedures approved by State and local authorities.

**DIRECTIONS FOR USE (cont'd)**

**HOUSEHOLD PEST CONTROL:** Apply as a 0.5% spray to control flies, mosquitoes, wasps, gnats, flying moths and other small flying insects, cockroaches, ants, spiders, silverfish.

To prepare 0.5% spray dilute 7 ozs. of Concentrate with 5 gallons of water.

For household use apply 0.5% spray with low pressure sprayer to areas as directed. Do not apply to areas which become restricted frequently by children and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers, or drinking utensils. Do not treat animals.

# prentox

## VAPON 4E

**ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS**

**ACTIVE INGREDIENTS:**

Xylene Range Aromatic Solvent	50.10%
2,2-Dichlorovinyl Dimethyl Phosphate	41.76%
Related compounds	3.14%
<b>INERT INGREDIENTS:</b>	<b>5.00%</b>
<b>TOTAL:</b>	<b>100.00%</b>

PRENTOX® Registered Trademark of Prentiss Drug & Chemical Co., Inc.

**KEEP OUT OF REACH OF CHILDREN**

**POISON - DANGER**

**Statement of Practical Treatment**

**If swallowed** - Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or consulting person.

**If inhaled** - Remove victim to fresh air. Apply artificial respiration if indicated.

**If on skin** - Remove contaminated clothing and wash affected areas with soap and water.

**If in eyes** - Flush eyes with plenty of water. Call a physician immediately.

**NOTE TO PHYSICIAN**

**SYMPTOMS** Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

**TREATMENT** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 mgs. until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Morphine is contraindicated.

Clear chest by postural drainage. Observe patient continuously for 48 hours.

Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Avoid any further exposure until cholinesterase regeneration has been attained, as determined by blood test.

**SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

E.P.A. REG. NO. 655-892      E.P.A. EST. NO. 655-GA-1

**NET CONTENTS**

**LOT #**

**DIRECTIONS FOR USE (Cont'd)**

**FOG OR MISTING SOLUTION:** For the control of flies, gnats, mosquitoes, wasps and other small flying insects in outdoor areas, apply with fogging apparatus or high pressure towers at the rate of 5-10 pints of 1% logging solution per acre. Do not treat areas where food or feed crops are growing.

To prepare a 1% logging or misting solution dilute 14 ozs. of Concentrate with 5 gallons of water. For a 1% oil solution dilute 14 ozs. with 6 gallons of oil.

**MANURE PILES, GARBAGE DUMPS:** For the control of fly maggots in manure, garbage areas apply at the rate of 1-2 quarts of 0.5% spray per 100 sq. ft. of area of fly.

**OUTDOOR AREAS:** For the control of flies, gnats, mosquitoes apply with fogging apparatus or mist blowers at the rate of 5-10 pints of 1% logging solution per acre. Do not treat areas where food or feed crops are growing.

**INEDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATERS, WAREHOUSES, AND OTHER NON-FOOD AREAS.**

For the control of flies, gnats, mosquitoes apply with fogging or misting equipment at the rate of 1 gallon of 1% logging solution per 64,000 cubic feet. Apply when plants are not in operation. Occupants should vacate before indoor treatments and should not re-occupy the premises until they have been ventilated. After application open several windows or doors to create air currents to insure reduction of DDVP insecticide vapors. During fogging or misting indoors wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

**FOR USE IN PEANUT WAREHOUSES FOR THE CONTROL OF THE ALMOND MOTH AND THE INDIAN MEAL MOTH. WILL KILL ON CONTACT THE VAPOR WILL GIVE GOOD CONTROL OF MOTHS AND WILL ALSO KILL EXPOSED LARVAE.**

For best results apply between 5 p.m. and midnight as the peanut moths are more active at that time. Using a ULV type machine use at the rate of 2.5 ozs. Vapon 4E per 10,000 cubic feet.

**FOOD HANDLING ESTABLISHMENTS:** Places other than private residences in which exposed food is held, processed, prepared or served.

**FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY.**

Includes areas for receiving storage, packing (canning, bottling, wrapping, boxing), preparing edible wastes storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas when food is exposed and facility is in operation also would be considered a food area.

Use 0.5% apply in small amounts directly into cracks and crevices using equipment capable of delivering a pin stream of insecticide in crevices between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where roaches, ants and silverfish hide.

Do not use in areas where food is being prepared or stored. Do not use in areas where food is being prepared or stored. Do not use in areas where food is being prepared or stored. Do not use in areas where food is being prepared or stored.

**APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED WAREHOUSES.** Apply either overnight or during the day with a minimum 2 hour closed period to aid product effectiveness. Following should be posted with DANGER signs until after the 2 hour treatment period and subsequent building ventilation before re-occupation by workers.

BEST DOCUMENT AVAILABLE



Manufactured by  
**prentiss**  
 Drug & Chemical Co., Inc.

Plant: Kaolin Road  
 Sandersville, GA. 31082  
 Office: C.B. 2000  
 Floral Park, N.Y. 11001