

~~305530823~~
18

Richard A. Miller, President
Prentiss Incorporated
C.B. 2000
Floral Park, NY 11002-2000

SEP 26 1997

Dear Mr. Miller:

Subject: Label Amendments in Response to Basic Suppliers Deletion of Certain DDVP Uses
Prentox ® Vapona 4E
Reg. No. 655-692
Your Submission Dated May 8, 1995

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes indicated below prior to release for shipment of product bearing the amended labeling:

1. Throughout the label add feed to the word food; therefore, making the term "food/feed"
2. On page 2 add to the Note to Applicator the statement: Do not treat more than 5 applications sites per day and do not make DDVP applications more than once per week.
3. Revise "Do not use in food areas of food handling...." to:

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment. Do not treat non-perishable bagged and/or bulk stored raw or processed agricultural commodities.

Non-food/feed areas of food/feed handling establishments are areas are areas such as garbage rooms, lavatories, floor drains (to sewers entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

296

5. For use in peanut warehouses revise reentry statements so that it is consistent with the AMVAC Technical label i.e.

THIS BUILDING MUST NOT BE ENTERED WITHOUT PERSONAL PROTECTION EQUIPMENT FOR 24 HOURS; OR, UNTIL A DIRECT INDICATING SHORT TERM CONCENTRATION MONITORING DEVICE (e.g. a Dräger Tube) INDICATES THAT THE DDVP AIR CONCENTRATION IS EQUAL TO, OR LESS THAN, 50% OF THE PEL (0.1 PPM) AN AIR CONCENTRATION OF 0.05 PPM OR LESS IS REQUIRED FOR ENTRY WITHOUT PERSONAL PROTECTION EQUIPMENT.

DO NOT ENTER PRIOR TO _____ AM OR PM ON _____ (DATE) WITHOUT PERSONAL PROTECTION EQUIPMENT UNLESS AIR CONCENTRATIONS OR DDVP ARE 50% OR THE PEL OR LESS.

6. Under "Direction for Use" on page 2 revise the end of the statement to read "except as permitted in peanut warehouses..."
7. Add the statement "Not for Use in Federally Inspected Meat and Poultry Plants".
8. The ingredient statement should declare the active ingredient as : Dichlorvos [2,2-dichlorovinyl dimethyl phosphate].
9. Under Environmental Hazards delete the phrase "For terrestrial uses." The statement should begin with "Do not apply directly to water...." Also revise the last part of the last sentence to read, "...or disposal of equipment washwaters."
10. Replace the respirator statement with the language given on the Amvac Technical label.

Submit two copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,

George T. LaRocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (7505C)

376

Prentox Vapon 4E
EPA Registration No. 655-692

PRENTOX® VAPON 4E

~~RECOMMENDED FOR COMMERCIAL/INDUSTRIAL/INSTITUTIONAL USE~~
*FOR SALE TO, USE AND STORAGE BY LICENSED PEST CONTROL OPERATORS,
COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL APPLICATORS ONLY.*

For use as an indoor crack and crevice treatment in commercial/institutional and industrial areas; domestic dwellings (including campers, hotels, motels, tourist courts). For outdoor use including patios and lawns; kennels, including outside runways, window sills and ledges; outside surfaces of buildings, including porches, screens, window frames, eaves, patios, garages; refuse dumps; refuse and solid waste containers; wine cellars and to control stored product pests in peanut warehouses.

Not for use on turf being grown for sale or other use as sod, or for commercial seed production, or for research purposes.

ACTIVE INGREDIENTS:

2,2-Dichlorovinyl Dimethyl Phosphate	41.76%
Related compounds	3.14%

INERT INGREDIENTS*:	<u>55.10%</u>
TOTAL:	100.00%

*Contains Xylene Range Aromatic Solvent
PRENTOX® - Registered Trademark of Prentiss Incorporated

**KEEP OUT OF REACH OF CHILDREN
POISON - DANGER**

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. If possible, vomiting should be induced under medical supervision. Drink one or two glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person. **If inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated. **If on skin:** Remove contaminated clothing and wash affected areas with soap and water. **If in eyes:** Flush eyes with plenty of water. Call a physician immediately.

NOTE TO PHYSICIAN

SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps. **TREATMENT:** Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 mgs. until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Morphine is contra-indicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until cholinesterase regeneration has been attained, as determined by blood test.

SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 655-692

NET CONTENTS 1 GAL.

EPA EST. NO. 655-GA-1

Manufactured by:

PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082
Office: C.B. 2000, Floral Park, NY 11001

ACCEPTED
In EPA Letter dated
SEP 26 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
655-692

496

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER**

Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes or on skin. Do not breathe fumes. Rapidly absorbed through skin, wear natural rubber gloves, waterproof protective clothing and goggles when handling. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Birds and other wildlife in treated areas may be killed. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

DO NOT APPLY THIS PRODUCT THROUGH ANY TYPE OF IRRIGATION SYSTEM.

FOR INDOOR USE, ONLY CRACK AND CREVICE TREATMENTS ARE PERMITTED. SPACE SPRAY USE IS PROHIBITED, EXCEPT AS PERMITTED IN THE DIRECTIONS FOR USE ON THIS LABEL.

Do not use in hospitals or clinical rooms, such as patient rooms, wards, nurseries, operating or emergency areas. Do not use in any rooms where infants, or the sick or aged are, or will be present for any extended period of confinement.

Do not use in food areas of food handling establishments, restaurants, or areas where food is prepared or processed. Do not use to treat non-perishable bagged and/or bulk stored raw or processed agricultural commodities, except as permitted in the directions for use.

NOTE TO APPLICATOR - This product may stain carpeting. Do not allow spray mist, drift or runoff to contact carpeting as staining may occur.

HOUSEHOLD PEST CONTROL: Apply as a 0.5% spray to control flies, mosquitoes, wasps, gnats, flying moths, and other small flying insects, cockroaches, ants, spiders, silverfish.

To prepare a 0.5% spray, dilute 7 ozs. of Concentrate with 5 gallons of water.

For household apply 0.5% spray with low pressure sprayer into all cracks and crevices. Do not apply to areas which will be contacted frequently by children, and do not allow them in treated areas until surfaces are dry. Do not contaminate food, water, food containers or cooking utensils. Do not treat animals.

FOG OR MISTING SOLUTION: For the control of flies, gnats, mosquitoes, wasps and other small flying insects in outdoor areas, apply with fogging apparatus or misting blowers at the rate of 5-10 pints of 1% fogging solution per acre. Do not treat areas where food or feed crops are growing.

To prepare a 1% fogging or misting solution, dilute 14 ozs. of Concentrate with 5 gallons of water. For a 1% oil solution, dilute 14 ozs. with 6 gallons of oil.

MANURE PILES, GARBAGE DUMPS: For the control of fly maggots in maggot breeding areas, apply at the rate of 1-2 quarts of 0.5% spray per 100 sq. ft. (1 quart of 1%).

OUTDOOR AREAS: For the control of fly maggots in maggot breeding areas, apply at the rate of 5-10 pints of 1% fogging solution per acre. Do not treat areas where food or feed crops are growing.

Prentox Vapon 4E
EPA Registration No. 655-692

FOR USE IN PEANUT WAREHOUSES FOR THE CONTROL OF THE ALMOND MOTH AND THE INDIANMEAL MOTH. WILL KILL ON CONTACT. THE VAPOR WILL GIVE GOOD CONTROL OF MOTHS AND WILL ALSO KILL EXPOSED LARVAE.

~~INEDIBLE PRODUCTS AREAS OF FOOD PROCESSING PLANTS, INDUSTRIAL PLANTS, THEATERS, WAREHOUSES, AND OTHER NON-FOOD AREAS:~~

~~For the control of flies, gnats, mosquitoes, apply with fogging or misting equipment at the rate of 1 gallon of 1% fogging solution per 64,000 cubic feet. Apply when plants are not in operation. Occupants should vacate before indoor treatments, and should not re-occupy the premises until they have been ventilated. After application, open several windows or doors, to create air currents to insure reduction of DDVP insecticide vapors. During fogging or mist spraying indoors, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.~~

~~FOR USE IN PEANUT WAREHOUSES FOR THE CONTROL OF THE ALMOND MOTH AND THE INDIANMEAL MOTH. WILL KILL ON CONTACT. THE VAPOR WILL GIVE GOOD CONTROL OF MOTHS AND WILL ALSO KILL EXPOSED LARVAE.~~

~~For best results apply between 5 p.m. and midnight as the peanut insects are more active at that time. Using a ULV type machine, use at the rate of 2/5 ozs. Vapon 4E per 10,000 cubic feet.~~

Keep a minimum of a 7 day interval between applications, except on raw (unshelled) peanuts, where daily applications do not exceed 0.5 grams A.I. per 1,000 cubic feet of head space. Do not make applications when temperatures are below 60° F.

All treatments should be made during the hours when buildings are unoccupied. Buildings treated should be closed and ventilation kept at a minimum during application. Lock all entrances and do not allow unprotected workers to enter buildings during treatment. Place WARNING signs at all entrances stating: "THIS BUILDING SHOULD BE OPENED AND AIRED PRIOR TO REENTRY OF UNPROTECTED WORKERS OR REMAIN UNOCCUPIED BY UNPROTECTED WORKERS FOR AT LEAST 6 HOURS AFTER TREATMENT. DO NOT ENTER PRIOR TO _____ O'CLOCK _____ (DATE) WITHOUT PROTECTION."

FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which exposed food is held, processed, prepared or served.

~~NON-FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:~~

~~Includes areas for receiving storage, packing (canning, bottling, wrapping, boxing) preparing edible wastes storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation also would be considered a food area).~~

~~Using 0.5% apply in small amounts directly into cracks and crevices using equipment capable of delivering elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, where roaches, ants and silverfish hide.~~

~~Do not use in conduits, motor housings and electrical switch boxes. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.~~

~~APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.~~

~~**WAREHOUSES:** Apply either overnight or during the day with a minimum 2-hour closed period to assure product effectiveness. Building should be posted with DANGER signs until after the 2-hour treatment period and subsequent building ventilation before reoccupation by workers.~~

696

Prentox Vapon 4E
EPA Registration No. 655-692

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use, pour or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120° F.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.