

LEFT PANEL

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, foodstuffs, or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Open dumping prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. ~~Dispose of on to a shovel and put the sweepings into a salvage drum.~~ Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PLASTIC CONTAINERS ONLY: DO NOT STORE IN CAR TRUNK WHERE TEMPERATURES MAY EXCEED 120°F.

BEST DOCUMENT AVAILABLE

pre-itox[®] PYRONYL LIVESTOCK & DAIRY SPRAY

ACCEPTED
AUG 24 1983
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-694

PRECAUTIONARY STATEMENTS
Hazards to Human & Domestic Animals
CAUTION
If swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with eyes, skin or clothing. In case of contact, immediately flush eyes and skin with plenty of water. Get medical attention if irritation persists.
ENVIRONMENTAL HAZARDS
This product is toxic to fish. Keep out of lakes, streams, ponds. Do not contaminate water supplies by leakage, spillage or disposal of wastes.
PHYSICAL OR CHEMICAL HAZARD
DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME

Directions for Use.
In violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse containers.
PESTICIDE DISPOSAL Pesticide spray mixture or residue that cannot be used should be disposed of in accordance with procedures approved by Federal, State or local disposal authorities.
CONTAINER DISPOSAL — Under 30 gallon sizes: Rinse container (if applicable) and dispose of in an approved manner. 30 gallon sizes and over: all reuse containers should be offered for recycling, reconditioning or other approved landfill.
GENERAL — Consult Federal, State or local disposal authorities for approved alternative procedures.

mushroom production and processing. To control house flies or fungus gnats in growing houses, use at a rate of 1 ounce per 1000 cubic feet of space. Nozzle should be operated 8 to 10 feet away from beds and directed slightly upward over them. Circulating fans should be left in operation, but for best results circulation should be turned off in packing and shipping plants. Use at a rate of 1 ounce to 2000 cubic feet of space.

For the control of Houseflies, Stable Flies, Horse Flies, Horn Flies, Mosquitoes, Gnats and Lice

Can be used on Dairy & Meat Animals and in Dairy Barns, Milk Rooms and Dairies

ACTIVE INGREDIENTS:

Pyrethrins	0.10%
Piperonyl Butoxide Technical*	1.00%
Petroleum Distillate	98.90%
TOTAL	100.00%

*Equivalent to 0.8% (by weight) of propyl piperonyl ether and 0.2% related compounds

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

EPA REG NO 655-694 EPA EST NO. 655-NJ-1

NET CONTENTS _____

LOT NO _____

DIRECTIONS
ON ANIMALS: To protect animals from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, house flies, deer flies, apply 2 ounces per adult animal, sufficient to wet the hair but not to soak the body. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

To control blood-sucking lice, apply the spray lightly to infested areas using a stiff brush to get the spray to the base of the hair. Use 2 ounces or less per animal. Repeat every two or three weeks as required.

BARN, MILK ROOMS, DAIRY PLANTS. To control flies, mosquitoes, and gnats, apply as a fog or fine mist directing spray toward the ceiling and upper corners until the area is filled with mist using about 2 ounces per 1000 cubic feet of space. For best results close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

STATEMENT OF PRACTICAL TREATMENT
If swallowed, call a physician, and vomiting should not be induced unless directed by physician. Irritation is a potential hazard.

BEST DOCUMENT AVAILABLE



Manufactured by

prentiss
Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105
Office: 363 7th Avenue

Lot

41822-F10

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED - Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.
- IF INHALED - Remove victim to fresh air. Apply artificial respiration if indicated.
- IF ON SKIN - Remove contaminated clothing and wash affected areas with soap and water.
- IF IN EYES - Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

BEST AVAILABLE