

301/81283
17/ 2

o. h. w.
11/3/83

Nick Sanchez:
Prentiss Drug & Chemical Company, Inc.
363 Seventh Avenue
New York, NY 10001

Dear Mr. Sanchez:

Subject: Amendment - Minor Change in Formulation
Prentox Fogger Oil and Dairy Spray
EPA Registration No. 655-702
Your Application Dated September 13, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- a. Revise the pesticide disposal statement according to the following example:

PESTICIDE DISPOSAL: Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed or according to applicable Federal, State, or local procedures.
- b. Spell "hypersensitivity" correctly in the precautionary statements.
- c. Revise the "If in eyes" statement in the Statement of Practical Treatment to "If in eyes - Flush eyes with plenty of water. Get medical attention immediately."
- d. The element titled "Directions for Use" should be relocated immediately under the end of your "Note to Physician."
- e. Delete "blocked" antidote and first aid treatment paragraph on side panel since this is already stated elsewhere on the label.
- f. Move the paragraph beginning with "Repeated exposure to cholinesterase..." to beneath "Note to Physician."
- g. Add a heading similar to "Dairy Barns and Other Farm Buildings" immediately above the paragraph beginning "Dilute one part Fogger Oil and Dairy Spray with one part of fuel oil...."

-2-

Submit five (5) copies of your final printed labeling before you release the product for shipment.

Sincerely yours,

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

TS-767:LaROCCA:DCR-39879:WANG-2035C:slc:Raven:479-2013:1/11/83

PRECAUTIONARY STATEMENTS

Hazards To Humans
(& Domestic Animals)

WARNING

MAY BE FATAL IF SWALLOWED. MAY BE ABSORBED THROUGH SKIN. DO NOT BREATHE SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. AVOID CONTAMINATION OF FOOD AND FEED. KEEP OUT OF REACH OF DOMESTIC ANIMALS. DO NOT USE ON HUMANS, HOUSEHOLD PETS. DO NOT ALLOW CHILDREN IN TREATED AREAS UNTIL SURFACES ARE DRY. IS A CHOLINESTERASE INHIBITOR. DO NOT USE THIS PRODUCT ON ANIMALS SIMULTANEOUSLY OR WITHIN A FEW DAYS BEFORE OR AFTER TREATMENT WITH OR EXPOSURE TO CHOLINESTERASE INHIBITING DRUGS, PESTICIDE OR CHEMICALS.

DDVP

Do not use on Brahm or Brahm-cross cattle, as they show hypersensitivity to organic phosphates.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

NOTE TO PHYSICIAN

IF SWALLOWED: If breathing difficulty occurs, apply artificial respiration. Atropine Sulfate and 2-PAM are antidotal.
IF INHALED: In case of severe symptoms (excessive salivation, respiratory difficulty, muscle twitches or convulsions, exhaustion, headache, blurred vision, constricted pupils) (acetylcholine effects) treat as above.

ANTIDOTE & FIRST AID TREATMENT:
ATROPINE is the emergency antidote. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pinpoint pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.
TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours.

prentox[®] FOGGER OIL AND DAIRY SPRAY

For Agricultural/Commercial Use Only.

For Killing Houseflies, Horn Flies, Stable Flies, Face Flies, Mosquitoes, Gnats, Spiders and certain Other Insects in Dairy Barns and Other Farm Buildings. Also for direct application to Dairy and Beef Cattle.

ACTIVE INGREDIENTS:

| | |
|--|----------------|
| *2, 2-Dichlorovinyl Dimethyl Phosphate | 0.93% |
| Related Compounds | 0.07% |
| Petroleum Hydrocarbons | 99.00% |
| TOTAL: | 100.00% |

*Equivalent to 1.00% Vapona[®] Insecticide

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED — Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN — Wash contaminated skin with soap and water.

IF IN EYES — Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. EST. NO. 655-GA-1

E.P.A. Reg. No. 655-702

NET CONTENTS _____ LOT # _____

Manufactured by



prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: 363 7th Avenue
New York, N.Y. 10001

655-702

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Repeated exposure to cholinesterase inhibitors may without warning cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.

Fogging or Space Spraying: To kill Flies, Mosquitoes, Gnats and Spiders in dairy and beef cattle barns, apply daily as a fog or mist inside building at rate of 1 pint per 8,000 cubic feet. Keep cattle in barn when spraying. Let spray settle before milking. Do not apply in areas where animals have received direct application of this product within 8 hours.

Direct Application: To protect dairy and beef cattle from Face Flies, Houseflies, Stable Flies, Horn Flies, Mosquitoes and Gnats, spray animal daily using 1 to 2 fluid ounces per animal. Apply as animal sprays, as to wet the hair. Do not soak the skin or wet the hide. Pay particular attention to the face, back, flank and legs. Experience indicates that two applications of 1 fluid ounce per animal morning and night give outstanding control of the above pests. Do not apply in excess of 2 fluid ounces per animal per day.

Do one part Fogger Original Dairy Spray with nine parts water in barns or kennels. Apply this solution as a coarse wet spray at the rate of one quart per 1,000 square feet to control Flies, Gnats, Mosquitoes, Houseflies, Spiders, Fleas, Ants, Scurbugs, Brown Dog Fleas.

For milk sheds, stables, livestock barns, foaling sheds, pig pens and outdoor areas, treat around doorways, feed storage rooms, alleyways and window sills.

In poultry houses, apply to manure, window sills, outside of penned enclosures and on floor of feed storage rooms.

In treating dog kennels, apply to outside dog runways, window sills and ledges. For control of fleas and brown dog ticks, increase dosage to 2 quarts per 1,000 square feet.

For control of fly maggots in maggot breeding areas such as garbage dumps and manure piles, apply at the rate of 2 quarts per 100 square feet.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL: Pesticide spray mixture or residue that cannot be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: (a) Reseal container and offer for reconditioning or (b) triple rinse (or equivalent) and offer for recycling or reconditioning. Dispose of the remaining liquid by other approved State or local procedures.