

PRECAUTIONARY STATEMENTS

**Hazards To Humans
(8 Domestic Animals)**

WARNING

MAY BE FATAL IF SWALLOWED MAY BE ABSORBED THROUGH SKIN DO NOT BREATHE SPRAY MIST DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING WASH THOROUGHLY AFTER HANDLING AVOID CONTAMINATION OF FOOD AND FEED KEEP OUT OF REACH OF DOMESTIC ANIMALS DO NOT USE ON HUMANS, HOUSEHOLD PETS DO NOT ALLOW CHILDREN IN TREATED AREAS UNTIL SURFACES ARE DRY DDVP IS A CHOLINESTERASE INHIBITOR DO NOT USE THIS PRODUCT ON ANIMALS SIMULTANEOUSLY OR WITHIN A FEW DAYS BEFORE OR AFTER TREATMENT WITH OR EXPOSURE TO CHOLINESTERASE INHIBITING DRUGS, PESTICIDE OR CHEMICALS

Do not use on Brahman or Brahman-cross cattle, as they show hypersensitivity to organic phosphates

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to lakes, streams and ponds. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

NOTE TO PHYSICIAN

IF SWALLOWED If breathing difficulty occurs, apply artificial respiration. Atropine Sulfate and 2-PAM are antidotes.

IF INHALED In case of severe symptoms (excessive salivation, respiratory difficulty, muscle twitches or convulsions, exhaustion, headache, blurred vision, constricted pupils) (anticholinergic effects) treat as above.

DIRECTIONS FOR USE This is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE TO PHYSICIAN

WARNING SYMPTOMS Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pupils, salivation, sweating, nausea, vomiting, diarrhea and shallow breathing.

TREATMENT Atropine is the specific therapeutic antagonist of cholinergic parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals in doses of 1 to 2 milligrams until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine. Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours.

Repeated exposure to cholinesterase inhibitors may without warning, cause prolonged receptibility to very small doses of any cholinesterase inhibitor. Allow a further exposure interval for cholinesterase regeneration has been allowed as determined by blood test.



Manufactured by
prentiss
Drug & Chemical Co., Inc.

Plant: Koolin Road
Sandersville, GA. 31082
Office: 363 7th Ave
New York, N.Y. 10001

prentox[®] FOGGER OIL AND DAIRY SPRAY

For Agricultural/Commercial Use Only.

For Killing Houseflies, Horn Flies, Stable Flies, Face Flies, Mosquitoes, Gnats, Spiders and certain Other Insects in Dairy Barns and Other Farm Buildings. Also for direct application to Dairy and Beef Cattle.

ACTIVE INGREDIENTS:

*2, 2-Dichlorovinyl Dimethyl Phosphate	0.93%
Related Compounds	0.07%
Petroleum Hydrocarbons	99.00%
TOTAL:	100.00%

*Equivalent to 1.00% Vapona[®] Insecticide

**KEEP OUT OF REACH OF CHILDREN
WARNING**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED - Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED - Remove victim to fresh air. Apply respiration if indicated.

IF ON SKIN - Wash contaminated skin with soap and water.

IF IN EYES - Flush eyes with plenty of water. Get medical attention immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. EST NO. 655-QA-1

E.P.A. Reg. No. 655-702

NET CONTENTS _____

LOT # _____

Directions For Use (Cont'd)

Fogging or Space Spraying To kill Flies, Mosquitoes, Gnats and Spiders in dairy and beef cattle barns, apply daily as a fog or mist inside building at a rate of 1 pint per 800 cubic feet. Keep cattle in barn when fogging. Let fog settle before milking. Do not apply in areas where animals have recent direct application of this product or 24 hours.

Direct Application To protect dairy and beef cattle from Face Flies, Houseflies, Stable Flies, Horn Flies, Mosquitoes and Gnats, spray animals daily using 1 to 2 fluid ounces per animal. Apply as a mist spray on to the hair. Do not use the skin or wet the hide. Pay particular attention to face, ears, flanks and legs. Experience indicates that two applications of fluid ounce per animal morning and night give outstanding control of fly and gnat pests. Do not apply in excess of 2 fluid ounces per animal per day.

Dairy Barns and Other Farm Buildings
Dilute one part Fogger Oil and Dairy Spray with one part of fuel oil, diesel or kerosene. Apply the solution as a coarse wet spray at the rate of 1 quart per 1,000 square feet to control Flies, Gnats, Mosquitoes, Roaches, Fleas, Ants, Sawbugs, Brown Dog Ticks.

For milk sheds, stables, livestock barns, loading sheds, pig pens and outdoor areas, treat around doorways, feed storage rooms, alleyways and window sills.

In poultry houses, apply to mature window sills outside of pen enclosures and on floor of feed storage rooms.

In treating dog kennels, apply to outside dog runways, window sills and ledges for control of fleas and brown dog ticks. Increase dosage to 2 quarts per 1,000 square feet.

For control of fly maggots in maggot breeding areas such as garbage dumps, use maggot spray at the rate of 2 quarts per 100 square feet.

ACCUMULATED

SEP 26 1983

655-702

STORAGE AND DISPOSAL:
Do not contaminate water, food or feed by storage or disposal. Open burning is prohibited.
PESTICIDE DISPOSAL: Pesticide spray mixture or residue that cannot be disposed of according to label instructions may be disposed of according to applicable Federal, state or local procedures.
CONTAINER DISPOSAL: (a) Reseal container and offer reconditioning or (b) triple rinse (or equivalent) and offer recycling, reconditioning or disposal in a sanitary landfill by a properly approved State and Local procedures.

see attached

BEST DOCUMENT AVAILABLE

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Open dumping prohibited.

STORAGE: If container is damaged: STOP any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Do not store, use, pour or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke. Do not reuse empty container.

PLASTIC CONTAINERS ONLY: DO NOT STORE IN CAR TRUNK WHERE TEMPERATURES MAY EXCEED 120°F.