03 655-702 12/7/98 Form Approved, OMB No. 2070-0060 Please read instructions on reverse before completing form. **OPP Identifier Number** Registration United States **Environmental Protection Agency Amendment** 227068 Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 655-702 George LaRocca X None Restricted 4. Company/Product (Name)
Prentox R Fogger Oil And Dairy Spray PM# 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Review. In accordance with FIFRA Section 3(c)(3) Prentiss Incorporated (b)(i), my product is similar or identical in composition and labeling C.B. 2000 Floral Park, NY 11002-2000 EPA Reg. No. Check if this is a new address **Product Name** Section - II NOTIFICATION Amendment - Explain below. Final printed labels in response to Agency letter dated Resubmission in response to Agency letter dated ____ "Me Too" Application. Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section (and Section ().) Notification of Respirator Statement Change per PR Notice 98-9 Section - III 1. Material This Product Will Be Packaged In: Child-Resistant Packaging Unit Packaging Water Soluble Packaging 2. Type of Container Metal Yes Plastic No Glass Paper If "Yes" No. per If "Yes" No. per ertification must Unit Packaging wgt. Package wgt Other (Specify) be submitted 3. Location of Net Contents Information 5. Location of Label Directions 4. Size(s) Retail Container On Label Container On Labeling accompanying product 6. Manner in Which Label is Affixed to Product Other Lithograph Paper glued Stenciled Section - IV 1. Contact Point | Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (include Area Code) (516):326-1919 Richard A. Miller President 6. Date Application Certification Received 3 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly felse or misleading statement may be punishable by fine or imprisonment or (Stamped both under applicable law. 2. Signature President

5. Date

11/24/98

4. Typed Name

Richard A. Miller

Prentox Fogger Oil and Dairy Spray EPA Reg. No. 655-702

PRENTOX® FOGGER OIL AND DAIRY SPRAY

FOR AGRICULTURAL/COMMERCIAL USE ONLY. NOT FOR SALE FOR ANY OTHER USES.

For Killing Houseslies, Horn Flies, Stable Flies, Face Flies, Mosquitoes, Gnats, Spiders and certain Other Insects in Dairy Barns and Other Farm Buildings. Also for direct application to Dairy and Beef Cattle.

ACTIVE INGREDIENTS:	
Dichlorvos [2,2-dichlorovinyl dimethyl phosphate]	0.93%
Related Compounds	0.07%
INERT INGREDIENTS*:	99.00%
TOTAL:	100.00%
*Contains Petroleum Distillates PRENTOX® - Registered Trademark of Prentiss Incorporated	•

KEEP OUT OF REACH OF CHILDREN WARNING

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply respiration if indicated.

If on skin: Wash contaminated skin with soap and water.

If in eyes: Flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-702		E.P.A. EST. NO. 655-GA-1
NET CONTENTS		
LOT#		
Manufactured by:		4
PRENTISS INCORPORATED	Plant:	Kaolin Road, Sandersville, GA \$1982.

Office: C.B. 2000, Floral Park, NY 11001

Prentox Fogger Oil and Dairy Spray EPA Reg. No. 655-702

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets. Do not allow children in treated areas until surfaces are dry. DDVP is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticide or chemicals.

Do not use on Braham or Braham cross-cattle, as they show Hypersensitivity to organic phosphates.

Required Protective Clothing: Persons who handle this product must wear the following protective clothing: Coveralls worn over short sleeved shirt and pants, socks, chemical resistant footwear, chemical resistant (nitrile or butyl) gloves and protective eyewear. A respirator with either an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter when applying indoors as a space spray or fog.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to lakes, streams and ponds. Do not apply when weather conditions favor drift from the areas treated. Do not contaminate water by disposal of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams, until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine.

Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.



Prentox Fogger Oil and Dairy Spray EPA Reg. No. 655-702

(

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

For use only in areas under the general category of farm buildings (farm yards); manure treatments on farm premises; dairy and farm premises; feed lots, stockyards, corrals, holding pens, fences, etc.; animal buildings, including barns, feeding areas, shelters and stables; dairy barns (including milk rooms, equipment and barnyards); livestock feeding areas; pens, poultry droppings, poultry houses (equipment and yards); beef cattle, poultry, dairy cattle, goats, horses (including ponies), sheep, swine and turkeys.

Fogging or Space Spraying: To kill Flies, Mosquitoes, Gnats and Spiders in dairy and beef cattle barns, apply daily as a fog or mist inside building at rate of 1 pint per 8,000 cubic feet. Close doors and windows before treatment Do not remain in treated areas and ventilate the area after treatment is complete. Remove animals prior to treatment. Wear appropriate personal protective equipment for space spraying as indicated under precautionary statements. Let spray settle before milking. Do not apply in areas where animals have received direct application of this product within 8 hours.

Direct Application: To protect dairy and beef cattle from Face Flies, Houseflies, Stable Flies, Horn Flies, Mosquitoes and Gnats, spray animal daily using 1 to 2 fluid ounces per animal. Apply as a mist spray so as to wet the hair. Do not soak the skin or wet the hide. Pay particular attention to the face, back, flank and legs. Experience indicates that two applications of 1 fluid ounce per animal morning and night give outstanding control of the above pests. Do not apply in excess of 2 fluid ounces per animal per day. Do not make direct application to livestock more frequently than once per day.

DAIRY BARNS AND OTHER BUILDINGS

Dilute one part Fogger Oil and Dairy Spray with one part of fuel oil, diesel or kerosenes. Apply this solution as a coarse wet spray at the rate of a quart per 1,000 square feet to control Flics, Gnats, Mosquitoes, Roaches, Spiders, Fleas, Ants, Sowbugs, Brown Dog Ticks.

For milk sheds, stables, livestock barns, loafing sheds, pig pens and outdoor areas, treat around doorways, feed storage rooms, alleyways and window sills.

In poultry houses, apply to manure, window sills, outside of penned enclosures and on floor of feed storage rooms. In treating dog kennels apply to outside dog runways, window sills and ledges. For control of fleas and brown dog ticks increase dosage to 2 quarts per 1,000 square feet. Do not make direct applications to dogs.

For control of fly maggots in maggot breeding areas such as garbage dumps and manure piles apply at the rate of 2 quarts per 100 square feet.

