

655-702

04/11/2002

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

APR 11 2002

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mr. Richard A. Miller
Prentiss Incorporated
C.B. 2000
Floral Park, NY 11002-2000

Subject: Amendment Updating First Aid Statements per PR Notice 2001-1
Prentox Fogger Oil and Dairy Spray
EPA Reg. No. 655-702
Your Submission Dated March 4, 2002

Dear Mr. Mendoza:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

1. You must replace the first two sentences of the Hazards to Humans and Domestic Animals section with the following statement:

"May be fatal if swallowed, inhaled or absorbed through skin."


This statement appears on similar DDVP formulations and was required for this product in October of 1964. It seems to have been changed at the time Prentiss acquired the product from Furst-McNess Company in 1981 and to have remained on the label in error since that time. If you can cite or submit acute toxicity data to support less severe precautionary labeling, EPA will reconsider this requirement. Otherwise, you must revise the label as indicated above.

2. The National Pesticide Telecommunications Network recently changed its name to the National Pesticide Information Center. You must update the First Aid statements to reflect this name change.

3. In the instructions for "Direct Application", delete the statement "Experience indicates that two applications of 1 fluid ounce per animal morning and night give outstanding control of the above pests". This statement is in direct conflict with the required statement "Do not make direct application to livestock more frequently than once per day."

If you have any questions regarding this action, please contact Susan Stanton of my team at (703) 305-5218.

Sincerely,



George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

Enclosure

Prentox Fogger Oil and Dairy Spray
EPA Reg. No. 655-702



FOGGER OIL AND DAIRY SPRAY

FOR AGRICULTURAL/COMMERCIAL USE ONLY. NOT FOR SALE FOR ANY OTHER USES.

For Killing Houseflies, Horn Flies, Stable Flies, Face Flies, Mosquitoes, Gnats, Spiders and certain Other Insects in Dairy Barns and Other Farm Buildings. Also for direct application to Dairy and Beef Cattle.

ACTIVE INGREDIENTS:

Dichlorvos [2,2-dichlorovinyl dimethyl phosphate]	0.93%
Related Compounds	0.07%
INERT OTHER INGREDIENTS*:	99.00%
TOTAL:	100.00%

*Contains Petroleum Distillates

PRENTOX - Registered Trademark of Prentiss Incorporated

KEEP OUT OF REACH OF CHILDREN WARNING	
FIRST AID	
Have the product container or label with you when calling a poison control center or physician, or going for treatment	
If swallowed	<ul style="list-style-type: none"> • Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 immediately for treatment advice. • Do not give any liquid to the person • Do not induce vomiting unless told to do so by the Poison Control Center or physician • Do not give anything by mouth to an unconscious or convulsing person.
If on skin or clothing	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes • Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice
If in eyes	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye • Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice.
If inhaled	<ul style="list-style-type: none"> • Move person to fresh air. • If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible • Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice
<p>NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia. WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.</p> <p>TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, Atropine Sulfate should be injected at 10 minute intervals, in doses of 1 to 2 milligrams, until complete Atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with Atropine.</p> <p>Morphine is contraindicated. Clear chest by postural drainage. Observe patient continuously for 48 hours.</p> <p>Repeated exposure to cholinesterase inhibitors may without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.</p> <p>For information on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Telecommunications Network at 1-800-858-7378</p>	
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE	

EPA Reg. No. 655-702

EPA Est. No. 655-GA-1

NET CONTENTS _____

LOT # _____

Manufactured by:

PRENTISS INCORPORATED
ACCEPTED
with COMMENTS
In EPA Letter Dated:
APR 11 2002
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under EPA Reg. No.
655-702

Plant: Kaolin Road, Sandersville, GA 31082
Office: C.B. 2000, Floral Park, NY 11002-2000

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING**

May be fatal if swallowed. May be absorbed through skin. Do not breathe spray mist. Do not get in eyes, on skin, or on clothing. Wash thoroughly after handling. Avoid contamination of food and feed. Keep out of reach of domestic animals. Do not use on humans, household pets. Do not allow children in treated areas until surfaces are dry. DDVP is a cholinesterase inhibitor. Do not use this product on animals simultaneously or within a few days before or after treatment with or exposure to cholinesterase inhibiting drugs, pesticide or chemicals.

Do not use on Braham or Braham cross-cattle, as they show Hypersensitivity to organic phosphates.

Required Protective Clothing: Persons who handle this product must wear the following protective clothing: Coveralls worn over short sleeved shirt and pants, socks, chemical resistant footwear, chemical resistant (nitrile or butyl) gloves and protective eyewear. A respirator with either an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C) or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE prefilter when applying indoors as a space spray or fog.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Birds feeding on treated areas may be killed. Do not apply directly to lakes, streams and ponds. Do not apply when weather conditions favor drift from the areas treated. Do not contaminate water by disposal of equipment washwaters. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

For use only in areas under the general category of farm buildings (farm yards); manure treatments on farm premises; dairy and farm premises; feed lots, stockyards, corrals, holding pens, fences, etc.; animal buildings, including barns, feeding areas, shelters and stables; dairy barns (including milk rooms, equipment and barnyards); livestock feeding areas; pens, poultry droppings, poultry houses (equipment and yards); beef cattle, poultry, dairy cattle, goats, horses (including ponies), sheep, swine and turkeys.

Fogging or Space Spraying: To kill Flies, Mosquitoes, Gnats and Spiders in dairy and beef cattle barns, apply daily as a fog or mist inside building at rate of 1 pint per 8,000 cubic feet. Close doors and windows before treatment. Do not remain in treated areas and ventilate the area after treatment is complete. Remove animals prior to treatment. Wear appropriate personal protective equipment for space spraying as indicated under precautionary statements. Let spray settle before milking. Do not apply in areas where animals have received direct application of this product within 8 hours.

Direct Application: To protect dairy and beef cattle from Face Flies, Houseflies, Stable Flies, Horn Flies, Mosquitoes and Gnats, spray animal daily using 1 to 2 fluid ounces per animal. Apply as a mist spray so as to wet the hair. Do not soak the skin or wet the hide. Pay particular attention to the face, back, flank and legs. Experience indicates that two applications of 1 fluid ounce per animal morning and night give outstanding control of the above pests. Do not apply in excess of 2 fluid ounces per animal per day. Do not make direct application to livestock more frequently than once per day.

DAIRY BARN AND OTHER BUILDINGS

Dilute one part Fogger Oil and Dairy Spray with one part of fuel oil, diesel or kerosenes. Apply this solution as a coarse wet spray at the rate of a quart per 1,000 square feet to control Flies, Gnats, Mosquitoes, Roaches, Spiders, Fleas, Ants, Sowbugs, Brown Dog Ticks.

For milk sheds, stables, livestock barns, loafing sheds, pig pens and outdoor areas, treat around doorways, feed storage rooms, alleyways and window sills.

In poultry houses, apply to manure, window sills, outside of penned enclosures and on floor of feed storage rooms.

In treating dog kennels apply to outside dog runways, window sills and ledges. For control of fleas and brown dog ticks increase dosage to 2 quarts per 1,000 square feet. Do not make direct applications to dogs.

For control of fly maggots in maggot brooding areas such as garbage dumps and manure piles apply at the rate of 2 quarts per 100 square feet.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.