

INSECT DUST

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(& DOMESTIC ANIMALS)

ENVIRONMENTAL HAZARDS

DIRECTIONS FOR USE

KEEP OUT OF REACH OF CHILDREN
CAUTION

Container Disposal – Do not reuse empty container
Wrap and put in trash collection.

EPA REG NO 655-704

EPA EST NO 655-GA-1

NET CONTENTS.

LOT NO:

Manufactured by



prentiss
Drug & Chemical Co., Inc.

Plant: Ksolin Road
Sandersville, GA. 31082
Office: 363 7th Avenue
New York, N.Y. 10001

Use On Fruits and Vegetables

Application is most effective if made before any serious insect damage occurs to plants. Apply this product when infestation first appears. Reapply as necessary, usually at 7 to 10 day intervals. For control of Mexican bean Beetles it is important that the underside of leaves be covered with this product. Apply at a rate of 1 to 2 3/4 lb per 1000 square ft. Do not apply within one day of harvest.

Apples, Peaches Japanese Beetle
Asparagus Asparagus Beetle Japanese Beetle
Beans (Snap & Lima) Orchids Bean Leaf Beetle Cucumber
Beetle Flea Beetle Mexican Bean Beetles
Blackberries, Blueberries, Dewberries, Grapes, Raspberries
Japanese Beetle Raspberry Fruit Fly Raspberry Fruit Worm
Sawfly For Raspberry Cane Borer apply to foliage just before
plants bloom and repeat in 7-10 days
Beets Flea Beetles

Broccoli, Brussels Sprouts, Cabbage, Cauliflower, Collards
Cabbage Looper, Diamond Back Moth Larvae, Flea Beetle,
Imported Cabbage Worm

Canislupe, Cucumbers Squash, Watermelon	Cucumber
Bottle Melon Worm Plant Lice	

Currents, Gooseberries G. Cherry Fruit Worm
Eucalyptus, Apple, Currant, etc. Hawthorn Elm Beetle

Eggplant Aphid COLONIAL NO GREEN-FLY BEETLE
Lettuce Looper
Bean Bean Aphid Bean Weevil

Potatoes Aphids Blister Beetle Colorado Potato Beetle Flea Beetles

Radishes - 1/2 a bottle

Spinach Flea Beetle Spinach Aphid Spinach Lice
Tomato Aphid Colorado Potato Beetle Flea Beetle Tomat.

Stem-borer, Elm Bark Beetle, Leaf Beetle, Scutigerid

Strawberries Flea Beetle Leaf Beetle Spittlebug
Turnips Flea Beetle

Use on Animals and in Animal Quarters – Fleas on Dogs & Cats

Dust animal thoroughly and rub into fur. Repeat weekly as required for control. Do not allow product to get into eyes, nose,

Eleonore Koppels Bone, Yards Lamps and Under Houses Aug.

Fleas in Kennels, Pens, Yards, Lawns and under Houses App.
 1/10 ounces per 250 sq ft with hand duster. Remove debris.

Like on Heaven Apply one to four times a day as needed to relieve it.

USE ON HORSES: Apply the product to the horse's coat in the direction of the hair, on the size of the animal from a shaker type can. Work into hair.

Repeat in 10 to 12 days and as needed thereafter.

Aphids: Aster, Gladiolus, Iris, Roses, Verbena and Yucca.

Cabbage Looper and Imported Cabbag Worm

Cucumber Beetle *Aster cucurbitae* (p. 444, 445)
Common. Yellow. Yellow. Yellow. Yellow. Yellow.

Flea Beetle *Phtinia frontosa* *Synanthrenes* *Abax* ,

Japanese Beetle **Hosts:**

443

STORAGE AND DISPOSAL (For 50 lb. cartons with liner)

Do not contaminate water, food, or feed by storage and disposal.
Open dumping is prohibited.

STORAGE: Reclose container after each use. Store in a cool dry place away from food or feed. If spilled, sweep up and dispose of as below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

Do not enter treated areas without protective clothing until sprays have dried.

Because certain states may require more restrictive reentry intervals for various crops treated with this product, consult your State Department of Agriculture for further information.

NOV 14 1983

Richard Miller
Prentiss Drug & Chemical Co. Inc.
363 7th Avenue
New York, NY 10001

300 | 106019
17 | 5

Dear Mr. Richard Miller:

Subject: Prentox Insect Dust
EPA Registration No. 655-704
Your Letter of August 30, 1983

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

TS-767:Schroeder/Gardner:DCR-17441:WAK-1063C:jad:Raven:473-2013:10/11/83

PHS
6

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							