

PET SPRAY AEROSOL

For control of Fleas, Ticks and Lice

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(AND DOMESTIC ANIMALS)**

CAUTION: Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. In case of eye contact, flush with plenty of water and get medical attention. Keep away from food, feedstuffs and domestic water supplies. Wash after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure — do not puncture can or incinerate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE—Store away from heat.

CONTAINER DISPOSAL—Do not reuse empty container. Wrap and put in trash collection.

ACTIVE INGREDIENTS:

Pyrethrins	0.05%
Piperonyl Butoxide Technical*	0.50%
Rotenone	0.50%
Other Cube Resins	1.00%
Petroleum Distillate	0.55%
Heavy Aromatic Naptha	0.50%
INERT INGREDIENTS	96.90%
TOTAL	100.00%

*Equivalent to 4-tert-Butylcarbitol Propyl piperonyl Ether and D-104 related compounds.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED—Get medical attention immediately.
IF INHALED—Take victim to fresh air.
IF ON SKIN—Wash with plenty of water and water.
IF IN EYES—Wash with plenty of water and get medical attention.

DIRECTIONS FOR USE (Continued)

ON CATS AND DOGS

Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal beginning at the tail spray over the animal until the entire coat is damp up to back of neck. On long-haired dogs and cats, ruffle the coat and spray against the lay of the hair, spraying directly behind hand so that spray reaches skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and scrotum. An application of only 45 seconds is usually sufficient for an average sized dog; for cats, about 10 seconds is adequate. Repeat application weekly if necessary.

NOTE: Do not treat to cause exposure of kittens or puppies less than four weeks old.

In kennels or other sleeping quarters for dogs, cats, insects and to deodorize the quarters, spray regularly as above and spray bedding, walls, cracks, crevices and flooring as often as necessary.

EPA Reg. No. 655-723

EPA Est. No. 655-GA-1

NET CONTENTS _____

LOT # _____



Manufactured by

Drug & Chemical Co., Inc

Plant: Kaolin Road
Sandersville, GA. 31082
Office: 363 7th Avenue
New York, N.Y. 10001