

prentox[®]

PET SPRAY AEROSOL

For control of Fleas, Ticks and Lice

2/17/74
655-123

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

CAUTION: Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes or clothing. In case of eye contact, flush with plenty of water and get medical attention. Keep away from food, feedstuffs and domestic water supplies. Wash after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, ponds or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure — do not puncture can or incinerate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE — Store away from heat.

CONTAINER DISPOSAL — Do not reuse empty container. Wrap and put in trash collection.

ACTIVE INGREDIENTS:

Pyrethrins	0.05%
Piperonyl Butoxide Technical* ..	0.50%
Rotenone	0.50%
Other Cube Resins	1.00%
Petroleum Distillate	0.55%
Heavy Aromatic Naphtha	0.50%
INERT INGREDIENTS	96.90%
TOTAL	100.00%

*Equivalent to 0.40% (Butylcarbitol) (6-Propylpiperonyl) Ether and 0.10% related compounds.

DIRECTIONS FOR USE (Continued)

ON CATS AND DOGS

Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal beginning at the tail spray over the animal until the entire coat is damp up to back of neck. On long-haired dogs and cats, ruffle the coat and spray against the lay of the hair, spraying directly behind hand so that spray reaches skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and scrotum. An application of 30 to 45 seconds is usually sufficient for an average size dog, for cats about 10 seconds is adequate. Repeat application weekly if necessary.

NOTE: Do not treat or cause exposure of kittens or puppies less than four weeks old.

In kennels or other sleeping quarters to control these insects and to deodorize the quarters, spray the animal regularly as above and spray bedding, walls, cracks, crevices and flooring as often as necessary.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED — Get medical attention immediately.

IF INHALED — Take victim to fresh air.

IF ON SKIN — Wash with plenty of soap and water.

IF IN EYES — Wash with plenty of water. Get medical attention.

EPA Reg. No. 655-723

EPA Est. No. 655-GA-1

NET CONTENTS _____

LOT # _____

see attached sheet

655-123




Manufactured by

prent^{ss}

Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 3104
Office: 363 7th Avenue
New York, N.Y. 1000

CONTAINER DISPOSAL: REPLACE CAP AND DISCARD CONTAINER IN TRASH.
DO NOT INCINERATE OR PUNCTURE.



14
201