

prentox[®]

SUMITHION[®] 8-E

INSECTICIDE FOR USE ONLY
BY PROFESSIONAL
APPLICATORS IN COCKROACH CONTROL

ACTIVE INGREDIENTS:
0,0-Dimethyl 0-(4-nitro-m-tolyl)-
phosphorothioate* 76.8%
Xylene range aromatic hydrocarbon solvent 7.3%
INERT INGREDIENTS: 15.9%
TOTAL: 100.0%

*SUMITHION

Contains 8 pounds of active ingredient per gallon.

**KEEP OUT OF REACH OF CHILDREN
WARNING**

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS

EPA Reg. No. 655-740

EPA Est. No. 655-GA-1

*Registered Trademark of Sumitomo Chemical, Ltd., Japan.

This product is sold only for uses stated on this label. No express or implied license is granted to use or sell this product under any patent in any country except as specified. Country: United States.

NET CONTENTS _____

Manufactured by



prentiss
Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082
Office: 363 7th Avenue
New York, N.Y. 10001

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

WARNING

May be fatal if swallowed, harmful if inhaled, and absorbed through skin. Do not breathe vapors. Do not get in eyes. Avoid contact with clothing. Do not get wet. Wash with soap and water if you get on your skin. Do not get in eyes. Wash with soap and water if you get on your skin. Do not get in eyes. Wash with soap and water if you get on your skin.

Do not use in kitchens or food serving areas where food is prepared. Do not use in areas where food is commercially prepared or processed. Do not use in eating areas of food handling establishments.

Keep out of domestic animal waters, pools. Do not store or transport with food or animal feed.

STATEMENT OF PRACTICAL TREATMENT:

If poisoning occurs or is suspected, immediately start the recommended procedures below and simultaneously contact a physician, the nearest hospital, or a poison control center for advice.

NOTE: Be sure to advise the physician that the compound is a cholinesterase inhibitor and follow his or her advice.

FIRST AID: If swallowed, do NOT induce vomiting. This product contains highly toxic solvent. Immediately give large quantities of water if vomiting does not occur. Give fluids again. Do not induce vomiting or purging if the victim is an unconscious person. Call a physician immediately.

For eye contact: hold eyelids apart and flush eyes with large amounts of running water for at least 15 minutes. Get medical attention.

For skin contact: flush with plenty of water for at least 15 minutes. Remove clothing, shoes, and shoes. Get medical attention. Wash thoroughly before reuse.

If inhaled: remove from contaminated atmosphere. Get medical attention if respiratory distress occurs.

NOTE TO PHYSICIAN: Atropine by injection is antidote. 2 PAM is a cholinesterase reactivator administered orally and intravenously with atropine.

PHYSICAL HAZARDS

Combustible. Do not use near open flame, heat, or other ignition sources. Keep container closed when not in use.

PRODUCT INFORMATION

SUMITHION 8-E is an emulsifiable concentrate containing 8 lbs. of SUMITHION 8-E per gallon. After dilution with water, this insecticide is used by professional applicators for residual cockroach control in buildings and structures. Application areas include: buildings, houses, hotels, motels, restaurants, schools, stores, and other structures. Do not use in areas where food is prepared or processed. Do not use in eating areas of food handling establishments.

The concentrate is a flammable liquid. Do not use in areas where food is prepared or processed. Do not use in eating areas of food handling establishments. Do not use in areas where food is prepared or processed. Do not use in eating areas of food handling establishments.

DIRECTIONS FOR USE

Use only in accordance with the label directions and in accordance with applicable laws and regulations.

COCKROACHES

For cockroach control, use SUMITHION 8-E with water as shown below. Mix and apply as directed.

| Gallons of Finished Spray Required | Amount of SUMITHION 8-E Required |
|------------------------------------|----------------------------------|
| 1 | 1.33 |
| 2 | 2.66 |
| 3 | 3.99 |
| 4 | 5.32 |
| 5 | 6.65 |
| 6 | 7.98 |
| 7 | 9.31 |
| 8 | 10.64 |

Apply as a residual spray to walls, baseboards, and other areas where cockroaches hide. Do not use in areas where food is prepared or processed. Do not use in eating areas of food handling establishments. Do not use in areas where food is prepared or processed. Do not use in eating areas of food handling establishments.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL:** Pesticide, spray mixture, or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or local procedures under the Resource Conservation and Recovery Act.
- 3. CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures.

ACCEPTED
MAY 20 1962
EPA Reg. No. 655-740