



123

RESTRICTED USE PESTICIDE

For retail sale to, and use only by, Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

**prentox®**  
**LINDANE BORER**  
**CONCENTRATE**  
**NO. 125**

ACCEPTED  
EPA REG. NO. 655-747  
EPA EST. NO. 655-GA-1  
EPA REG. NO. 655-747

**ONLY FOR SALE TO, USE AND STORAGE BY  
PEST CONTROL OPERATORS**

**ACTIVE INGREDIENTS:**

Lindane (Gamma isomer of Benzene Hexachloride)	12.5%
Xylene Range Aromatic Solvent	83.1%
<b>INERT INGREDIENTS:</b>	4.4%
<b>TOTAL:</b>	<b>100.00%</b>

(Contains 1.0 pounds of Lindane per gallon)

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control Center immediately. Contains petroleum distillates. DO NOT INDUCE VOMITING. Get prompt medical attention.
- If inhaled - Remove victim to fresh air. Apply respiration, if indicated.
- If on skin - Wash area immediately with soap and warm water.
- If in eyes - Flush with plenty of water and get prompt medical attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRENTOX(R) - Registered Trademark of Prentiss Drug & Chemical Co., Inc.

EPA REG. NO. 655-747

EPA EST. NO. 655-GA-1

NET CONTENTS \_\_\_\_\_

LOT NO. \_\_\_\_\_



Manufactured by

**prentiss**  
Drug & Chemical Co., Inc

Plant: Kaolin Road  
Sandersville, GA. 31082

Office: C.B. 2030  
Floral Park, N.Y. 11001

6.55-74

LEFT PANEL

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
CAUTION**

May be absorbed through skin, harmful if swallowed. Avoid inhalation of spray mist. Avoid skin contact. In case of contact, wash immediately with soap and water. Avoid contamination of feed and foodstuffs. Do not use on household pets and humans.

Applicators working in enclosed areas, such as crawl spaces, must wear a respirator approved by OSHA (29CFR 1910.134)

Applicators must wear the following protective clothing during the application process: a light weight protective suit or coveralls; water resistant hat; unlined, waterproof gloves; and unlined, lightweight boots. Mixers and loaders must also wear goggles or a face shield, waterproof gloves and a waterproof apron.

**ENVIRONMENTAL HAZARDS** - This product is toxic to fish, birds, and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

**PHYSICAL AND CHEMICAL HAZARDS** - Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

RIGHT PANEL

(4) Container  
(SLEEVE)

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.  
Open dumping prohibited.

**STORAGE:** If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120°F.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative as the nearest EPA Regional Office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

#### Directions For Use (cont'd)

To control wood infesting beetles of the families Lyctidae, Anobiidae, and Cerambycidae in homes, barns and other existing structures Use a 5% emulsion prepared by diluting 5 ounces of 12.5% Lindane in one (1) gallon of water or 27 1/2 ounces to 5 gallons of water. For treating support wood (beams, timber, etc.) in attached porches, outside buildings and storage areas in and around the home, barns and other existing structures apply as a coarse spray until surfaces are wet. Brush emulsion onto small areas. Do not apply coarse spray in living areas. Do not apply as a mist. Best results are obtained when applied to dry wood.

Use in the home is limited to professional licensed Pest Control Operators only. Do not use in poultry houses. Do not use in dairy barns and milk rooms. Remove animals from barns and cover all feed and water troughs before spraying buildings. Do not use on animals. Do not use on humans or household pets. Do not use in edible products areas of food processing plants, restaurants, or other areas where food is commercially prepared or processed.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

435/111726  
37/1

27 FEB 1984

OFFICE OF  
PESTICIDES AND TOXIC SUBSTANCES

Mr. Nick Sanchez  
Prentiss Drug & Chemical Co., Inc.  
C.B. 2000  
Floral Park, NY 11001

300/117311  
17/2

Dear Mr. Sanchez:

Subject: Lindane RPAR  
Prentox Lindane Borer Concentrate No. 125  
EPA Reg. No: 655-747  
Appl. Date: November 14, 1983

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable provided that you make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

1. A Symptoms of Poisoning section must be added to the label in close proximity to the STATEMENT OF PRACTICAL TREATMENT; we suggest the following:

"SYMPTOMS OF POISONING: headache, nausea, dizziness, loss of equilibrium, muscle spasms, difficulty in breathing, hyper-excitability and convulsions."

2. Be sure to note the type size requirements of the front panel signal word, the "KEEP OUT OF REACH OF CHILDREN" and the headings "RESTRICTED USE PESTICIDE" and "STORAGE AND DISPOSAL".

Submit five (5) copies of your revised final printed labeling before you release the product for shipment with the amended labeling.

A stamped copy of the label is enclosed for your records.

If you hold a Federal registration, a supplemental registration, or a Special Local Needs registration, you may continue to produce new stocks of such products, using current labeling, until April 1, 1984. After that date, all remaining inventories of affected products will fall under the Existing Stocks provisions stated in our letter of October 28, 1983.

Sincerely yours,

George T. LaRocca  
Product Manager (15)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767C)

Enclosure

655-747

P.S. Please disregard comment 1 above; the "Symptoms of Poisoning" section is not required for this product.