

SUMITHION®

4-E

NOTE TO APPLICATOR - THIS PRODUCT MAY STAIN CARPETING. DO NOT ALLOW SPRAY MIST, DRIFT OR RUNOFF TO CONTACT CARPETING AS STAINING MAY OCCUR.

PRECAUTIONARY STATEMENTS

Hazards To Humans and Domestic Animals

WARNING:
May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Do not breathe vapors. Do not get in eyes, on skin or on clothing. Thoroughly wash skin or clothing with soap and water if they become contaminated. When used in dwellings, avoid deposits which could be frequently contacted by children. Do not permit children or pets in treated areas until surfaces are dry.
Do not use in kitchens or food serving areas while food is exposed. Do not use in food processing areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in storage areas of food handling establishments.
Keep out of domestic or animal water supplies.
Do not store or transport with food or animal feed.

STATEMENT OF PRACTICAL TREATMENT

If poisoning occurs or is suspected, immediately start the recommended procedures below and simultaneously contact a physician, the nearest hospital or a poison control center for advice.

NOTE: Be sure to advise the physician that the compound is a cholinesterase inhibitor and follow his or her advice.

FIRST AID: If swallowed, do NOT induce vomiting. This product contains hydrocarbon solvent. Immediately give large quantities of water. If vomiting does occur, give fluids again. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician immediately.

For eye contact: Hold eyelids apart and flush eyes with large amounts of running water for at least 15 minutes. Get medical attention.

For skin contact: Wash with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation occurs. Wash clothing before reuse.

Respirated: Remove from contaminated atmosphere. Get medical attention if respiratory irritation occurs.

NOTE TO PHYSICIAN: Atropine by injection is antidotal. 2-PAM is also antidotal when administered early and in conjunction with atropine.

PHYSICAL HAZARDS

Combustible. Do not use near open flame or store near heat or open flame. Keep container closed when not in use.

PRODUCT INFORMATION

SUMITHION 4E is an emulsifiable concentrate containing 4 lbs of SUMITHION per gallon. After dilution with water, it is intended for use by Professional Applicators for residual cockroach control in buildings and structures and in modes of transport. Permitted areas of use include: but are not limited to, storage warehouses, industrial buildings, houses, apartment buildings, and on private aircraft, rail cars, buses, trucks, and trailers.

The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber, and asphalt materials such as tires and floor coverings. Exercise caution when treating such materials. Care should also be taken to avoid staining wallpaper and fabrics.

INSECTICIDE FOR USE ONLY BY PROFESSIONAL APPLICATORS IN COCKROACH CONTROL

ACTIVE INGREDIENTS:

0,0-Dimethyl 0-(4-nitro-m-tolyl)-phosphorothioate* 45.5%
Xylene range aromatic hydrocarbon solvent 42.1%

INERT INGREDIENTS:

TOTAL: 100.0%

*SUMITHION

Contains 4 pounds of active ingredient per gallon

KEEP OUT OF REACH OF CHILDREN
WARNING

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS

EPA Reg. No. 498-000000

EPA Est. No. 655-NJ-001

*Registered Trademark of Sumitomo Chemical America, Inc.

This product is sold only for uses stated on its label. No express or implied license is granted in use or sell this product under any patent in any country except as specified. Country: United States

BEST DOCUMENT AVAILABLE

NET CONTENTS _____

LOT# _____



Manufactured by

prentiss
Drug & Chemical Co., Inc.

Plant: 338 Wilson Avenue
Newark, N.J. 07105

Office: 363 7th Avenue
New York, N.Y. 10001

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

COCKROACHES

For control of cockroaches, dilute SUMITHION 4E with water as shown below to make a 1% spray and apply as indicated.

Gallons of Finished Spray Required	Amount of SUMITHION 4E Required
1	2 1/2
2	5
3	7 1/2
10	25
25	62 1/2

Apply as a coarse low pressure spot spray or apply with a paint brush to areas where cockroaches hide such as baseboards, storage areas, around water pipes, behind and under refrigerators, cabinets, sinks, and stoves, the underside of shelves, drawers, and similar areas behind and below lockers, panels, and similar areas where cockroaches hide or through which they may enter. Treated area should be inspected 7 and 14 weeks after initial application.

STORAGE AND DISPOSAL

- PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- PESTICIDE DISPOSAL:** Pesticide spray mixture or residue that cannot or need not be chemically reclaimed should be disposed of in a landfill approved for pesticide burial in a safe place away from water supplies.
- CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling, reconditioning, disposal in approved landfill or bury in a safe place.
- GENERAL:** Consult Federal, state or local disposal authorities for approved alternative procedures.

ACCEPTED

SEP 9 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 455-451