

ACCEPTED with COMMENTS In EPA Letter Dated:

PRENTOX(R) DURSBAN 1/2G GRANULAR INSECTICIDE

MAY 30 1984

Fig. 2. at Resentede A to accept less of the first less for the first less registered under EPA Reg. No.

Controls Chinch Bugs, Sod Webworms (Lawn Moths), Ants, Brown Dog Ticks, Crickets, Cutworms, Earwigs, Sowbugs (Pillbugs), Certain White grubs* and Hyperodes (Turfgrass) Weevils*
Infesting Home Lawns and Other Ornamental Turf Areas.

ACTIVE INGREDIENT: Chlorpyrifos (0,0-diethyl 0-(3,5,6-l-trichloro-2-	0.5%
pyridyl) phosphorothioate INERT INGREDIENTS:	99.5%
TOTAL:	100.0%
	e CUEM

PRENTOX(R) - Registered Trademark of PRENTISS DRUG & CHEMICAL CO., INC.

DURSBAN(R) - Registered Trademark of Dow Chemical Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If Swallowed - Drink 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

If On Skin - In case of contact, remove contaminated clothing and immediately wash skin with soap and water.

If In Eyes - Flush eyes with plenty of water and get prompt medical attention.

NOTE TO PHYSICIAN - Active ingredient is a cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an antidote.

AGRICULTURAL CHEMICAL - Do not ship or store with food, feeds, drugs, or clothing.

EPA REG. NO. 655
EPA EST. NO. LOT NO. ______



Plant: Kaolin Road Sandersville, GA. 31082 Office: C.B. 2000 Fioral Park, N.Y. 11001 (2)

LEFT PANEL

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION - Harmful if swallowed. Do not take internally. Avoid eye contact. Wash thoroughly after handling. Wash contaminated clothing before reuse. Keep away from food, feedstuffs, and domestic water supplies. Keep children and pets off treated areas until this material is washed into the soil and grass is dry.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping prohibited.

STORAGE: Keep pesticide in original container. Store in a cool, dry place, preferably in a locked storage area.

<u>PESTICIDE DISPOSAL</u>: Partially filled bags may be disposed of by wrapping in several layers of newspaper and discarding in trash.

CONTAINER DISPOSAL: Do not reuse bag. Discard bag in trash.

RIGHT PANEL

DIRECTIONS FOR USE

Apply DURSBAN 1/2G granular insecticide uniformly to home lawns and other ornamental and recreational turf grass areas using any hand or power operated gravity or rotary type spreader designed for application of granular materials. Treat when insects first appear using DURSBAN 1/2G at the rate of 200 pounds per acre. To help obtain uniform distribution, apply one-half the required amount of product in one direction: then apply the balance at a right angle. Immediately after application sprinkle the turf with 1300 gallons of water per acre so as to wash the granules into the zone of insect infestation. Consult the following table to determine amounts of DURSBAN 1/2G and water needed for smaller sized areas. Re-treat as necessary.

AREA TO BE TREATED	POUNDS OF DURSBAN 1/2G	GALLONS OF WATER TO SPRINKLE ON TURF AFTER TREATMENT	
1000 sq. ft.	5	30	
5000 sq. ft.	25	150	
10700 sq. ft.	50	32 5	

To control certain white grubs (larvae of European chafer and Japanese beetle) use two to four times the amounts of BURSBAN 1/2G shown in the table. I.e. 10 to 20 pounds per 1000 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide into the turf. For best results treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local Agricultural Extension Service specialist for proper time to treat in your area.

To control Hyperodes (turfgrats) weevils, use twice the rate of DURSBAN 1/2G shown in the table. Treat suspected problem areas in mid-April and again in mid-May. Consult your local-Agricultural Extension Service specialist for best time to treat in your area.

•

.

U.S. ENVIRONMENTAL PROTECTION AGENCY	TEPA REGISTRATION NO	DATE OF ISSUANCE			
OFFICE OF PESTA ICE / PROGRAMS	THE PARTY OF THE P				
REGISTION DIVIDION BH 567) AND THOTOGRAPH	TERM OF SUANCE				
••	HAME OF PESTICIPE PRODUCT	T			
NOTICE OF PESTICIDE:					
(Under the Federal Instance) Famous read and R. dentier F. Aversage read for the read		31 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -			
NAME AND ADDRESS OF REGISTRANT. In Tade ZIP Cate					
٣	~ 7				
	* 1				
L , , , , , , , , , , , , , , , , , , ,	i				
NCTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this					
product always refer to the above U.S. EPA registration num	per-				
On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.					
A copy of the labeling accepted in connection with this Rej	gistration/Reregistration is retur	ned herewith.			
Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.					
		•			
	,	•			
,		• 1			
	•				
		•			
•					
	·				
		•			
TATTACHMENT IN APPLICABLE	ATTACHMENT IS APPLICABLE				
SIGNATURE OF APPHOVIN I OFFICIAL		DATE			