



154

PRENTOX 20 LINDANE EMULSIFIABLE CONCENTRATE

Applicators must wear the following protective clothing during the application process:
Long-sleeved shirt, long pants, waterproof gloves, full foot covering and a head covering.

ACTIVE INGREDIENTS:	
Lindane (Gamma Isomer of Benzene Hexachloride).....	20.0%
Xylene Range Aromatic Solvent.....	67.5%
INERT INGREDIENTS:.....	12.5%
TOTAL:	100.0%

(Contains 1.63 pounds of Lindane per gallon)

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- If swallowed - Call a physician or Poison Control immediately.
Contains petroleum distillates.
DO NOT INDUCE VOMITING. Get medical attention immediately.
- If inhaled - Remove victim to fresh air.
- If on skin - Wash area immediately with soap and warm water.
- If in eyes - Flush with plenty of water and get prompt medical attention.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

PRENTOX(R) - Registered Trademark to Prentiss Drug & Chemical Co., Inc.

ACCEPTED
 With COMMENTS
 In EPA Letter D-444
 MAY 24 1984
 Federal Insecticide,
 Fungicide, and
 Rodenticide Act
 655-5-768

EPA REG. NO. 655 -

EPA EST. NO. 655-GA-1

NET CONTENTS _____

LOT NO. _____



Manufactured by
prentiss
 Drug & Chemical Co., Inc

Plant: Kaolin Road
 Sandersville, GA. 31082
 Office: C.B. 2000
 Floral Park, N.Y. 11001

65-768

3)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be absorbed through skin. Harmful if swallowed. Avoid inhalation of spray mist. Avoid skin contact. In case of contact, wash immediately with soap and water. Wash thoroughly after using and before eating or smoking. Avoid contamination of feed and foodstuffs. Do not use on household pets and humans. Do not apply this product in such a manner as to directly or through drift expose workers or other persons. The area being treated must be vacated by unprotected persons.

ENVIRONMENTAL HAZARDS - This product is toxic to fish, birds and other wildlife. Birds and other wildlife feeding in treated areas may be killed. Do not apply directly to water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

BENEFICIAL INSECT CAUTION - This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply when bees are actively visiting the crop, cover crop, or weeds blooming in the treatment area. Applications should be timed to provide the maximum possible interval between treatment and the next period of bee activity.

PHYSICAL AND CHEMICAL HAZARDS - Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

655-110

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
Open dumping prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sodast. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120°F.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

BEST PRACTICES

DIRECTIONS FOR USE: (CONTINUED)

Do not enter treated areas without protective clothing until sprays have dried.

Because certain states may require more restrictive reentry intervals for various crops being treated with this product, consult your State Department of Agriculture for further information.

TREES OR SHRUBS	BORER AND OTHER INSECTS	DOSAGE	TIME TO APPLY
Elm, English and Nuttall Birch	Leaf Miners	1 teaspoonful 1 gal. water	Apply when small miners appear in early and mid May. Apply when small miners appear in early July.
Pines	Pine Bark Beetles	1 pint 1 gal. water	Spray trunks thoroughly. Wet trunks to run off.
Fine Spruce	White Pine Weevil	1 1/2 teaspoon 1/2 gal. water	Apply late April when buds begin to swell. Spray upper parts of trees thoroughly.
Taxus Madroña	Strawberry Root Weevil Taxus Weevil	1 Teaspoonful 1/2 gal. water	Apply in May or early June to the trunk and ground base of trees soaking the soil surface.
Dogwood Redwood Cypress	Dogwood Borer Redwood Bark Borer Cypress Borer	1 Teaspoonful 1/2 gal. water	Make 2 to 3 applications 7 to 10 days apart in May and early June.
Apples Cherries Peaches	Fruit Tree Bark Beetles Flat-headed Borers Round-headed Borers	1 Teaspoonful 1/2 gal. water 3 pints 100 gal. water	Apply to bark of tree trunks and large limbs in spring. Apply to trunk cracks to ground. Soak bark to run off. Do not apply to fruit or foliage.
Maple, Aspen Poplar, Elm Willows, Elm Locust	Aphids Bark Beetles Wood Boring Beetles	1/2 teaspoon 1/2 gal. water 2 Teaspoonfuls 1/2 gal. water	Apply in spring when buds begin to break. Repeat in 10 to 14 days. Apply to foliage when Aphids are present during summer. Repeat until buds are free of insects.
Peaches	Peach Tree Borer	1/2 teaspoon 1/2 gal. water	Spray lower trunk and ground base of tree soaking bark and wetting trunk from trunk to ground. Do not apply to fruit or foliage.

FRUIT TREES, VEGETABLES, FLOWERS, AND ORNAMENTALS: Apply 0.03% Lindene solution as directed below. Prepare 0.03% solution by adding 1 Teaspoonful Lindene Concentrate to 2 1/2 gallons of water or 1 pint to 40 gallons of water.

PEACHES, PLUMS: Aphids, Leafrollers, Thrips. Use 1 gallon of 0.03% spray per 100 square feet. Do not apply within 60 days of harvest.

TOMATOES: Aphids. Use 1 gallon of 0.03% spray per 150 square feet. Do not apply after fruit starts to form.

CABBAGE, CELERY, COLLARDS, CUCUMBERS, LETTUCE, OKRA, PEPPERS, SQUASH, MELONS, TOMATOES: White Grubs, Cutworms, Wireworms. For preplant soil application only. Use 2 gallons for each 250 square feet. Work into soil thoroughly, before or during planting. Do not treat land to be planted in root crops.

BULBS (DAFFODIL, GLADIOLUS, HYACINTH, IRIS, LILIES, NARCISSUS, TULIPS): Aphids, Bulb Fly, European corn borer, Iris borer, Thrips. Apply when insects appear. Repeat as necessary.

FLOWERS (CARNATIONS, CHRYSANTHEMUMS, COLEUS, DAISIES, GARDENIA, GERANIUMS, Hibiscus, NASTURTIUMS, PANSIES, PETUNIAS, SWEET PEAS, ZINNIAS): Aphids, blister beetles, Leafhoppers, Thrips. Apply when insects appear. Repeat as necessary.

ORNAMENTALS (AZALEAS, CAMELLIAS, HEATHER, LILACS, RHODODENDRONS, ROSES): Aphids, Blackvine weevil, Cucumber beetles, Thrips, White Fly. Apply when insects appear. Repeat as necessary.

BEST DOCUMENT AVAILABLE

DO NOT ALLOW CHILDREN TO HANDLE OR APPLY THIS PRODUCT. CHILDREN AND PETS SHOULD NOT BE ALLOWED IN TREATED AREAS UNTIL SPRAYED SURFACES ARE DRY.

U.S. ENVIRONMENTAL PROTECTION AGENCY

EPA REGISTRATION NO.

DATE OF ISSUANCE

24 MAY 1984

TERM OF REGISTRATION

NOTICE OF PESTICIDE

Use only in accordance with the label directions.

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT

1

DRP
182/12-374
151

1

NOTE: Changes in labeling, including differences in labeling from that accepted in connection with this registration must be submitted and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above noted pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned here with.

Registration may be suspended or annulled at any time at the discretion of this Agency. In order to protect health and the environment the Administrator may at any time suspend or annul the registration of a pesticide if it is found to be in violation of the Act. The suspension of any registration in connection with the registration of a product under this Act shall not constitute an acknowledgment of the registrant's right to use the name or to its use if it has been covered by the Act.

ATTENTION: A...

SIGNATURE OF REGISTRANT

DATE

455-168

-2-

- e. Your initial application form indicated use of child-resistant packaging. To date we have not received the required certification form pertaining to packaging conformance with existing regulations.

Refer to 40 CFR 162.16 "Pesticides Requiring Special Packaging," the Federal Register Vol. 46, No. 41, Tuesday, March 3, 1981, pps. 15104-15109, "Clarification of Policy Issues on Special Packaging," and Federal Register Vol. 49, No. 2, Wednesday, January 4, 1984, pps. 380-388, for guidance and proper certification submission requirements. Note that the certification must be for the entire package, not just the closure. This certification must be submitted prior to release of the product for shipment.

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

George T. LaRocca
Product Manager (15)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosure