US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460

NOTICE	ΛE	DECT	ICINE.
NUTICE	Ur	LE3!	にいた

REGISTRATION REREGISTRATION

(Under the Federal Insecticide Fungicide and Rodenticide Act, as amended)

EPA REGISTRATION NO. 655-772

TERM OF ISSUANCE

DATE OF ISSUANCE

NAME OF PESTICIDE PRODUCT

Prentox Pyronyl Insect Spray and and Fogging Concentrate 0.45%

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Prentiss Drug & Chemical Co., Inc. CB 2000 Floral Park, NY 11001

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EP/ registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FJFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- ... Make the labeling changes listed below before you release the product for shipment:
 - Add the phrase "EPA Registration No. 655-772."
 - b. For the Container Disposal statement, please add the statement for plastic containers and precede these statements with the container type (e.g., metal, plastic).
 - c. Please provide the Product Chemistry for this product.
- Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

الدورة العرب الراقب لا المرافزة الأركيس من المدورة والمسكنة في المدورة والمدورة والمدورة والمدورة والمدورة والم

SIGNATURE OF APPROVING OFFICIAL

-16-85

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner Product Manager (17) Insecticide-Rodenticide Branch Registration Division (TS-767)

Enclosure

To

PRENTOX(R) PYRONYL (TM) INSECT SPRAY AND FOGGING CONCENTRATE 0.45%

FOR THE CONTROL OF FLIES, MOSQUITOES, SMALL FLYING MOTHS, GNATS, WASPS, ROACHES, WATERBUGS, SILVERFISH, CRICKETS, CARPET BEETLES, BEDBUGS, ANTS, FLEAS, BEDBUGS, AND EXPOSED STAGES OF INSECTS AFFECTING FLOUR, CEREALS, FOOD PRODUCTS IN STORAGE WAREHOUSES, FOOD PROCESSING AND HANDLING ESTABLISHMENTS, STABLE FLIES AND HORN FLIES:

ACTIVE INGREDIENTS:	
PYRETHRINS	. 0.459
PIPERONYL BUTOXIDE, TECHNICAL*	. 0.909
N-OCTYL BICYCLOHEPTENE DICARBOXIMIDF	. 1.509
PETROLEUM DISTILLATES	. 97.159
JOTAL	100.00

*Equivalent to 0.72% (Butylcarbityl) (6-propylpiperonly) Ether and 0.18% related compounds.

PRENTOX (R) - Registered trademark of Prentiss Drug & Chemical Co., ANEPTED

WITH COMMENTS

BY DON'T (TM) Trademark of Prentise Drug & Chemical Co., ANEPTED

WITH COMMENTS

PYRONYL (TM) Trademark of Prentiss Drug & Chemical Co., Inc.

SEP1 6 1985

towershipse Art.

And the presidente

And the

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed - Callaphysician or Poison Control Center immediately.

DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled Remove victim to fresh air.

If on skin Remove contaminated clothing and wash affected areas with soap and water.

If in eyes Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 655 - EPA EST. NO. 655-GA-1

NET CONTENTS

LOT NO.

179



Plant: Kaolin Road Sandersville, GA. \$1082, Office: C.B. 2000 Floral Park, N.Y. 11001*

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND (DOMESTIC ANIMALS)

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to milk. In barns & poultry houses, warehouses etc., cover or remove any food and food processing equipment during application. After space spraying in these areas wash with an approved detergent solution and rinse with potable water all equipment, benches, shelving etc., where exposed food will be handled to remove all traces of contamination. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.

Remove pets and birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.


STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposel Open dumping prohibited

STORAGE: If container is demaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the teaks. Take care to avoid contact with pasticide and weer protective geer. On cleenup of spitled liquide, weer protective equipment as required to prevent contact with the product or its vapors. Cover the spitled areas with generous amounts of absorbent material, such a clay, distomaceous earth, sand or sewdust. Sweep the contaminated absorbert on to a shovel and put the sweepings into a selvege drum. Dispose of wastes as below. Place any leaking container into a similar drum or gless container. Do not store, use pour or spitl near heat or open flame.

PESTICIDE DISPOSAL: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rines (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sentiary lendfill, or by other procedures approved by state and local authorities.



RIGHT PANEL

DIRECTIONS FOR USE (Con't).

FOR USE IN FOGGING AND MISTING EQUIPMENT:

Roaches, waterbugs, ants, silverfish: Use a coarse spray, directing the spray to contact as many insects as possible. Pay particular attention to baseboards, wall mouldings, woodwork, pipe openings, breeding places and nests.

Flies, mosquitoes, gnats: Use 1 oz. per 1000 cubic feet of space. Fill the room with spray, directing spray toward ceiling.

Clothes Moths: Use 1-2 ounces per 1000 cubic feet of space. When spraying clothes in storage for adult moths, separate clothing. For the larvae, pay particular attention to seams and folds of garments. Clothing should be sprayed individually. For storing clothing in chests, first treat as per above, and also spray storage container before packing. Repeated monthly applications are advisable.

Bedbugs: Spray mattresses, particularly around seams and tufts. Take beds apart and spray into all joints. Use coarse spray. Repeat application as necessary.

For insects affecting stored food, flour, grain and cereals - DO NOT SPRAY DIRECTLY ON EXPOSED FOOD, FLOUR, GRAIN OR CEREALS - Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment, or thoroughly cleaned before using. When using product in these areas, apply only when the facility is not in operation.


To kill exposed stages of Indian Meal Moth, Angoumois Grain Moth, Tobacco Moth, Carpet Beetle, Flat-Grain Beetle, Rice Weevils and Cadelles, use 3-4 ozs. per 1000 cubic feet of space, directing the spray so as to contact the insects. Pay particular attention to cracks, crevices and other hiding places. Repeat treatment as required.

KILLS INSECTS ONLY WHEN THE SPRAY CONTACTS THEM

Sanitation is necessary. Clean and remove deposits of food, grain and dust from storage areas. Clean conveyer and handling equipment.

For best results, use a good clean sprayer — free of rust — which produces a fine mist.

FOR FLYING MISECTS: Piece, assequities, email flying meths, greats and weeps: Close doors and windows. Spray freely towards ceiling in all directions until room is togged with mist. When apraying, keep about 3 feet from interior walls, fabrics and furniture. Doors and windows may be opened after 10 minutes. FOR CRAWLING INSECTS: Reaches, waterbugs, alvertish and ortickets: Spray thoroughly into cracks and crevices, under and behind sinks, cupboards, drawers, woodwork, retrigerators, pipes and drawins, where these insects hide. Spray directly on as many insects as possible. Repeat application as necessary.



POR CLOTHES MOTHS à CARPET SETTLES: Clean and apray closets thoroughly, to reach all hiding places. Clean and brush woolen erticles. Repeat application every 30 days. When curpets are infested, apray both sides thoroughly. When apraying near labrics, keep apray in constant motion, at least 35 inches away have fellowed to the constant motion.

from fabric. Spraying closer may cause stains. FOR BEDBUGS: Spray bestboards, molding and floor boards Spray mattresses, particularly around seams and lufts. Take bads spart and apray into all joints. Repeat application as necessary POR AMTS: Sprey tralls, hills, sround window frames and openings around pipes and baseboards, where ants crawl, hitting as many se possible. Repest application as necessary. FOR FLEAS: Sprey floors, floor coverings and sleeping quarters of

pets and other infested areas. Repeat as required. Do not spray

pets
FOR OUTDOOR USE: To repel temporarily: Flies, masquitose, gnets, wespe, crickets, ants. On porches, terraces, lawns, and at outdoor gatherings, spray frequently around chairs, tables, floors,

outdoor gittherings, spray frequently around chairs, tables, floors, ground and surrounding air.
CONTACT SPRAY — Use with Sprayers that give large, weeting agray Particles — To full cockroaches, and accessible stages of granery weets, red flour beets, indian meal moth lerves, cadelles, grain mites and saw-toothed grain beetles. Cover or remove exposed flood and close room. Spray outside wells of grain bins, flooring, about bees of milling machinery, wells and beetlos cross, areas behind cabinets, around pipes and other inact herbourages using 1 pail of spray per 1,000 as it of surface. inacct herbourages using 1 gal, of spray per 1,000 sq. ft. of surface. Force spray into all cracks and cravious. Repeat applications as necessary. Infested stored food products should be furnigated or treated by other effective methods using an approved product.

intended for this purpose SPACE SPRAY — Undituted in Acresol Generators — To kill files. maguitoes small flying moths & gnets Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 4 to 12 oz. of undiffued concentrate per 1,000 cu. ft. of spect. Direct output from serosol generator upward towards upper corners of room and ceiling. Leave room closed for one half hour. Do not remain in treated greas. Ventilate the great after treatment is completed Sweep up and destroy fallen insects. Repeat as

PACE SPRAY — Use in Borns & Poultry Hos Storage Bine & Storage Rooms -- To control house files, stable files & horn files, apply as a fine mist over the livestock in stanchions or holding pens or over the poultry in cages or in pi Use a logger or mist generator, so spray is directed and applied above the animals and direct spray to center of the area where enimals are housed. Apply 2 oz. per 1,000 cu. ft., so that the sgray mints a distributed uniformly throughout the entire area sprayed Do not ventilate the area for at least 10 minutes after spray has been applied. If used in dairy barns, seriete the barn thoroughly before milking Repeat delly, morning and afternoon, or as required. Keep sprayer unit reservoir and nozzle clean, to ensure proper delivery of spray mist or tog. Product is to be used in mechanical sprayers. of spray it ist or fog. Product is to be used in mechanical sprayers, which give particle size ecrosol range or smaller such as UL V type. BPACE SPRAY.—For Use in Mechanical Regging Equipment.—Kills files, mosquitoes, small flying morbs & gnats. Cover or remove exposed food and food handling surfaces. Close room, making surs to shut off all air conditic hing or ventilation equipment. Apply at the rate of 50 ff. az of sprily per 25,000 cullst of space. Make sure to direct the apray upward towards upper corners of room & ceiling. Keep room closed for one half hour after spraying. Do not remain in treated area. Ventilate after treatment is completed.

completed
FOODS SHOULD BE REMOVED OR COVERED DURING
TREATMENT ALL FOOD PROCESSING SURFACES SHOULD
BE COVERED DURING TREATMENT OR THOROUGHLY
CLEANED BEFORE USING WHEN USING THIS PRODUCT IN
THESE AREAS, APPLY ONLY WHEN THE FACILITY IS NOT IN

ALE ENVIRONMENTAL PROTECTION AGENCY
SOFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

EPA REGISTRATION NO.

DATE OF ISSUANCE

655-773

SEP 1.6 1985

NAME OF PESTICIDE PRODUCT

Prentox Insect Spray and Fogging Concentrate

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Prentiss Drug & Chemical Co., Inc. CB 2000

Ploral Park, NY 11001

Г

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to snd accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the Isbeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) 7)(A) provided that you:

- 1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- 2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 655-773."
 - b. For the Container Disposal statement, please add the statement for plastic containers and precede the two statements with the container type (e.g., metal, plastic).
 - c. Please provide the Product Chemistry for this product.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

ب تقد خاكة أهاد

9-16.85

EPA Form 8570-6 (Rev. 5-76)

PREVIOUS EDITION MAY SE USED UNTIL SUPPLY IS EXHAUSTED.