

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.

DATE OF ISSUANCE

655-778
TERM OF ISSUANCE

29 APR 1988

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Prentox[®] Resmethrin 3%

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Prentiss Drug and Chemical Company, Inc.
21 Vernon Street
Floral Park, NY 11001

161 / 210 / 18
18

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Submit the chemical identity and Material Safety Data Sheet of Penrico 2251.
3. Change the Confidential Statement of Formula (CSF) or the label so that the lower limit for the active ingredient does not fall below the label claim. Type the name of the active ingredient in a space correlating to the certified limits of the pure active ingredient on your CSF.
4. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 655-778."

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

W. H. Hutton See P. 243

DATE

4/29/88

5. Revise the Statement of Practical Treatment to read:

STATEMENT OF PRACTICAL TREATMENT

If Inhaled: Do not induce vomiting. Call a physician or poison control center immediately.

If Ingested: Remove to fresh air.

If On Skin: Remove contaminated clothing and wash affected areas with soap and water.

If In Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

Note To Physician: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

c. The term "ULV" is not appropriate for pesticides used indoors. This term refers to "ultra low volume" and has been specially defined by the Agency as applications applied at a total rate (product plus diluent) equal to or less than one-half gallon per acre (Federal Register, Vol. 46, No. 41, March 3, 1981). You must remove the term "ULV" from your label except where it is immediately followed by the phrase "mechanical aerosol generators" in a similar type size to that used for "ULV." The term "ULV" is not permitted in the product's name.

d. Replace the statement "If container is damaged: Stop any leaks by repairing the container or by patching or otherwise repairing the leaks" with the statement "If container is damaged, stop any leaks by repairing the leaks or by placing the leaking container into a similar drum or glass container" in the Storage section. Remove the statement "Place any leaking container into a similar drum or glass container."

According to your CFS, the minimum flash point for this product is 145°F. Correct the label accordingly.

5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-29 enclosure for a further description of final printed labeling.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** For containers one gallon and under: Store product in original container in a locked storage area.

PESTICIDE DISPOSAL: For containers over one gallon: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: For containers one gallon and under: Do not reuse empty container. Wrap container and put in trash. For containers over one gallon: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and Local authorities.

This concentrate is designed for use undiluted in ULV sprayers such as the LECO Mini ULV or Micro-Gen which gives particles of aerosol size. It can also be diluted with oils which meet Food Additive Regulation (21 CFR 172.884) for use in mechanical misting equipment such as the Microsol or Challenger machines which give larger particles. It can also be diluted with oil as specified and applied as a contact spray with mechanical misting equipment or pump sprayers. Before application, remove plants and animals from area to be treated. Remove horses before spraying stables.

In horse stables: Not for application if horses will be used for food.

It is advisable to cover delicate furnishings when using this undiluted product.

FOR USE IN ULV MECHANICAL AEROSOL GENERATORS SUCH AS THE LECO MINI ULV OR MICRO-GEN: Apply undiluted at the rate of 0.5 fl. ozs. (14.8 ml) of concentrate per 1,000 cu. ft. (28.3 cu. meters) of space. Direct output from aerosol generator upward toward upper corners of room and ceiling. Extinguish all flames in the area to be treated. Shut off all air conditioning or ventilating equipment. Vacate room before application, leave closed for one hour after spraying. Ventilate room thoroughly before re-entry.

SPACE SPRAY: To kill adult and accessible stages of insect pests of stored foods: grain weevils, flour beetles, saw-toothed grain beetles, cigarette beetles, Angoumois grain moths, Mediterranean flour moths, Indian meal moths, grain mites, carpet beetles and spider beetles. Direct output into corners, under pallets, hitting as many insects as possible, and then treat as a space spray upward toward upper corners of room and ceiling.

TO KILL HOUSE FLIES, MOSQUITOES, GNATS AND SMALL FLYING MOTHS: Treat as a space spray, directing output towards upper corners of room and ceiling.

CONTACT SPRAY: Use undiluted to kill cockroaches, silverfish, earwigs, ants, spiders, fleas, crickets, centipedes, sowbugs, millipedes, carpet beetles. Apply the spray as a coarse wet spray into all cracks and crevices in woodwork, walls, floors, beneath sinks and other insect harborages, contacting as many insects as possible.

TO KILL FLEAS: Hold spray nozzle about 18 inches (46 cm) from areas to be treated. Direct spray on resting areas and floor around these areas. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also treat dogs, cats and horses with registered flea control product before they re-enter treated areas.

TO KILL WASPS AND HORNETS: Contact application should be made in late evening when insects are at rest. Spray liberally into hiding and resting places, contacting as many insects as possible. Repeat as necessary.

SEE ATTACHED PAGE

PRENTOX® RESMETHRIN 3% ULV

FOR INDOOR USE IN ULV, MECHANICAL MISTING SPRAYERS, PUMP SPRAYERS, OR THERMAL FOGGERS

Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Program.

FOR HOMES, STORES, INSTITUTIONS, RESTAURANTS, FOOD PROCESSING PLANTS, WAREHOUSES, INDUSTRIAL INSTALLATIONS, AND HORSE STABLES.

ACTIVE INGREDIENT:

*† Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2, 2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate 3.00% w/w

**INERT INGREDIENTS: 97.00%

TOTAL : 100.00% w/w

THIS PRODUCT CONTAINS THE TOXIC INERT INGREDIENT METHYLENE CHLORIDE

**Contains Petroleum Distillate

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% (±) trans.

†U.S. Patent Nos. 3,465,007 and 3,542,928.

•PENICK'S SBP-1382® Brand of Resmethrin insecticide.

PRENTOX®—Registered Trademark of Prentiss Drug & Chemical Co., Inc.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed — Call a physician or Poison Control Center. Do not induce vomiting. This product contains petroleum solvents. Aspiration may be a hazard. If in eyes: — Flush with plenty of water. Get medical attention if irritation persists. If on skin: — Flush with plenty of water. Get medical attention if irritation persists.

SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety or Health) to give adequate protection against this material. ~~Wear protective clothing.~~ Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water, separately from other clothing, before reuse. Do not apply directly to food or feedstuffs. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After spraying in bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled thoroughly with an effective cleaning compound and rinse with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water.

PHYSICAL OR CHEMICAL HAZARDS

Extinguish open flame before space spraying. Do not use, pour, spill or store near heat or open flame. Flash point minimum 150°F (65.5°C).

ACCEPTED
with COMMENTS

29 APR 1988

EPA REG. NO. 432-635-655

EPA File Symbol

NET CONTENTS

655-TTT

LOT NO.

Sold by:



prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road Sandersville, GA. 31082

Office: C.B. 2000 Floral Park, NY 11001

Under 107...
Pesticide...
as amended, for the products...
registered under EPA Reg. No.

655-778

Out...
tes...
bey...
or...
obt...
saf...
inj...
con...

-3-

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Phillip Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

PRENTISS DRUG & CHEMICAL CO., INC.
C.B. 2000
FLORAL PARK, N.Y. 11001

REVISION OF STORAGE AND DISPOSAL STATEMENT FOR THE PRODUCT LABEL
PRENTOX(R) RESMETHRIN 3%
FILE SYMBOL 655 TT1

STORAGE AND DISPOSAL (SLEEVE)

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

* For containers of one gallon and under, the following statement will be added to the storage section:

"Do not store in car trunk where temperatures may exceed 120°F"

