
100.000%w/w



ACCEPTED

WARRANTY STATEMENT

Our recommendations for use of this product are useful unit fet believed to be reliable. The use of this product the product the product the product the control of the manufacturer, no guarantee, expreside or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe profunded therefore derail insecticide, must assume all responsibility, including injury or day again its significant representation of the posterior of th

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Avoid breathing mist. Cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces. Remove pets and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Extinguish open flame before space spraying. This formulation is combustible. Do not use or store near heat or open flame.

E.P.A. REG. NO. 655-779

E.P.A. EST. NO. 655-GA-1

12/92



A SYNTHETIC PYRETHROID FOR CONTROLLING THE FOLLOWING FLYING AND CRAWLING INSECTS: HOUSE FLIES, MOSQUITOES, GNATS, FLYING MOTHS (MILLERS), FRUIT FLIES, VINEGAR FLIES, WASPS, HORNETS, YELLOW JACKETS, COCKROACHES, WATER-BUGS, BEDBUGS, FLEAS, TICKS, ANTS, CRICKETS, SILVERFISH, EARWIGS, SPIDERS, GRAIN INSECTS (ADULTS OF CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, SHINY SPIDER BEETLES, GRAIN WEEVILS, ANGOUMOIS GRAIN MOTHS, MEDITERRANEAN FLOUR MOTHS, INDIAN MEAL MOTHS, GRAIN MITES), CARPET BEETLES, SOWBUGS, CENTIPEDES, MILLIPEDES AND CICARETTE BEETLES.

Authorized by USDA for use in edible product areas of official establishments operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs.

ACTIVE INGREDIENTS:

**†Resmethrin [5-(phenylmethyl)-3-furanyl] methyl 2, 2-dimethyl-3-(2-methyl-1-propenyl)

**Contains Petroleum Distillate

*Contains Petroleum Distillate
*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (±) trans (†) U.S. Patent Nos. 3,465,007 and 3,542,928

•Roussel-Bio's SBP-1382** Brand of Resmethrin insecticide

PRENTOX"-Registered Trademark of Prentiss Incorporated

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center. Do not induce vomiting. This product contains petroleum solvent. Aspiration may be a hazard. Call a physician at once.

In eyes: In case of contact, immediately flush eyes with plenty of water. Get medical attention if irritation persists.

On akin: Wash with soap and water immediately. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Contains petroleum distillate. Vomiting may cause aspiration pneumonia.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Manufactured by

Plant: Kaolin Rd., Sandersville, GA 31082 Office: C.B. 2000, Floral Park, NY 11001



STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal. Open dumping is prohibited.

container into similar drum or glass container. Take care to avoid Sweep the contaminated absorbent into a shover and put the sweepings liquids wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of STORAGE: If container is damaged: Stop any leaks by placing the leakinto a salvage drum. Dispose of wastes as below. Do not store, use, pour, or spill near heat or open flame. Do not store in car trunk where contact with pesticide and wear protective gear. On cleanup of spilled absorbent material, such as clay, distomaceous earth, sand, or sawdust. temperatures exceed 120°F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product CONTAINER DISPOSAL, PLASTIC CONTAINERS: Triple rinse (or or if allowed by state and local authorities, by burning. If burned, stay out of smoke. METAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary fandfill, may be disposed of on site or at an approved waste disposal site. equivalent). Puncture and dispose of in a sanitary landfill or incineration. by other procedures approved by State and local authorities.

DIRECTIONS FOR USE

is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ings, milk-handling areas of milk plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables, in horse *tables, not for application if horses will be used for hood. hospitals: Remove patients prior to treatment. Ventilate rooms for two hours before returning patients. Also for use in buses, automobiles, For use indoors and outside premises of hotels, motels, homes, food handling establishments, packaging and processing plants, seed thouses, commercial, industrial, office, institutional and storage build-

Foods should be removed or covered during treatment. All lood processing surfaces should be covered during treatment or thoroughly handled thoroughly with an effective cleaning compound and rinse cleaned before using. After space spraying in food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be with potable water. When using the product in these areas, apply only when facility is not in operation

(millers), fruit lites, vinegar lites. Close room or area to be treated. Shut off air conditioner and veriliator system. Setal all open wans. Remove lish and pets. Apply undituted as a very line mist space spray through. Space Spray: To kill house lines, mosquitoes, gnats, flying moths manually operated equipment or with electrical and other powered from objects. Direct the fine sonay mist toward the upper corners of the room with a fine mist space spray at the rate of 3 fluid ounces per 5,000 cubic feet (89 ml per 142 cubic meters). Leave room

applicators. Avoid staining by holding the spray nozzfe at least five fee

closed for one-half hour. Ventilate thoroughly before re-entry. Sweep

up and destroy insects.

spray to produce large wetting type spray particles. Direct spray to fizas, earwigs, sowbugs, carpet beetles, centipedes, millipedes. Adjust around pipes, behind cabinets, and other harborages. Spray these Contact Spray: To kill cockroaches, waterbugs, crickets, silverlish contact these insects in cracks and crevices in floors, baseboards, infested areas until thoroughly wet. Repeat as necessary.

To Kill Spiders: Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders

To Kill Ants: Spray doors, around window frames, ant trails and hills,

clean and air mattresses and springs. Then spot treat only areas that may harbor bedbugs, concentrating on tufts, folds and seams. Repeat as To Kill Bedbugs: Apply as a spot treatment to cracks and crevices around baseboards, floorboards, bedboards and walls. First, thoroughly necessary. For persistent infestations, consult professional applicator

coverings, baseboards, cracks and crevices, intested furniture and animal resting areas. Hold spray nozzle about 18 inches (46 cm) from areas to be treated. Apply spray until area is moist. Treat pel bedding as necessary. Do not allow bets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, To Kill Fleas and Ticks: Spray directly on insects as well as floors, floor the same way. Also spray entire inside surface of dog houses. Repeal cats and horses with a registered flea-control product before they reenter the treated area.

cracks and crevices where grain insects may be hiding. In homes, dispose of all infested products. The shelves and drawers should be grain beetles, shiny spider beetles, grain weevils, cigarette beetles, Angoumois, grain moths. Mediterranean flour moths, Indian meal moths, grain miles. Remove infested grain, cereal or flour and destroy. Avoid contamination of other food and foodstuffs in the areas by removing before spraying. Spray directly on exposed stages and into cleaned and thoroughly sprayed so as to contact all pests, and covered with shelf paper after allowing shelves to dry. Any utensils that are contacted with spray should be washed before using Repeal as To Kill Grain Insects: Adults of confused flour beetles, saw-toothed necessary

To Kill Wasps, Hornels, Yellow Jackels: Application should be made in late eventing when insects are at rest. Spary liberally uno hidring and bedding places confacting as many il insects as bossible. Appear as

Apply as a contact spray. Spray directly on insects. Avoid spraying furf To control nuisance pests around buildings, patios and paved areas: plants

OUTDOORS

as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs. coverings, baseboards, cracks and crevices, infested furniture and animal resting areas. Hold spray nozzle about 18 inches (46 cm) from To Kill Fleas and Ticks: Spray directly on insects as well as floors, floors areas to be treated. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat cats and horses with a registered flea-control product before they reenter the treated area.

To Kill Ants: Spray doors, around window frames, ant trails and hills.

To Kill Wasps, Hornets, Yellow Jackets: Application should be made in late evening when insects are at rest. Spray liberally into hiding and saturation in and around nest openings. Contact as many insects as breeding places contacting as many insects as possible. Aim spray at nest openings in bushes, under eaves, chimneys, cracks and crevices to possible. Repeat as necessary.

To kill Earwigs, Sowbugs, Spiders, Centipedes, and Millipedes: Apply as a contact spray, as for indoor use.

Also, thoroughly spray garbage and refuse areas, especially around poultry houses, barns, and similar areas of heavy infestation. Do not To control named flying and crawling insects around premises, spray thoroughly around doors, window frames and similar areas of spray on furl or plants.

Thermal Applications: For control of houseflies and mosquitoes. This formulation is to be used undiluted in only such portable thermal applicator equipment that can deliver spray particle sizes within the serosol size range.

and gnats in warehouses, restaurants and industrial institutions. Remove or cover exposed food and food handling surfaces. Remove animals and plant life. Shut off ventilating systems, air ducts, air conditioning equipment and close off room or area to be treated. Do uish all flames and pilot lights. Apply as a dry fog at the rate of ozs. per 1,000 cubic feet (39 ml per 28.3 cubic meters ace). Direct nozzle of thermal applicator toward the Thermal Applications Indoors: For the control of housefiles, mosquitoes upper corners of the room and along ceiling. Close off room for at least one-half hour. Do not remain in treated area after treatment. Ventitate thoroughly before re-entry. not spray while food processing plant is occupied or in operation Extinguish all flames space).

