655-787



Prentox Resmethrin EC 3 EPA Registration No. 655-787



FOR USE IN BAKERIES, FOOD PLANTS, RESTAURANTS, SCHOOLS, HOTELS, MOTELS, WAREHOUSES, OFFICE BUILDINGS, HOSPITALS, FOOD HANDLING PLANTS AND INDUSTRIAL PLANTS.

**ACTIVE INGREDIENT:** 

\*Cis/Trans Isomers Ratio: Max. 30% () cis and Min. 70% () Trans.

\*\* Contains Aromatic Petroleum Hydrocarbons

## FOR SALE TO, USE AND STORAGE BY COMMERCIAL APPLICATORS ONLY

	KEEP OUT OF REACH OF CHILDREN			
	CAUTION			
	FIRST AID			
Have the produ-	et container or label with you when calling a poison control center or physician, or going for treatment.			
If swallowed	<ul> <li>Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 immediately for treatment advice.</li> </ul>			
	<ul> <li>Do not give any liquid to the person.</li> </ul>			
	<ul> <li>Do not induce vomiting unless told to do so by the Poison Control Center or physician.</li> </ul>			
	<ul> <li>Do not give anything by mouth to an unconscious or convulsing person.</li> </ul>			
	Take off contaminated clothing.			
If on skin or	<ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>			
clothing	<ul> <li>Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice.</li> </ul>			
	Hold eye open and rinse slowly and gently with water for 15-20 minutes.			
If in eyes	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.			
	<ul> <li>Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice.</li> </ul>			
	Move person to fresh air.			
lf inhaled i	<ul> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> </ul>			
	<ul> <li>Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice.</li> </ul>			
NOTE TO PHY	SICIAN: Contains aromatic petroleum hydrocarbons - vomiting may cause aspiration pneumonia.			
	on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call ticide Telecommunications Network at 1-800-858-7378.			
SEE SIDE PA	NELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE			

EPA REG. NO. 655-787

EPA Est. No. 655-GA-1

÷ ...

Manufactured by:

**PRENTISS INCORPORATED** 

Plant: Kaolin Road, Sandersville, GA 31082 Comparison of C.B. 2000, Floral Park, NY 11002-2000

ſ	ACC	E	;]	TED
	APR	2	3	2002
	مأمارات	ണ 20, ഡി	a n for	al insecticide, odenticide Act, the pesticide 55-787

പ്രോപം .

• (- - -

2. E . E 2

- 5 - 5

4.4

1/2

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid contact with skin. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wash hands, arms and face with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. Keep container closed.

In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after treatment. Do not return patients to room until after ventilation.

Avoid contamination of feed and foodstuffs. Use in food processing plants only when the plant is not in operation. Foods should be removed during treatment. All food surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds and cover aquariums before spraying.

## ENVIRONMENTAL HAZARDS

This product is toxic to fish and birds. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Apply this product only as specified on this labet.

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use in restaurants, cafes, bakeries, schools, hotels, motels, warehouses, office buildings, food plants, hospitals, food processing and industrial plants.

For most effective results, use in a good sprayer adjusted to deliver a fine mist for flying insects and a course spray for crawling insects.

#### CONTACT SPRAY

For control of roaches, wasps, ants, fleas and other listed crawling insects. Mix 11¼ fluid ounces of Prentox Resmethrin EC3 in a gallon of water to make a 0.25% emulsion. Mix well before using. Directions for each insect treatment are given below.

Roaches: Spray thoroughly into hiding places such as cracks, crevices and moist areas around pipes, under refrigerators and along baseboards. Spray directly on insects when possible. Repeat as necessary.

Wasps: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

Crawling Insects: Roaches, Earwigs, Grain Mites, Sowbugs, Spiders and Centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible.

Fleas: Liberal application should be made to floor and floor covering, cracks, crevices, sleeping quarters of animals, infested furniture and wherever these insects may be suspected of harboring. Liberal and repeated area application, to insure contact of all pests with the spray are necessary for control.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

#### SPACE SPRAY

Flies, Gnats and Mosquitoes: For control of flies, gnats and mosquitoes, remove or cover exposed food and food handling surfaces, including utensils. Remove animals. Shut off ventilating systems, air ducts and air conditioning equipment.

Mix 4½ fluid ounces of Resmethrin EC 3 in a gallon of water to make a 0.1% emulsion. Mix well before using. Apply as a fine spray at the rate of 2 fluid ounces per 64,000 cubic feet. Direct nozzle to upper corners of the room and along ceiling. Avoid inhaling the spray mist. Close off room for at least one half hour after spraying. Do not remain in treated area. Ventilate room before re-entry. Sweep up and destroy fallen insects. Repeat as necessary.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place inaccessible to children and pets.

Pesticide Disposal: Wastes resulting from this product may be disposed of on site or at an approved waste disposal facility. Container Disposal: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state or local authorities, by burning. If burned, stay out of smoke.

## NOTICE

Seller's guarantee is limited to the terms of this label and subject thereto. The buyer assumes any risks to persons or property rising out of the use or handling and accepts the product on these conditions.

<del>6/93</del>

1205